



Floor covering profiles

Products designed as a solution to various problems caused by the installation of flooring, such as unevenness between new and old coverings, connection between surfaces of the same height with the same or different materials, as joints, terminals, profiles or with simple aesthetic function. The profiles available feature numerous materials and finishes, so that they can be easily matched to any kind of flooring; from tiles, to wood, to vinyl. The huge range of profiles allows to choose from products to be installed while laying of the floor, to others designed for installation with the floor already laid. The versatility and wide assortment of materials and finishes make our profiles the best choice to finish any kind of flooring, whatever material they are made of and whatever way they are styled.


trimtec TR

TRIMTEC TR is a complete range of brass, aluminum and stainless steel trim profiles designed for fast and efficient installation of any flooring type, regardless of size and thickness. TRIMTEC TR is available in various heights from 2 to 30 mm, matching different tile thicknesses. In the aluminum and brass versions, a dovetail groove maximizes the grout grip and edge protection for both vertical and horizontal tile laying. TRIMTEC TR profiles are conceived for tile laying, but can also be used with other types of flooring such as stone, wood and industrial resin floors. TRIMTEC TR profiles are mainly used as transition trims between two types of flooring (for example between tiling and carpeting) and as expansion joints when two lengths are laid side by side. They can also be used as trimming for ceramic baseboards and as edge protection for any floor thickness. In some cases the profiles may be used as entrance mat framing.




TR100IL


Length: 2,70 meters





Stainless Steel
B = 2 mm




Aluminum TR 20 ÷ 45
B = 3 mm




Brass TR 20 ÷ 45
B = 3 mm




Aluminum TR 60 ÷ 150
B = 3 mm



Brass TR 60 ÷ 150
B = 3 mm



Aluminum TR 175 ÷ 225
B = 3 mm



Brass TR 175 ÷ 300
B = 3 mm

☐ **SELFLINE**/KIT PRE-CUT
☑ **CURVELINE**/BENDABLE

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

For SELFLINE/CURVELINE L = 0,9 - 1,35 m as per page 384

Stainless Steel



IL/ILM IS IX



TR125IL

trimtec >> TR in Stainless Steel AISI 304 - DIN 1.4301 Polished					
Cod.	H mm	Finish	€/m	pcs	
TR20IL270	2	IL - Polished	9,71	40*	
TR30IL270	3	IL - Polished	9,98	40*	
TR45IL270	4,5	IL - Polished	10,20	30*	
TR60IL270	6	IL - Polished	10,73	30*	
TR80IL270	8	IL - Polished	11,06	30*	
TR100IL270	10	IL - Polished	11,51	30*	
TR110IL270	11	IL - Polished	11,85	30*	
TR125IL270	12,5	IL - Polished	12,12	30*	
TR150IL270	15	IL - Polished	12,86	30*	
TR175IL270	17,5	IL - Polished	13,55	20*	
TR200IL270	20	IL - Polished	13,99	20*	
TR225IL270	22,5	IL - Polished	14,69	20*	
TR250IL270	25	IL - Polished	15,67	20*	
TR275IL270	27,5	IL - Polished	16,55	20*	
TR300IL270	30	IL - Polished	16,82	10**	

trimtec >> TR in Stainless Steel AISI 316 - DIN 1.4404 Polished					
Cod.	H mm	Finish	€/m	pcs	
TR60ILM270	6	ILM - Polished	13,34	30*	
TR80ILM270	8	ILM - Polished	13,64	30*	
TR100ILM270	10	ILM - Polished	14,46	30*	
TR110ILM270	11	ILM - Polished	14,63	30*	
TR125ILM270	12,5	ILM - Polished	15,62	30*	
TR150ILM270	15	ILM - Polished	16,98	30*	

trimtec >> TR in Stainless Steel AISI 304 - DIN 1.4301 Brushed					
Cod.	H mm	Finish	€/m	pcs	
TR45IS270	4,5	IS - Brushed	13,18	30*	
TR60IS270	6	IS - Brushed	13,73	30*	
TR80IS270	8	IS - Brushed	14,07	30*	
TR100IS270	10	IS - Brushed	14,52	30*	
TR110IS270	11	IS - Brushed	14,85	30*	
TR125IS270	12,5	IS - Brushed	15,15	30*	
TR150IS270	15	IS - Brushed	15,87	30*	
TR175IS270	17,5	IS - Brushed	16,60	20*	
TR200IS270	20	IS - Brushed	17,05	20*	
TR225IS270	22,5	IS - Brushed	17,75	20*	
TR250IS270	25	IS - Brushed	18,75	20*	
TR275IS270	27,5	IS - Brushed	19,64	20*	
TR300IS270	30	IS - Brushed	19,91	10**	

trimtec >> TR in Stainless Steel AISI 304 - DIN 1.4301 Sanded					
Cod.	H mm	Finish	€/m	pcs	
TR100IX270	10	IX - Sanded	15,19	30*	
TR110IX270	11	IX - Sanded	15,49	30*	
TR125IX270	12,5	IX - Sanded	15,81	30*	

Aluminum



AN AS



TR100AN



TR200AN



TR100AND

* 10% increase for quantities lower than 20.



** 10% increase for quantities lower than those indicated.

For SELFLINE/CURVELINE L= 0,9 - 1,35 m as per page 384

trimtec >> TR in Natural Aluminum					
Cod.	H mm	Finish	€ / m	pcs	
TR20AN270	2	AN - Natural	3,26	100*	☑
TR30AN270	3	AN - Natural	3,30	120*	☑
TR45AN270	4,5	AN - Natural	3,36	120*	☑☒
TR60AN270	6	AN - Natural	3,42	100*	☑☒
TR80AN270	8	AN - Natural	3,52	100*	☑☒
TR100AN270	10	AN - Natural	3,71	80*	☑☒
TR110AN270	11	AN - Natural	3,92	80*	☑☒
TR125AN270	12,5	AN - Natural	4,13	80*	☑☒
TR150AN270	15	AN - Natural	4,53	70*	☑☒
TR175AN270	17,5	AN - Natural	4,98	60*	☑
TR200AN270	20	AN - Natural	5,28	60*	☑
TR225AN270	22,5	AN - Natural	5,59	60*	☑

trimtec >> TR in Anodized Aluminum					
Cod.	H mm	Finish	€ / m	pcs	
TR20AS270	2	AS - Silver	4,45	40*	☑
TR30AS270	3	AS - Silver	4,49	40*	☑
TR45AS270	4,5	AS - Silver	4,58	40*	☑☒
TR60AS270	6	AS - Silver	4,76	40*	☑☒
TR80AS270	8	AS - Silver	4,92	40*	☑☒
TR100AS270	10	AS - Silver	5,16	40*	☑☒
TR110AS270	11	AS - Silver	5,54	40*	☑☒
TR125AS270	12,5	AS - Silver	5,86	40*	☑☒
TR150AS270	15	AS - Silver	6,37	40*	☑☒
TR175AS270	17,5	AS - Silver	6,96	30*	☑
TR200AS270	20	AS - Silver	7,47	30*	☑
TR225AS270	22,5	AS - Silver	8,14	30*	☑

Brass



TR100ON

trimtec >> TR in Natural Brass					
Cod.	H mm	Finish	€ / m	pcs	
TR20ON270	2	ON - Natural	9,95	30*	☑
TR30ON270	3	ON - Natural	10,04	30*	☑
TR45ON270	4,5	ON - Natural	10,19	30*	☑☒
TR60ON270	6	ON - Natural	10,47	20*	☑☒
TR80ON270	8	ON - Natural	11,08	20*	☑☒
TR100ON270	10	ON - Natural	11,54	20*	☑☒
TR125ON270	12,5	ON - Natural	12,31	20*	☑☒
TR150ON270	15	ON - Natural	13,41	20*	☑☒
TR175ON270	17,5	ON - Natural	14,97	20*	☑
TR200ON270	20	ON - Natural	15,85	10**	☑
TR225ON270	22,5	ON - Natural	16,65	10**	☑
TR250ON270	25	ON - Natural	17,73	10**	☑
TR275ON270	27,5	ON - Natural	18,61	10**	☑
TR300ON270	30	ON - Natural	19,34	10**	☑

trimtec >> TR in Polished Brass					
Cod.	H mm	Finish	€ / m	pcs	
TR20OL270	2	OL - Polished	14,31	10**	
TR30OL270	3	OL - Polished	14,41	20*	
TR45OL270	4,5	OL - Polished	14,56	20*	
TR60OL270	6	OL - Polished	14,84	20*	
TR80OL270	8	OL - Polished	15,45	15**	
TR100OL270	10	OL - Polished	15,91	10**	
TR125OL270	12,5	OL - Polished	16,67	10**	
TR150OL270	15	OL - Polished	17,79	10**	
TR175OL270	17,5	OL - Polished	19,32	10**	
TR200OL270	20	OL - Polished	20,22	10**	
TR225OL270	22,5	OL - Polished	21,00	10**	
TR250OL270	25	OL - Polished	22,08	5**	
TR275OL270	27,5	OL - Polished	22,98	10**	
TR300OL270	30	OL - Polished	23,70	10**	

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.


trimtec SR

TRIMTEC SR is recommended in particular for finishing the edges of the perimeter of the ceramic floors, especially where they abut to vertical covering, or as stair nosing, as well as for trimming external access ways and balconies. SR trim has an extended vertical edge which serves to better cover and protect the joining surfaces or paint finishing as well as to prevent future fissuring. Its particular section design makes it suitable to match two different floor thicknesses with the same reversible profile. The aluminum section is designed with vertical dovetail anchoring.




SR10/12AS


Length: 2,70 meters




Stainless Steel
B = 3 mm



Aluminum
B = 3 mm



Brass
B = 3 mm



✓ **CURVELINE**/BENDABLE

Stainless Steel



IL

IS



SR8/15IS

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

For SELFLINE/CURVELINE L = 0,9 - 1,35 m as per page 384

trimtec >> SR in Stainless Steel AISI 304 - DIN 1.4301 Polished					
Cod.	HxH1 mm	Finish	€/m	pcs	
SR8/15IL270	8x15	IL - Polished	19,36	10**	<input checked="" type="checkbox"/>
SR10/12IL270	10x12,5	IL - Polished	19,36	15**	<input checked="" type="checkbox"/>

trimtec >> SR in Stainless Steel AISI 304 - DIN 1.4301 Brushed					
Cod.	HxH1 mm	Finish	€/m	pcs	
SR8/15IS270	8x15	IS - Brushed	22,43	10**	
SR10/12IS270	10x12,5	IS - Brushed	22,43	15**	

Aluminum



AS



SR 10/12 AS

trimtec >> SR in Anodized Aluminum					
Cod.	HxH1 mm	Finish	€/m	pcs	
SR8/15AS270	8x15	AS - Silver	9,58	25*	<input checked="" type="checkbox"/>
SR10/12AS270	10x12,5	AS - Silver	9,58	25*	<input checked="" type="checkbox"/>

Brass



ON



OL

trimtec >> SR in Natural Brass					
Cod.	HxH1 mm	Finish	€/m	pcs	
SR8/15ON270	8x15	ON - Natural	19,14	10**	<input checked="" type="checkbox"/>
SR10/12ON270	10x12,5	ON - Natural	19,14	10**	<input checked="" type="checkbox"/>

trimtec >> SR in Polished Brass					
Cod.	HxH1 mm	Finish	€/m	pcs	
SR8/15OL270	8x15	OL - Polished	23,50	10**	
SR10/12OL270	10x12,5	OL - Polished	23,50	10**	

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

For SELFLINE/CURVELINE L= 0,9 - 1,35 m as per page 384


bordertec BSR

The BORDERTEC BSR is recommended to contour marble and stone balconies and terraces with to water-run-off finishing element. Its reversible section allows to match two different tiles' thicknesses with the same reversible profile. Bordertec BSR is equipped with the necessary special pieces for a proper installation.




BSR15/30IS


Length: 2,70 meters



Stainless Steel
B = 3,6 mm



Aluminum
B = 3,6 mm



It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.

Stainless Steel



IS

bordertec >> BSR in Stainless Steel AISI 304 - DIN 1.4301 Brushed				
Cod.	HxH1 mm	Finish	€/ m	pcs
BSR10/35IS270	10x35	IS - Brushed	36,23	5**
BSR15/30IS270	15x30	IS - Brushed	36,23	5**
BSR20/25IS270	20x25	IS - Brushed	36,23	10**


bordertec >> BSRE Outside corner in AISI 304 stainless steel- DIN14301 Brushed				
Cod.	H mm	Finish	€/ pc	pcs
BSRE45IS	45	IS - Brushed	44,27	10**

bordertec >> BSRG Junction in Stainless Steel AISI 304 - DIN 1.4301 Brushed				
Cod.	H mm	Finish	€/ pc	pcs
BSRG45IS	45	IS - Brushed	8,15	10**

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

Aluminum



BSRG-A50



BSRE-A50



BSR-A50

bordertec >> BSR in Powder Coated Aluminum				
Cod.	HxH1 mm	Finish	€/m	pcs
BSR10/35A22270	10x35	A22 - Pastel Grey	23,71	10**
BSR15/30A22270	15x30	A22 - Pastel Grey	23,71	10**
BSR20/25A22270	20x25	A22 - Pastel Grey	23,71	10**

bordertec >> BSR in Powder Coated Aluminum Modern Line				
Cod.	HxH1 mm	Finish	€/m	pcs
BSR10/35A24270	10x35	A24 - Embossed pastel grey	23,71	10**
BSR15/30A24270	15x30	A24 - Embossed pastel grey	23,71	10**
BSR20/25A24270	20x25	A24 - Embossed pastel grey	23,71	10**
BSR10/35A33270	10x35	A33 - Embossed dove	23,71	10**
BSR15/30A33270	15x30	A33 - Embossed dove	23,71	10**
BSR20/25A33270	20x25	A33 - Embossed dove	23,71	10**
BSR10/35A50270	10x35	A50 - Embossed Micaceous	23,71	10**
BSR15/30A50270	15x30	A50 - Embossed Micaceous	23,71	10**
BSR20/25A50270	20x25	A50 - Embossed Micaceous	23,71	10**
BSR10/35A65270	10x35	A65 - Embossed matt Black	23,71	10**
BSR15/30A65270	15x30	A65 - Embossed matt Black	23,71	10**
BSR20/25A65270	20x25	A65 - Embossed matt Black	23,71	10**

bordertec >> BSRE outside corner in Powder Coated Aluminum				
Cod.	H mm	Finish	€/pc	pcs
BSRE45A22	45	A22 - Pastel Grey	25,73	10**

bordertec >> BSRG in Powder Coated Aluminum				
Cod.	H mm	Finish	€/pc	pcs
BSRG45A22	45	A22 - Pastel Grey	6,52	10**

bordertec >> BSRE Outside corner in Powder Coated Aluminum Modern line				
Cod.	H mm	Finish	€/pc	pcs
BSRE45A24	45	A24 - Embossed pastel grey	25,73	10**
BSRE45A33	45	A33 - Embossed Dove-Grey	25,73	10**
BSRE45A50	45	A50 - Embossed Micaceous	25,73	10**
BSRE45A65	45	A65 - Embossed matt Black	25,73	10**

bordertec >> BSRG in Powder Coated Aluminum Modern Line				
Cod.	H mm	Finish	€/pc	pcs
BSRG45A24	45	A24 - Embossed pastel grey	6,52	10**
BSRG45A33	45	A33 - Embossed Dove-Grey	6,52	10**
BSRG45A50	45	A50 - Embossed Micaceous	6,52	10**
BSRG45A65	45	A65 - Embossed matt Black	6,52	10**

The colors in the Profiltec range, as shown in the final pages of the price list, are available upon request with the following conditions:

- without a surcharge;
- with a delivery time of 5 weeks;
- for a minimum quantity of 100pcs.

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.



roundjolly RJ

The ROUNDJOLLY profiles connect floors of different levels, completing and protecting the tile edge from bangs and mechanical impacts. The profile, available in aluminium and stainless steel, is ideal for restructuring and on surfaces covered with thin tiles.




RJ45IL

Length: 2,70 meters



Stainless Steel



RJC - I

roundjolly >> RJ in Stainless Steel AISI 304 - DIN 1.4301 Polished				
Cod.	H mm	Finish	€/ m	pcs
RJ45IL270	4,5	IL - Polished	12,13	40*

roundjolly >> RJ in Stainless Steel AISI 304 - DIN 1.4301 Brushed				
Cod.	H mm	Finish	€/ m	pcs
RJ45IS270	4,5	IS - Brushed	15,16	30*

roundcapsule >> RJC End caps in Stainless Steel AISI 304 - DIN 1.4301 Polished				
Cod.	H mm	Finish	€/ set	pcs / set
RJC45ILSET2	4,5	IL - Polished	33,20	2

roundcapsule >> RJC End caps in Stainless Steel AISI 304 - DIN 1.4301 Brushed				
Cod.	H mm	Finish	€/ set	pcs / set
RJC45ISSET2	4,5	IS - Brushed	38,55	2


* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

Aluminum



AS



RJC - A

roundjolly >> RJ in Anodized Aluminum				
Cod.	H mm	Finish	€ / m	pcs
RJ45AS270	4,5	AS - Silver	5,05	40*

roundcapsule >> RJC End caps in Anodized Aluminum				
Cod.	H mm	Finish	€ / set	pcs / set
RJC45ASSET2	4,5	AS - Silver	12,68	2

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.



squarejolly SJ

SQUAREJOLLY SJ is a multipurpose aluminum profile used in laying adhesive ceramic floor and wall coverings. Its uniquely symmetrical shape lends itself to endless detailing possibilities. In the technical specs, H corresponds to the tile thickness and $B = H + 1$ mm corresponds to the visible width of the profile. In the aluminum version, a patented internal cavity with a dovetail groove maximizes vertical grout grip and edge protection. The sectional design of the SQUAREJOLLY SJ profile provides a completely leveled surface, making it resistant to vertical loads and perfectly suitable for flooring applications.




SJ100IL

Length: 2,70 meters



☑ **CURVELINE**/BENDABLE

Stainless Steel



SJC-I

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.



SJ100ILM



SJ100IS

squarejolly >> SJ in Stainless Steel AISI 304 - DIN 1.4301 Polished					
Cod.	H mm	Finish	€/m	pcs	
SJ60IL270	6	IL - Polished	12,52	20*	
SJ80IL270	8	IL - Polished	13,18	20*	
SJ90IL270	9	IL - Polished	13,65	20*	
SJ100IL270	10	IL - Polished	14,27	20*	
SJ110IL270	11	IL - Polished	14,58	20*	
SJ125IL270	12,5	IL - Polished	15,19	15**	
SJ150IL270	15	IL - Polished	17,83	20*	

squarecapsule >> SJC End caps in Stainless Steel AISI 304 - DIN 1.4301 Polished				
Cod.	H mm	Finish	€/set	pcs/set
SJC60ILSET2	6	IL - Polished	33,20	2
SJC80ILSET2	8	IL - Polished	33,20	2
SJC90ILSET2	9	IL - Polished	33,20	2
SJC100ILSET2	10	IL - Polished	33,20	2
SJC110ILSET2	11	IL - Polished	33,20	2
SJC125ILSET2	12,5	IL - Polished	33,20	2
SJC150ILSET2	15	IL - Polished	33,20	2

squarejolly >> SJ in Stainless Steel AISI 316 - DIN 1.4404 Polished				
Cod.	H mm	Finish	€/m	pcs
SJ80ILM270	8	ILM - Polished	17,18	20*
SJ90ILM270	9	ILM - Polished	17,68	20*
SJ100ILM270	10	ILM - Polished	18,34	20*
SJ110ILM270	11	ILM - Polished	18,67	20*
SJ125ILM270	12,5	ILM - Polished	19,30	15**
SJ150ILM270	15	ILM - Polished	21,59	20*

squarecapsule >> SJC End caps in Stainless Steel AISI 316 - DIN 1.4404 Polished				
Cod.	H mm	Finish	€/set	pcs/set
SJC80ILMSET2	8	ILM - Polished	42,12	2
SJC90ILMSET2	9	ILM - Polished	42,12	2
SJC100ILMSET2	10	ILM - Polished	42,12	2
SJC110ILMSET2	11	ILM - Polished	42,12	2
SJC125ILMSET2	12,5	ILM - Polished	42,12	2
SJC150ILMSET2	15	ILM - Polished	42,12	2

squarejolly >> SJ in Stainless Steel AISI 304 - DIN 1.4301 Brushed				
Cod.	H mm	Finish	€/m	pcs
SJ60IS270	6	IS - Brushed	15,51	20*
SJ80IS270	8	IS - Brushed	16,22	20*
SJ90IS270	9	IS - Brushed	16,68	20*
SJ100IS270	10	IS - Brushed	17,32	20*
SJ110IS270	11	IS - Brushed	17,63	20*
SJ125IS270	12,5	IS - Brushed	18,26	15**
SJ150IS270	15	IS - Brushed	20,63	20*

squarecapsule >> SJC End caps in Stainless Steel AISI 304 - DIN 1.4301 Brushed				
Cod.	H mm	Finish	€/set	pcs/set
SJC60ISSET2	6	IS - Brushed	38,55	2
SJC80ISSET2	8	IS - Brushed	38,55	2
SJC90ISSET2	9	IS - Brushed	38,55	2
SJC100ISSET2	10	IS - Brushed	38,55	2
SJC110ISSET2	11	IS - Brushed	38,55	2
SJC125ISSET2	12,5	IS - Brushed	38,55	2
SJC150ISSET2	15	IS - Brushed	38,55	2

squarejolly >> SJ in Stainless Steel AISI 304 - DIN 1.4301 Sanded				
Cod.	H mm	Finish	€/m	pcs
SJ80IX270	8	IX - Sanded	17,29	20*
SJ100IX270	10	IX - Sanded	18,41	20*
SJ125IX270	12,5	IX - Sanded	19,36	15**

squarecapsule >> SJC End caps in Stainless Steel AISI 304 - DIN 1.4301 Sanded				
Cod.	H mm	Finish	€/set	pcs/set
SJC80IXSET2	8	IX - Sanded	33,95	2
SJC100IXSET2	10	IX - Sanded	33,95	2
SJC125IXSET2	12,5	IX - Sanded	33,95	2

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

Brass



OL



SJC - OL



SJ1000L

squarejolly >> SJ in Polished Brass

Cod.	H mm	Finish	€ / m	pcs
SJ800L270	8	OL - Polished	16,94	10**
SJ1000L270	10	OL - Polished	19,28	15**
SJ1250L270	12,5	OL - Polished	21,24	10**

squarecapsule >> SJC in Polished Brass

Cod.	H mm	Finish	€ / set	pcs / set
SJC800LSET2	8	OL - Polished	26,80	2
SJC1000LSET2	10	OL - Polished	26,80	2
SJC1250LSET2	12,5	OL - Polished	26,80	2

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.


cubetec CU

CUBETEC is a linear and decorative finishing element which provides long-lasting and heavy-duty tile edge protection. The CUBETEC profile is a decorative joint between different flooring types, trimming for ceramic tile and suitable for welcome mat framing. Two profile widths are available in polished stainless steel AISI 304.




CU100IS


Length: 2,70 meters



Stainless Steel
B = 8 mm



Stainless Steel



cubetec >> CU in Stainless Steel AISI 304 - DIN 1.4301 Polished				
Cod.	H mm	Finish	€/ m	pcs
CU80IL270	8	IL - Polished	15,44	20*
CU100IL270	10	IL - Polished	16,23	20*
CU125IL270	12,5	IL - Polished	17,30	20*

cubetec >> CU in Stainless Steel AISI 304 - DIN 1.4301 Brushed				
Cod.	H mm	Finish	€/ m	pcs
CU80IS270	8	IS - Brushed	18,52	20*
CU100IS270	10	IS - Brushed	19,30	20*
CU125IS270	12,5	IS - Brushed	20,36	20*

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

cubetec FI

CUBETEC is a linear and decorative finishing element which provides long-lasting and heavy-duty tile edge protection. The CUBETEC profile is a decorative joint between different flooring types, trimming for ceramic tile and suitable for welcome mat framing. Two profile widths are available in polished stainless steel AISI 304.




FI100IL

Length: 2,70 meters



Stainless Steel
B = 27 mm



Stainless Steel



IL IS

cubetec >> FI in Stainless Steel AISI 304 - DIN 1.4301 Polished				
Cod.	H mm	Finish	€/m	pcs
FI80IL270	8	IL - Polished	23,78	10**
FI100IL270	10	IL - Polished	24,08	10**
FI125IL270	12,5	IL - Polished	24,42	10**

cubetec >> FI in Stainless Steel AISI 304 - DIN 1.4301 Brushed				
Cod.	H mm	Finish	€/m	pcs
FI80IS270	8	IS - Brushed	26,84	10**
FI100IS270	10	IS - Brushed	27,16	10**
FI125IS270	12,5	IS - Brushed	27,48	10**

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.


covertec EP

The COVERTEC EP profile joins two adjacent flooring surfaces (for example: concrete/ceramic tile, wood/ceramic tile and other resin or vinyl floor combinations). The overlapping section allows differential movement of the flooring, hides edging imperfections and prevents chipping and cracking. Available in aluminum and brass with patented dovetail anchoring.




EP800L


Length: 2,70 meters




Stainless Steel
B = 10 mm



Brass
B = 10 mm



Aluminum
B = 7,5 mm



* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

Stainless Steel



IL

covertec >> EP in Stainless Steel AISI 304 - DIN 1.4301 Polished

Cod.	H mm	Finish	€/m	pcs
EP80IL270	8	IL - Polished	14,93	30*
EP100IL270	10	IL - Polished	15,78	30*
EP125IL270	12,5	IL - Polished	16,83	20*

Aluminum



AS



AT



EP60AT

covertec >> EP in Anodized Aluminum

Cod.	H mm	Finish	€/m	pcs
EP60AS270	6	AS - Silver	6,45	30*
EP60AT270	6	AT - Titan	7,41	30*

Brass



OL



ON

covertec >> EP in Natural Brass

Cod.	H mm	Finish	€/m	pcs
EP80ON270	8	ON - Natural	15,39	20*
EP100ON270	10	ON - Natural	16,40	20*
EP125ON270	12,5	ON - Natural	18,95	20*

covertec >> EP in Polished Brass

Cod.	H mm	Finish	€/m	pcs
EP80OL270	8	OL - Polished	19,74	10**
EP100OL270	10	OL - Polished	20,76	10**
EP125OL270	12,5	OL - Polished	23,31	10**

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.


covertec SP

COVERTEC SP is a profile designed to join two adjacent existing floors at the same height but it can cover imperfections in cutting or slight variations of height to be found on a tiled floor joining to a wooden one for example. Thanks to its shape, available in 3 different widths, this profile helps floor coverings to maintain the minimum distance thus acting also as a dilatation joint.



SP140L


Length: 2,70 meters





SP14 - Stainless Steel
H = 6,5 mm




SP9 - Aluminum
H = 4,5 mm





SP26 - Brass
H = 7 mm



SP20 - Stainless Steel
H = 6,5 mm



SP14 - Stainless Steel
H = 7 mm




SP20 - Stainless Steel
H = 7 mm

It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.

☑ **SELFLINE**/KIT PRE-CUT

☑ **CURVELINE**/BENDABLE

Stainless Steel



* 10% increase for quantities lower than 20.


** 10% increase for quantities lower than those indicated.

For SELFLINE/CURVELINE L = 0,9 - 1,35 m as per page 384



SP 14 IX

Stainless Steel




IL IX IS

covertec >> SP in Stainless Steel AISI 304 - DIN 1.4301 Polished					
Cod.	B mm	Finish	€/m	pcs	
SP14IL270	14	IL - Polished	12,30	30*	☒
SP20IL270	20	IL - Polished	16,01	30*	☒

covertec >> SP in Stainless Steel AISI 304 - DIN 1.4301 Brushed					
Cod.	B mm	Finish	€/m	pcs	
SP14IS270	14	IS - Brushed	14,83	30*	
SP20IS270	20	IS - Brushed	18,53	30*	

covertec >> SP in Stainless Steel AISI 304 - DIN 1.4301 Sanded					
Cod.	B mm	Finish	€/m	pcs	
SP14IX270	14	IX - Sanded	15,45	20*	

Aluminum



WE



SP 20 CI

covertec >> SP in Anodized Aluminum					
Cod.	B mm	Finish	€/m	pcs	
SP9AS270	9	AS - Silver	3,47	50*	☒☒
SP14AS270	14	AS - Silver	4,16	50*	☒☒
SP20AS270	20	AS - Silver	7,40	50*	☒




SP 14 AS

covertec >> SP in Wood Effect Aluminum					
Cod.	B mm	Finish	€/m	pcs	
SP14RS270	14	RS - Bleached	9,53	50*	☒☒
SP20RS270	20	RS - Bleached	12,62	50*	☒
SP14AC270	14	AC - Maple	9,53	50*	☒☒
SP20AC270	20	AC - Maple	12,62	50*	☒
SP14FA270	14	FA - Beechwood	9,53	50*	☒☒
SP20FA270	20	FA - Beechwood	12,62	50*	☒
SP14RO270	14	RO - Oak	9,53	50*	☒☒
SP20RO270	20	RO - Oak	12,62	50*	☒
SP14CI270	14	CI - Cherry	9,53	50*	☒☒
SP20CI270	20	CI - Cherry	12,62	50*	☒
SP14NC270	14	NC - Light Walnut	9,53	50*	☒☒
SP20NC270	20	NC - Light Walnut	12,62	50*	☒
SP14NS270	14	NS - Dark Walnut	9,53	50*	☒☒
SP20NS270	20	NS - Dark Walnut	12,62	50*	☒
SP14WE270	14	WE - Wengé	9,53	50*	☒☒
SP20WE270	20	WE - Wengé	12,62	50*	☒

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

Brass



covertec >> SP in Polished Brass					
Cod.	B mm	Finish	€/m	pcs	
SP14OL270	14	OL - Polished	8,88	20*	
SP20OL270	20	OL - Polished	12,98	10**	
SP26OL270	26	OL - Polished	15,58	10**	

covertec >> SP in Chromed Brass					
Cod.	B mm	Finish	€/m	pcs	
SP14OC270	14	OC - Chrome	17,73	15**	
SP20OC270	20	OC - Chrome	22,80	10**	

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

For SELFLINE/CURVELINE L= 0,9 - 1,35 m as per page 384


roundtec RD

The ROUNDTEC RD profile is mainly used in transitioning floor types of different thicknesses, for example from ceramic tile to thin linoleum. Its rounded section provides a smooth level change of 3mm, making it suitable between two floor types or as an end profile. ROUNDTEC can even be used as stair nosing or edging for tile countertops. Available in brass with patented dovetail anchoring.



RD1000L


Length: 2,70 meters



Brass
H = B



Brass



roundtec >> RD in Natural Brass				
Cod.	H mm	Finish	€/ m	pcs
RD800N270	8	ON - Natural	17,74	10**
RD1000N270	10	ON - Natural	19,24	10**
RD1250N270	12,5	ON - Natural	24,02	10**
RD1500N270	15	ON - Natural	31,34	5**

roundtec >> RD in Polished Brass				
Cod.	H mm	Finish	€/ m	pcs
RD800L270	8	OL - Polished	22,09	10**
RD1000L270	10	OL - Polished	23,58	10**
RD1250L270	12,5	OL - Polished	28,39	10**
RD1500L270	15	OL - Polished	35,69	5**

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.


zerotec ZRM

ZEROTEC profile is the ideal solution for joining two floors at different levels, between a ceramic covering and one in moquette carpeting for instance. This trim allows progressive sloping difference to the next floor to match thus making safer when treading over the connecting floors. The ramp inclination has been conceived for vehicle and wheel carts transit.



ZRM100IL


Length: 2,70 meters




ZRM80 - Stainless Steel
B = 12 mm
H1 = 5 mm




ZRM 80 - Aluminum
B = 16 mm
H1 = 4 mm




ZRM100 - Stainless Steel
B = 15 mm
H1 = 5 mm




ZRM 100 - Aluminum
B = 22,3 mm
H1 = 4 mm



ZRM125 - Stainless Steel
B = 17,5 mm
H1 = 5 mm



ZRM 125 - Aluminum
B = 26,6 mm
H1 = 4 mm



* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

Stainless Steel



IL

zerotec >> ZRM in Stainless Steel AISI 304 - DIN 1.4301 Polished

Cod.	H mm	Finish	€/m	pcs
ZRM80IL270	8	IL - Polished	15,35	20*
ZRM100IL270	10	IL - Polished	16,63	15**
ZRM125IL270	12,5	IL - Polished	19,18	15**

Aluminum



AS



ATSB

zerotec >> ZRM in Anodized Aluminum

Cod.	H mm	Finish	€/m	pcs
ZRM80AS270	8	AS - Silver	7,19	30*
ZRM100AS270	10	AS - Silver	8,17	25*
ZRM125AS270	12,5	AS - Silver	9,33	20*
ZRM100ATSB270	10	ATSB - Brig. pol. brus. titanium	17,63	25*

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.


zerotec ZR

ZEROTEC ZR allows the installer to perfectly match different floor levels when laying ceramic tile or wood flooring over an existing floor. Because of the slope, ZEROTEC profiles are ideal in passage areas for hand trolley and cars, while providing edge protection resistant to vertical loads. The brass version is recommended for industrial applications in garages and shopping centers. Available in aluminum and brass with patented vertical dovetail anchoring.




ZR100IL

Length: 2,70 meters




Stainless Steel

ZR80IL - B=15,5 mm
ZR100IL - B=18,5 mm
ZR125IL - B=19,5 mm
ZR150IL - B=22,5 mm




Aluminum

ZR50A* - B=15,1 mm
ZR80A* - B=13,7 mm
ZR100A* - B=16,4 mm
ZR125A* - B=20,0 mm





Brass

ZR800* - B=13,6 mm
ZR1000* - B=16,4 mm
ZR1250* - B=19,9 mm




ZR150 - Brass

ZR1500* - B=22,7 mm



SELFLINE/KIT PRE-CUT
 CURVELINE/BENDABLE

Stainless Steel



IL IX

* 10% increase for quantities lower than 20.


** 10% increase for quantities lower than those indicated.

For SELFLINE/CURVELINE L= 0,9 - 1,35 m as per page 384



ZR-IX

Stainless Steel




IL

IX

zerotec >> ZR in Stainless Steel AISI 304 - DIN 1.4301 Polished					
Cod.	H mm	Finish	€/m	pcs	
ZR80IL270	8	IL - Polished	15,35	15**	☑
ZR100IL270	10	IL - Polished	16,63	10**	☑
ZR125IL270	12,5	IL - Polished	19,18	10**	
ZR150IL270	15	IL - Polished	23,89	10**	

zerotec >> ZR in Stainless Steel AISI 304 - DIN 1.4301 Sanded				
Cod.	H mm	Finish	€/m	pcs
ZR100IX270	10	IX - Sanded	20,39	10**

Aluminum



AN

AS

AT

ATSB


AMSB



ZR-AS



ZR-AT



ZR-AMSB

zerotec >> ZR in Natural Aluminum					
Cod.	H mm	Finish	€/m	pcs	
ZR80AN270	8	AN - Natural	5,16	40*	☑
ZR100AN270	10	AN - Natural	5,88	40*	☑
ZR125AN270	12,5	AN - Natural	6,70	40*	☑

zerotec >> ZR in Anodized Aluminum					
Cod.	H mm	Finish	€/m	pcs	
ZR50AS270	5	AS - Silver	5,56	40*	☑
ZR80AS270	8	AS - Silver	7,19	40*	☑
ZR100AS270	10	AS - Silver	8,17	30*	☑
ZR125AS270	12,5	AS - Silver	9,33	25*	☑
ZR100AT270	10	AT - Titan	13,28	30*	
ZR125AT270	12,5	AT - Titan	14,02	25*	

zerotec >> ZR in Bright Polished Anodized Aluminum				
Cod.	H mm	Finish	€/m	pcs
ZR100ATSB270	10	ATSB - Brig. pol. brus. titanium	16,56	30*
ZR125ATSB270	12,5	ATSB - Brig. pol. brus. titanium	17,30	25*

zerotec >> ZR in Brushed Anodized Aluminum				
Cod.	H mm	Finish	€/m	pcs
ZR100AMSB270	10	AMSB - Brus. an. ant. bronze	20,52	30*
ZR125AMSB270	12,5	AMSB - Brus. an. ant. bronze	21,27	25*

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

Brass



ZR OL

zerotec >> ZR in Natural Brass					
Cod.	H mm	Finish	€/m	pcs	
ZR800N270	8	ON - Natural	16,36	15**	
ZR1000N270	10	ON - Natural	18,79	10**	
ZR1250N270	12,5	ON - Natural	23,48	10**	
ZR1500N270	15	ON - Natural	28,82	10**	

zerotec >> ZR in Polished Brass					
Cod.	H mm	Finish	€/m	pcs	
ZR800L270	8	OL - Polished	20,73	10**	
ZR1000L270	10	OL - Polished	23,15	10**	
ZR1250L270	12,5	OL - Polished	27,84	5**	
ZR1500L270	15	OL - Polished	33,18	5**	

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

For SELFLINE/CURVELINE L= 0,9 - 1,35 m as per page 384

zerotec ZR60

ZEROTEC ZR60 has been designed to optimize transitions between different flooring materials; it can be typically found in public spaces, like hotels and restaurants. Its delicate line and gradual inclination allows a smooth transition between different floor levels: from 8 mm, 10 mm and 12.5 mm tile to an adjacent floor covering with a thickness of 6 mm, excellent for modern and elegant interior detailing. The profile's unique shape hides and protects the edge of the flooring below (6 mm thickness) from mechanical impact, hiding imperfections while preventing damage caused by passage and use.




ZR60AS


Length: 2,70 meters



Aluminum
B = 20 mm
H1 = 6 mm



Aluminum



AS

AT

zerotec >> ZR60 in Anodized Aluminum

Cod.	HxH1 mm	Finish	€/m	pcs
ZR60/80AS270	8x6	AS - Silver	7,19	30*
ZR60/100AS270	10x6	AS - Silver	8,17	30*
ZR60/125AS270	12,5x6	AS - Silver	9,33	25*
ZR60/100AT270	10x6	AT - Titan	10,82	30*

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.


zerotec ZRN60

ZEROTEC ZRN60 has been designed to optimize transitions between different flooring materials, situation that often occurs in public environments such as hotels and restaurants. Its delicate line and its defined inclination allow to optimize the transition between different heights: from 8, 10 or 12.5 mm thick tiles to another 6 mm thick floor, giving a modern and elegant touch to the environment. The ramp length is 8.5 mm fixed for all heights. This particular design protects and hides the portion of the underlying coating (6 mm thick) from impacts and mechanical hits, preventing its possible breakage.




ZRN60/80AT


Length: 2,70 meters




ZRN 60/80 - Aluminum
B = 8,5 mm
H1 = 6 mm




ZRN60/80 - Stainless Steel
B = 7 mm
H1 = 6 mm




ZRN 60/100 - Aluminum
B = 8,5 mm
H1 = 6 mm






ZRN 60/100 - Stainless Steel
B = 10 mm
H1 = 6 mm



ZRN 60/125 - Aluminum
B = 15,5 mm
H1 = 6 mm



ZRN 60/125 - Stainless Steel
B = 15 mm
H1 = 6 mm



* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

Stainless Steel



IL



ZRN 60/100 IL

zerotec >> ZRN in stainless steel AISI 304- DIN 14301 Polished

Cod.	HxH1 mm	Finish	€/m	pcs
ZRN60/80IL270	8x6	IL - Polished	14,16	20*
ZRN60/100IL270	10x6	IL - Polished	16,01	20*
ZRN60/125IL270	12,5x6	IL - Polished	18,23	20*

Aluminum



AS



AT



ATSB



AMSB

zerotec >> ZRN60 in Anodized Aluminum

Cod.	H mm	Finish	€/m	pcs
ZRN60/80AS270	8	AS - Silver	6,91	30*
ZRN60/100AS270	10	AS - Silver	7,40	30*
ZRN60/125AS270	12,5	AS - Silver	9,53	25*
ZRN60/80AT270	8	AT - Titan	7,88	30*
ZRN60/100AT270	10	AT - Titan	9,53	30*
ZRN60/125AT270	12,5	AT - Titan	10,73	25*

zerotec >> ZRN60 in Bright Polished Anodized Aluminum

Cod.	H mm	Finish	€/m	pcs
ZRN60/80ATSB270	8	ATSB - Brig. pol. brus. titanium	10,17	30*
ZRN60/100ATSB270	10	ATSB - Brig. pol. brus. titanium	11,01	30*
ZRN60/125ATSB270	12,5	ATSB - Brig. pol. brus. titanium	13,36	25*

zerotec >> ZRN60 in Brushed Anodized Aluminum

Cod.	H mm	Finish	€/m	pcs
ZRN60/80AMSB270	8	AMSB - Brus. an. ant. bronze	10,17	30*
ZRN60/100AMSB270	10	AMSB - Brus. an. ant. bronze	11,01	30*
ZRN60/125AMSB270	12,5	AMSB - Brus. an. ant. bronze	13,36	25*

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

ramptec ZRR

The 20° slope of the anodized aluminum RAMPTEC ZRR profile provides a safe and progressive transition between two different floor levels. The vertical edge has a dovetailed internal cavity that maximizes grout and adhesive grip on load bearing points.

Carriageable profile.



ZRR 125 AS

Length: 2,70 meters




Aluminum

ZRR100AS - B = 43,2 mm

ZRR125AS - B = 48,2 mm

ZRR150AS - B = 53,0 mm



Aluminum



AS

ramptec >> ZRR in anodized aluminum				
Cod.	H mm	Finish	€/ m	pcs
ZRR100AS270	10	AS - Silver	19,95	15**
ZRR125AS270	12,5	AS - Silver	22,33	15**
ZRR150AS270	15	AS - Silver	25,73	10**



* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.


linetec AD

LINETEC AD is a decorative profile for thin-set installations with a minimal surface width of 5mm. Its 4mm vertical head allows on-site floor polishing and the arrow-shaped vertical flange ensures mechanical bonding with the floor adhesive. This profile is ideally used with natural stone and wood flooring.



AD10AN

Length: 2,70 meters



Aluminum - Brass

It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.

Aluminum



AN

linetec >> AD in Natural Aluminum				
Cod.	HxB mm	Finish	€/m	pcs
AD10AN270	10x5	AN - Natural	3,35	100*

Brass



ON

linetec >> AD in Natural Brass				
Cod.	H mm	Finish	€/m	pcs
AD10ON270	10	ON - Natural	8,89	30*
AD14ON270	14	ON - Natural	10,10	30*

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

linetec MB

LINETEC MB decorative profiles are installed on site in mortar bed applications. Its perforated flange deeply inserted into the mortar guarantees a secure grip between the two adjacent surfaces. It is commonly used with natural stone flooring to decoratively segment the floor surface. Available in brass and aluminum, both the 5mm and 10mm profile widths can be ground and polished on site.




MB50N

Length: 2,70 meters



Aluminum - Brass



It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.

Aluminum



AN

linetec >> MB in Natural Aluminum				
Cod.	HxB mm	Finish	€/m	pcs
MB5AN270	25x5	AN - Natural	4,24	40*

Brass



ON

linetec >> MB in Natural Brass				
Cod.	HxB mm	Finish	€/m	pcs
MB5ON270	25x5	ON - Natural	11,45	20*
MB10ON270	25x10	ON - Natural	19,55	10**

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.


linetec PT

The LINETEC PT profile is a decorative profile available in different heights and applicable to various floor thicknesses with a surface width of 2.5mm. Flexible and easily shaped, this profile is suitable for decorative designs on concrete and resin-based terraces. This profile can be ground and polished on site.



PT2000N

Length: 2,70 meters




Stainless Steel



Brass



Brass - PT305



It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.

Stainless Steel



IN

linetec >> PT in Stainless Steel AISI 304 - DIN 1.4301 Natural				
Cod.	HxB mm	Finish	€/m	pcs
PT100IN270	10x2,5	IN - Natural	6,91	30*
PT150IN270	15x2,5	IN - Natural	9,13	25*
PT200IN270	20x2,5	IN - Natural	11,87	15**
PT400IN270	40x2,5	IN - Natural	21,33	10**

Brass



ON

linetec >> PT in Natural Brass				
Cod.	HxB mm	Finish	€/m	pcs
PT100ON270	10x2,5	ON - Natural	11,45	30*
PT150ON270	15x2,5	ON - Natural	12,81	20*
PT200ON270	20x2,5	ON - Natural	15,74	15**
PT400ON270	40x2,5	ON - Natural	20,89	5**
PT305ON270	30x5,0	ON - Natural	44,40	5**

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.



linetec PQ

A selection profile shapes for existing floor edges and/or junctions with a 10 mm drop level to connect to flooring materials or fit onto pre-laid floors. It is highly suitable for rapidly connecting differing floors such as ceramic to wood or other combinations and wherever ajointing profile has not been planned during the laying job.



PQ100N

Length: 2,70 meters



It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.

Stainless Steel



IN

linetec >> PQ in Stainless Steel AISI 304 - DIN 1.4301 Natural				
Cod.	HxB mm	Finish	€/ m	pcs
PQ10IN270	10x10	IN - Natural	29,65	10**

Brass



ON

linetec >> PQ in Natural Brass				
Cod.	HxB mm	Finish	€/ m	pcs
PQ10ON270	10x8	ON - Natural	25,97	10**

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.


linetec PR

A selection of full brass extruded profile shapes for existing floor edges and/or junctions with a 10mm drop level to connect to flooring materials or fit onto pre-laid floors. It is highly suitable for rapidly connecting differing floors such as ceramic to wood or other combinations and wherever ajointing profile has not been planned during the laying job.



PR100L

Length: 2,70 meters



Brass

It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.

Brass



OL

linetec >> PR in Polished Brass				
Cod.	HxB mm	Finish	€/ m	pcs
PR100L270	10x10	OL - Polished	24,97	10**

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.


linetec PU

A selection of full brass extruded profile shapes for existing floor edges and/or junctions with a 10mm drop level to connect to flooring materials or fit onto pre-laid floors. It is highly suitable for rapidly connecting differing floors such as ceramic to wood or other combinations and wherever ajointing profile has not been planned during the laying job.



PU100L

Length: 2,70 meters



Brass

It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.

Brass



OL

linetec >> PU in Polished Brass				
Cod.	HxB mm	Finish	€ / m	pcs
PU100L270	10x10	OL - Polished	17,08	15**

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

striptec ST

STRIPTEC ST profiles are designed to join adjoining floors of equal or different type and thickness. The rounded shape of this profile covers edge imperfections and allows a slight rotation, compensating for elevation differences of up to 5mm. It can also be used as a termination profile, given a floor thickness of up to 5mm. Available in two versions: selfadhesive and screw-on.




ST18IL

Length: 2,70 meters




Stainless Steel

ST18I* - H1 = 3 mm
ST30I* - H1 = 4 mm
ST35I* - H1 = 4 mm




Aluminum

ST30A* - H1 = 4 mm
ST35A* - H1 = 4 mm




ST18 - Aluminum

ST18A* - H1 = 3 mm






ST - Brass

ST180* - H1 = 3 mm
ST300* - H1 = 4 mm
ST350* - H1 = 4 mm



ST50 - Brass

ST500* - H1 = 4 mm



screws + dowels

(Not included in the packaging)

It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.

© **SELFLINE**/KIT PRE-CUT

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

For SELFLINE/CURVELINE L= 0,9 - 1,35 m as per page 384

Stainless Steel




IL

striptec >> ST in Stainless Steel AISI 304 - Self-Adhesive					
Cod.	B mm	Finish	€/m	pcs	
ST18ILA270	18	IL - Polished	8,11	20*	☒
ST30ILA270	30	IL - Polished	8,24	20*	☒
ST35ILA270	35	IL - Polished	9,81	20*	☒

striptec >> ST in Stainless Steel AISI 304 - not Adhesive					
Cod.	B mm	Finish	€/m	pcs	
ST18ILN270	18	IL - Polished	6,15	30*	☒

striptec >> ST in stainless steel aisi304 drilled					
Cod.	B mm	Finish	€/m	pcs	
ST30ILF270	30	IL - Polished	6,34	30*	☒
ST35ILF270	35	IL - Polished	7,86	20*	☒

Aluminum



ST30 AS



ST30 RS



ST30 CI

striptec >> ST in Anodized Aluminum - Self-Adhesive					
Cod.	B mm	Finish	€/m	pcs	
ST18ASA270	18	AS - Silver	6,08	40*	
ST30ASA270	30	AS - Silver	6,21	40*	☒
ST35ASA270	35	AS - Silver	7,43	40*	☒
ST40ASA270	40	AS - Silver	8,70	30*	☒
ST18AOA270	18	AO - Gold	6,08	40*	
ST30AOA270	30	AO - Gold	6,21	40*	☒
ST35AOA270	35	AO - Gold	7,43	40*	☒
ST40AOA270	40	AO - Gold	8,70	30*	☒
ST18ABA270	18	AB - Bronze	6,08	40*	
ST30ABA270	30	AB - Bronze	6,21	40*	☒
ST35ABA270	35	AB - Bronze	7,43	40*	☒
ST40ABA270	40	AB - Bronze	8,70	30*	☒

striptec >> ST in Anodized Aluminum - Drilled					
Cod.	B mm	Finish	€/m	pcs	
ST18ASF270	18	AS - Silver	4,45	40*	
ST30ASF270	30	AS - Silver	4,58	40*	☒
ST35ASF270	35	AS - Silver	5,77	40*	☒
ST40ASF270	40	AS - Silver	7,05	30*	☒
ST18AOF270	18	AO - Gold	4,45	40*	
ST30AOF270	30	AO - Gold	4,58	40*	☒
ST35AOF270	35	AO - Gold	5,77	40*	☒
ST40AOF270	40	AO - Gold	7,05	30*	☒
ST18ABF270	18	AB - Bronze	4,45	40*	
ST30ABF270	30	AB - Bronze	4,58	40*	☒
ST35ABF270	35	AB - Bronze	5,77	40*	☒
ST40ABF270	40	AB - Bronze	7,05	30*	☒

striptec >> ST 30 in Wood Effect Aluminum - Self-Adhesive					
Cod.	B mm	Finish	€/m	pcs	
ST30RSA270	30	RS - Bleached	12,22	20*	☒
ST30ACA270	30	AC - Maple	12,22	40*	☒
ST30FAA270	30	FA - Beechwood	12,22	40*	☒
ST30ROA270	30	RO - Oak	12,22	20*	☒
ST30CIA270	30	CI - Cherry	12,22	40*	☒
ST30NCA270	30	NC - Light Walnut	12,22	20*	☒
ST30NSA270	30	NS - Dark Walnut	12,22	20*	☒
ST30WEA270	30	WE - Wengé	12,22	20*	☒

striptec >> ST 30 in Wood Effect Aluminum - Drilled					
Cod.	B mm	Finish	€/m	pcs	
ST30RSF270	30	RS - Bleached	10,55	40*	☒
ST30ACF270	30	AC - Maple	10,55	40*	☒
ST30FAF270	30	FA - Beechwood	10,55	40*	☒
ST30ROF270	30	RO - Oak	10,55	40*	☒
ST30CIF270	30	CI - Cherry	10,55	40*	☒
ST30NCF270	30	NC - Light Walnut	10,55	40*	☒
ST30NSF270	30	NS - Dark Walnut	10,55	40*	☒
ST30WEF270	30	WE - Wengé	10,55	40*	☒

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

For SELFLINE/CURVELINE L= 0,9 - 1,35 m as per page 384

Brass



OL

striptec >> ST in Polished Brass - Self-Adhesive

Cod.	B mm	Finish	€/m	pcs	
ST180LA270	18	OL - Polished	10,55	20*	☒
ST300LA270	30	OL - Polished	10,47	20*	☒
ST350LA270	35	OL - Polished	13,00	20*	☒
ST500LA270	50	OL - Polished	42,36	5**	

striptec >> ST in Polished Brass - not Adhesive

Cod.	B mm	Finish	€/m	pcs	
ST180LN270	18	OL - Polished	8,32	20*	☒

striptec >> ST in Polished Brass - Drilled

Cod.	B mm	Finish	€/m	pcs	
ST300LF270	30	OL - Polished	8,48	20*	☒
ST350LF270	35	OL - Polished	10,83	30*	☒
ST500LF270	50	OL - Polished	40,22	5**	

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

For SELFLINE/CURVELINE L= 0,9 - 1,35 m as per page 384

striptec ST38

STRIPTEC ST profiles are designed to join adjoining floors of equal or different type and thickness. The rounded shape of this profile covers edge imperfections and allows a slight rotation, compensating for elevation differences of up to 5mm. It can also be used as a termination profile, given a floor thickness of up to 5mm. Available in two versions: selfadhesive and screw-on.



ST38ASF

Length: 2,70 meters



Aluminum
H1 = 4 mm


Valid for ST 38
screws + dowels

(Not included in the packaging)

It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.

☒ **SELFLINE**/KIT PRE-CUT

Aluminum



striptec >> ST38 in Anodized Aluminum - Self-Adhesive					
Cod.	B mm	Finish	€/ m	pcs	
ST38ASA270	38	AS - Silver	9,68	30*	☒
ST38AOA270	38	AO - Gold	9,68	30*	☒
ST38ABA270	38	AB - Bronze	9,68	30*	☒

striptec >> ST38 in Anodized Aluminum - Drilled					
Cod.	B mm	Finish	€/ m	pcs	
ST38ASF270	38	AS - Silver	8,02	30*	☒
ST38AOF270	38	AO - Gold	8,02	30*	☒
ST38ABF270	38	AB - Bronze	8,02	30*	☒

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

For SELFLINE/CURVELINE L= 0,9 - 1,35 m as per page 384


striptec STB

STRIPTEC ST/STB offers a wide selection of transition and threshold strip profiles available in a variety of widths and finishes. Its surface may be smooth or ribbed, curved or flat to fit under doorways. The brass and aluminum models are suitable for high traffic areas.




STB350LF


Length: 2,70 meters



Brass
STB350* - H1 = 2,5 mm
STB400* - H1 = 2,5 mm



STB30 - Brass
STB300* - H1 = 2 mm




Aluminum
STB25A* - H1 = 2 mm
STB35A* - H1 = 2,5 mm

It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.

☐ **SELFLINE**/KIT PRE-CUT

Aluminum



* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

For SELFLINE/CURVELINE L= 0,9 - 1,35 m as per page 384



STB35 AS

striptec >> STB in Anodized Aluminum - Self-Adhesive					
Cod.	B mm	Finish	€ / m	pcs	
STB25ASA270	25	AS - Silver	6,21	40*	
STB35ASA270	35	AS - Silver	7,56	30*	
STB35AOA270	35	AO - Gold	7,56	30*	
STB25AOA270	25	AO - Gold	6,21	40*	
STB35ABA270	35	AB - Bronze	7,56	30*	
STB25ABA270	25	AB - Bronze	6,21	40*	

striptec >> STB in Anodized Aluminum - Drilled					
Cod.	B mm	Finish	€ / m	pcs	
STB25ASF270	25	AS - Silver	4,54	40*	
STB35ASF270	35	AS - Silver	5,91	30*	
STB25AOF270	25	AO - Gold	4,54	40*	
STB35AOF270	35	AO - Gold	5,91	30*	
STB25ABF270	25	AB - Bronze	4,54	40*	
STB35ABF270	35	AB - Bronze	5,91	30*	

Brass



OL

striptec >> STB in Polished Brass - Adhesive					
Cod.	B mm	Finish	€ / m	pcs	
STB300LA270	30	OL - Polished	17,04	10**	
STB350LA270	35	OL - Polished	23,39	15**	
STB400LA270	40	OL - Polished	25,86	10**	

striptec >> STB in Polished Brass - Drilled					
Cod.	B mm	Finish	€ / m	pcs	
STB300LF270	30	OL - Polished	15,03	10**	
STB350LF270	35	OL - Polished	21,24	10**	
STB400LF270	40	OL - Polished	23,71	10**	

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

For SELFLINE/CURVELINE L= 0,9 - 1,35 m as per page 384


leveltec RP

The LEVELTEC RP edge profiles can be used as trimming or to join floor types of different thicknesses. This profile section hides tile and carpet edge imperfections. LEVELTEC RP profiles have a sectional height ranging from 4.5 to 12.5mm and can compensate for elevation differences of 3 to 14mm. This product is equipped with heavy-duty adhesive, ready for installation. It is also available in a pre-drilled version, fastened with flathead screws. Smooth and grooved LEVELTEC profiles in varying widths and heights transition floors of different elevations. Their sectional thickness makes them especially suitable for high traffic areas and the end detailing allows frictionless contact between the profile and floor.




RP800L


Length: 2,70 meters




Stainless Steel
H1 = H + 1 mm




Aluminum
H1 = H + 1 mm




RP50 - Brass
H1 = H + 1 mm






RP80 - Brass
H1 = H + 1 mm



RP100 - Brass
H1 = H + 1 mm



RP125 - Brass
H1 = H + 1 mm



© SELFLINE/KIT PRE-CUT

It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

For SELFLINE/CURVELINE L= 0,9 - 1,35 m as per page 384

Stainless Steel



IL

leveltec >> RP in Stainless Steel AISI 304 - DIN 1.4301 Polished - Self-Adhesive				
Cod.	HxB mm	Finish	€/m	pcs
RP50ILA270	5x29	IL - Polished	8,55	20*
RP80ILA270	8x34	IL - Polished	11,03	20*
RP110ILA270	11x38	IL - Polished	13,02	10**

leveltec >> RP in Stainless Steel AISI 304 - DIN 1.4301 Polished - Drilled				
Cod.	HxB mm	Finish	€/m	pcs
RP50ILF270	5x29	IL - Polished	6,74	20*
RP80ILF270	8x34	IL - Polished	9,22	20*
RP110ILF270	11x38	IL - Polished	11,20	20*

Aluminum



AS



AO



AB



RP50ABF

leveltec >> RP in Stainless Steel - Self-Adhesive					
Cod.	HxB mm	Finish	€/m	pcs	
RP50ASA270	5x31	AS - Silver	7,60	30*	☒
RP80ASA270	8x34	AS - Silver	11,05	30*	☒
RP50AOA270	5x31	AO - Gold	7,60	30*	☒
RP80AOA270	8x34	AO - Gold	11,05	30*	☒
RP50ABA270	5x31	AB - Bronze	7,60	30*	☒
RP80ABA270	8x34	AB - Bronze	11,05	30*	☒

leveltec >> RP in Anodized Aluminum - Drilled					
Cod.	HxB mm	Finish	€/m	pcs	
RP50ASF270	5x31	AS - Silver	5,91	30*	☒
RP80ASF270	8x34	AS - Silver	9,36	30*	☒
RP50AOF270	5x31	AO - Gold	5,91	30*	☒
RP80AOF270	8x34	AO - Gold	9,36	30*	☒
RP50ABF270	5x31	AB - Bronze	5,91	30*	☒
RP80ABF270	8x34	AB - Bronze	9,36	30*	☒

Brass



OL

leveltec >> RP in Polished Brass - Self-Adhesive					
Cod.	HxB mm	Finish	€/m	pcs	
RP50OLA270	4,5x32	OL - Polished	19,03	10**	☒
RP80OLA270	8x34	OL - Polished	27,38	10**	☒
RP100OLA270	10x25	OL - Polished	22,18	10**	☒
RP125OLA270	12,5x45	OL - Polished	30,59	10**	☒

leveltec >> RP in Polished Brass - Drilled					
Cod.	HxB mm	Finish	€/m	pcs	
RP50OLF270	4,5x32	OL - Polished	17,04	10**	☒
RP80OLF270	8x34	OL - Polished	25,33	10**	☒
RP100OLF270	10x25	OL - Polished	20,18	10**	☒
RP125OLF270	12,5x45	OL - Polished	28,56	10**	☒

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.


leveltec RPR

A selection of full brass extruded profile shapes for existing floor edges and/or junctions with a 10mm drop level to connect to flooring materials or fit onto pre-laid floors. It is highly suitable for rapidly connecting differing floors such as ceramic to wood or other combinations and wherever ajointing profile has not been planned during the laying job.



RPR390LA

Length: 2,70 meters



Brass
H1 = 6 mm

It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.

SELFLINE/KIT PRE-CUT

Brass



OL

leveltec >> RPR in Brass - Self-Adhesive / not Adhesive					
Cod.	HxB mm	Finish	€/m	pcs	
RPR390LA270	8 - 14x39	OL - Polished - Adhesive	25,19	10**	
RPR390LN270	8 - 14x39	OL - Polished - non Adhesive	23,17	10**	

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

For SELFLINE/CURVELINE L= 0,9 - 1,35 m as per page 384


leveltec ZP

A selection of full brass extruded profile shapes for existing floor edges and/or junctions with a 10mm drop level to connect to flooring materials or fit onto pre-laid floors. It is highly suitable for rapidly connecting differing floors such as ceramic to wood or other combinations and wherever ajointing profile has not been planned during the laying job.



ZP1000L

Length: 2,70 meters



Brass
B = 27 mm

It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.

Brass



OL

leveltec >> ZP in Polished Brass				
Cod.	H mm	Finish	€ / m	pcs
ZP1000L270	10	OL - Polished	25,96	10**

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

For SELFLINE/CURVELINE L= 0,9 - 1,35 m as per page 384


variotec DC

VARIOTEC DC profiles' innovative design elegantly rotates and adapts to match different floor elevations. By simply rotating its shape, this profile can adapt to floor thicknesses ranging from 7 to 14mm. Use our adhesive for on-site installation.



DC220L


Length: 2,70 meters




Aluminum - Brass
R = 15 mm

H for thicknesses from 7 to 14 mm

It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.



Aluminum



variotec >> DC in Anodized Aluminum				
Cod.	B mm	Finish	€/m	pcs
DC22AS270	21	AS - Silver	8,13	30*
DC22AO270	21	AO - Gold	8,13	30*
DC22AB270	21	AB - Bronze	8,13	30*

Brass



variotec >> DC in Polished Brass				
Cod.	B mm	Finish	€/m	pcs
DC22OL270	21	OL - Polished	25,62	10**

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

For SELFLINE/CURVELINE L= 0,9 - 1,35 m as per page 384



variotec DK

Especially conceived for residential and light commercial use, VARIOTEC DK profiles are available in a wide range of decorative finishes. This profile series is designed to join different floor types with an elevation difference ranging from 7 to 16mm. VARIOTEC DK profiles are selfadhesive - simply cut the profile to the desired length, remove the adhesive backing and press uniformly downwards on to the profile to install. Always make sure the base is solid, flat, level, clean and dry.



DK37ILA

Length: 2,70 meters



H for thicknesses from 7 to 12 mm
H for thicknesses from 12 to 16 mm
It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.

SELFLINE/KIT PRE-CUT

Stainless Steel




IL

variotec >> DK in Stainless Steel AISI 304 - DIN 1.4301 Polished - Self-Adhesive					
Cod.	B mm	Finish	€ / m	pcs	
DK37ILA270	37	IL - Polished	10,34	20*	
DK47ILA270	47	IL - Polished	15,50	10**	

* 10% increase for quantities lower than 20.
** 10% increase for quantities lower than those indicated.

For SELFLINE/CURVELINE L= 0,9 - 1,35 m as per page 384

Aluminum



AS AO AB

variotec >> DK in Anodized Aluminum - Self-Adhesive

Cod.	B mm	Finish	€/m	pcs	
DK37ASA270	37	AS - Silver	7,96	20*	☒
DK37AOA270	37	AO - Gold	7,96	20*	☒
DK37ABA270	37	AB - Bronze	7,96	20*	☒

Brass



OL

variotec >> DK in Polished Brass - Self-Adhesive

Cod.	B mm	Finish	€/m	pcs	
DK37OLA270	37	OL - Polished	14,10	10**	☒
DK47OLA270	47	OL - Polished	21,12	10**	☒


* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

For SELFLINE/CURVELINE L= 0,9 - 1,35 m as per page 384


variotec DR

The VARIOTEC range additionally contains a variety of notably versatile profiles used as edging and to join or transition flooring of different thicknesses and elevations. These functional profiles join ceramic tile and wood flooring with thin floor coverings such carpeting and vinyl.



DR36OLA

Length: 2,70 meters



H for thicknesses from 7 to 13 mm

It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.

SELFLINE/KIT PRE-CUT

Aluminum



variotec >> DR in Anodized Aluminum - Self-Adhesive				
Cod.	B mm	Finish	€/ m	pcs
DR36ASA270	36	AS - Silver	7,88	30*
DR36AOA270	36	AO - Gold	7,88	30*
DR36ABA270	36	AB - Bronze	7,88	30*

Brass



OL

variotec >> DR in Polished Brass - Self-Adhesive				
Cod.	B mm	Finish	€/ m	pcs
DR36OLA270	36	OL - Polished	28,54	15**

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

For SELFLINE/CURVELINE L= 0,9 - 1,35 m as per page 384


variotec DS

The VARIOTEC range additionally contains a variety of notably versatile profiles used as edging and to join or transition flooring of different thicknesses and elevations. These functional profiles join ceramic tile and wood flooring with thin floor coverings such as carpeting and vinyl.



DS27ILA

Length: 2,70 meters



H for thicknesses from 7 to 12 mm

It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.

SELFLINE/KIT PRE-CUT

Stainless Steel



IL

variotec >> DS in Stainless Steel AISI 304 - DIN 1.4301 Polished - Self-Adhesive					
Cod.	B mm	Finish	€/m	pcs	
DS27ILA270	27	IL - Polished	14,02	15**	

Brass



OL

variotec >> DS in Polished Brass - Self-Adhesive					
Cod.	B mm	Finish	€/m	pcs	
DS27OLA270	27	OL - Polished	17,04	15**	


* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

For SELFLINE/CURVELINE L= 0,9 - 1,35 m as per page 384


variotec LS

The VARIOTEC range additionally contains a variety of notably versatile profiles used as edging and to join or transition flooring of different thicknesses and elevations. These functional profiles join ceramic tile and wood flooring with thin floor coverings such carpeting and vinyl.




LS30AS

Length: 2,70 meters




Aluminum



H for thicknesses from 7 to 13 mm
It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.

Aluminum



woodtec >> LS in Anodized Aluminum - Self-Adhesive				
Cod.	B mm	Finish	€/ m	pcs
LS30ASA270	30	AS - Silver	9,06	20*
LS30AOA270	30	AO - Gold	9,06	20*
LS30ABA270	30	AB - Bronze	9,06	20*

* 10% increase for quantities lower than 20.
** 10% increase for quantities lower than those indicated.

For SELFLINE/CURVELINE L= 0,9 - 1,35 m as per page 384

multiclip CL

The patented MULTICLIP system provides a complete range of floor covering profiles that can be used to solve any situation. The MULTICLIP system (base + clip + cover) adapts to all thicknesses of coverings, whatever their nature, and especially to melamine wood floors. The use of the modular "clips" allows, thanks to the special connection between the base and the cover, to achieve increasing thicknesses by conforming to the height of the floors and to any connecting unevenness. It is therefore a multipurpose and versatile system, which allows to solve any situation with just a few elements. Patent pending.



CLB80ANF - CL80P - CLG370CI

Length: 2,70 meters



CLB - Aluminum



CL - Synthetic Resin

Please note: It can be used single or paired

It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.

Synthetic Resin

multiclip >> CL in Synthetic Resin				
Cod.	H mm	Finish	€/m	pcs
CL80P270	8	P23 - Resin	1,44	120*

Aluminum



AN

multiclip >> CLB Drilled fixing base in Natural Aluminum				
Cod.	H mm	Finish	€/m	pcs
CLB80ANF270	8	AN - Natural - Drilled	6,36	40*
CLB80ANT270	8	AN - Natural - Blanked	6,13	40*

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

multiclip CLG

Patented coplanar joint profile. The innovative, ingenious clip system in Resinil (thermoplastic synthetic resin) allows, by simple rotation, to compensate level differences of up to 1.5 mm. The system used with (base) CLB40ANF and (clip) CL40P can also join floors with thicknesses varying from 4 to 6 mm. It additionally acts as a movement joint profile, since the internal cavity allows the underlying flooring to move up to ± 2 mm.



CLB80ANF + 2X CL80P + CLG370RD


Length: 2,70 meters



Aluminum - Brass
H1 = 3 mm

1 clip - H=6 to 10 mm
2 clip - H=11 to 15 mm
3 clip - H=16 to 20 mm

☒ **SELFLINE**/KIT PRE-CUT



Aluminum



* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.



CLB80ANF + 2X CL80P + CLG370RW



CLG370CIA

multiclip >> CLG in Anodized Aluminum					
Cod.	B mm	Finish	€/m	pcs	
CLG370AS270	37	AS - Silver	8,21	30*	☒
CLG370AO270	37	AO - Gold	8,21	30*	☒
CLG370AB270	37	AB - Bronze	8,21	30*	☒

multiclip >> CLG370 in High resistance Wood Laminated Aluminum					
Cod.	B mm	Finish	€/m	pcs	
CLG370RS270	37	RS - Bleached	14,49	30*	☒
CLG370AC270	37	AC - Maple	14,49	30*	☒
CLG370FA270	37	FA - Beechwood	14,49	30*	☒
CLG370RO270	37	RO - Oak	14,49	30*	☒
CLG370CI270	37	CI - Cherry	14,49	30*	☒
CLG370NC270	37	NC - Light Walnut	14,49	30*	☒
CLG370NS270	37	NS - Dark Walnut	14,49	30*	☒
CLG370WE270	37	WE - Wengé	14,49	30*	☒
CLG370RW270	37	RW - Wengé Oak	18,93	30*	
CLG370RD270	37	RD - Decapè Oak	18,93	30*	
CLG370RG270	37	RG - Grey Oak	18,93	30*	

multicover >> CLG370 in Wood Effect Aluminum - Self-Adhesive					
Cod.	B mm	Finish	€/m	pcs	
CLG370RSA270	37	RS - Bleached	16,17	30*	☒
CLG370ACA270	37	AC - Maple	16,17	30*	☒
CLG370FAA270	37	FA - Beechwood	16,17	30*	☒
CLG370ROA270	37	RO - Oak	16,17	30*	☒
CLG370CIA270	37	CI - Cherry	16,17	30*	☒
CLG370NCA270	37	NC - Light Walnut	16,17	30*	☒
CLG370NSA270	37	NS - Dark Walnut	16,17	30*	☒
CLG370WEA270	37	WE - Wengé	16,17	30*	☒

multicover >> CLG370 in Wood Effect Aluminum - Drilled					
Cod.	B mm	Finish	€/m	pcs	
CLG370RSF270	37	RS - Bleached	14,49	30*	☒
CLG370ACF270	37	AC - Maple	14,49	30*	☒
CLG370FAF270	37	FA - Beechwood	14,49	30*	☒
CLG370ROF270	37	RO - Oak	14,49	30*	☒
CLG370CIF270	37	CI - Cherry	14,49	30*	☒
CLG370NCF270	37	NC - Light Walnut	14,49	30*	☒
CLG370NSF270	37	NS - Dark Walnut	14,49	30*	☒
CLG370WEF270	37	WE - Wengé	14,49	30*	☒

Brass



OL

multiclip >> CLG370 in Polished Brass					
Cod.	B mm	Finish	€/m	pcs	
CLG370OL270	37	OL - Polished	23,52	10**	☒

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.


multifix CLG

The patented MULTIFIX CLG 300 curved profile joins same-height floors. It uses special MULTIFIX nylon anchors that screw onto the floor base and slide under the profile section. This profile is specifically designed for residential do-it-yourself applications.




CLX45 + CLG300RO

Length: 2,70 meters



Aluminum



multifix >> CLG300 in Anodized Aluminum					
Cod.	B mm	Finish	€/m	pcs	
CLG300AS270	30	AS - Silver	6,36	40*	☒
CLG300AO270	30	AO - Gold	6,36	40*	☒
CLG300AB270	30	AB - Bronze	6,36	40*	☒
CLG300AT270	30	AT - Titan	13,11	40*	☒

multifix >> CLG300 in Wood Effect Aluminum					
Cod.	B mm	Finish	€/m	pcs	
CLG300RS270	30	RS - Bleached	13,25	40*	☒
CLG300AC270	30	AC - Maple	13,25	40*	☒
CLG300FA270	30	FA - Beechwood	13,25	40*	☒
CLG300RO270	30	RO - Oak	13,25	40*	☒
CLG300CI270	30	CI - Cherry	13,25	40*	☒
CLG300NC270	30	NC - Light Walnut	13,25	40*	☒
CLG300NS270	30	NS - Dark Walnut	13,25	40*	☒
CLG300WE270	30	WE - Wengé	13,25	40*	☒

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

For SELFLINE/CURVELINE L= 0,9 - 1,35 m as per page 384

Brass



OL



CLX45 + CLG3000L

multifix >> CLG300 in Polished Brass					
Cod.	B mm	Finish	€/m	pcs	
CLG3000L270	30	OL - Polished	17,83	10**	

multifix >> CLX lternative installation with dowels for art. CLG 300 - CLG 370 - CLF 450				
Cod.	H mm	Finish	€/pck	pcs
CLX45	45	-	1,53	6**

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

For SELFLINE/CURVELINE L= 0,9 - 1,35 m as per page 384


multiclip CLF 450

Patented end profile to join level differences from 0 to 6 mm. A plastic clip allows the elements of system MULTICLIP to be perfectly combined, creating a resistant and flexible system. The slight rotation of the finishing profile allows the system to seamlessly adapt to level differences.



CLB80ANF + CL80P + CLF450RS


Length: 2,70 meters



Aluminum - Brass

1 clip - H=10 mm
2 clip - H=15 mm
3 clip - H=20 mm

☒ **SELFLINE**/KIT PRE-CUT



Aluminum



* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

For SELFLINE/CURVELINE L= 0,9 - 1,35 m as per page 384



CLB80ANF + 2X CL80P + CLF450AS

multiclip >> CLF450 in Anodized Aluminum					
Cod.	B mm	Finish	€/m	pcs	
CLF450AS270	45	AS - Silver	9,34	20*	☒
CLF450AO270	45	AO - Gold	9,34	20*	☒
CLF450AB270	45	AB - Bronze	9,34	20*	☒

multiclip >> CLF450 in Wood Effect Aluminum					
Cod.	B mm	Finish	€/m	pcs	
CLF450RS270	45	RS - Bleached	16,25	20*	☒
CLF450AC270	45	AC - Maple	16,25	20*	☒
CLF450FA270	45	FA - Beechwood	16,25	20*	☒
CLF450RO270	45	RO - Oak	16,25	20*	☒
CLF450CI270	45	CI - Cherry	16,25	20*	☒
CLF450NC270	45	NC - Light Walnut	16,25	20*	☒
CLF450NS270	45	NS - Dark Walnut	16,25	20*	☒
CLF450WE270	45	WE - Wengé	16,25	20*	☒

multicover >> CLF450 in Wood Effect Aluminum - Self-Adhesive					
Cod.	B mm	Finish	€/m	pcs	
CLF450RSA270	45	RS - Bleached	17,90	20*	☒
CLF450ACA270	45	AC - Maple	17,90	20*	☒
CLF450FAA270	45	FA - Beechwood	17,90	20*	☒
CLF450ROA270	45	RO - Oak	17,90	20*	☒
CLF450CIA270	45	CI - Cherry	17,90	20*	☒
CLF450NCA270	45	NC - Light Walnut	17,90	20*	☒
CLF450NSA270	45	NS - Dark Walnut	17,90	20*	☒
CLF450WEA270	45	WE - Wengé	17,90	20*	☒

multicover >> CLF450 in Wood Effect Aluminum - Drilled					
Cod.	B mm	Finish	€/m	pcs	
CLF450RSF270	45	RS - Bleached	16,25	20*	☒
CLF450ACF270	45	AC - Maple	16,25	20*	☒
CLF450FAF270	45	FA - Beechwood	16,25	20*	☒
CLF450ROF270	45	RO - Oak	16,25	20*	☒
CLF450CIF270	45	CI - Cherry	16,25	20*	☒
CLF450NCF270	45	NC - Light Walnut	16,25	20*	☒
CLF450NSF270	45	NS - Dark Walnut	16,25	20*	☒
CLF450WEF270	45	WE - Wengé	16,25	20*	☒

Brass



OL

multiclip >> CLF450OL in Polished Brass					
Cod.	B mm	Finish	€/m	pcs	
CLF450OL270	45	OL - Polished	29,60	5**	☒

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.


multiclip CLF 490

The patented MULTICLIP CLF 490 profile is shaped to easily join floor thicknesses from 12mm to over 18mm. A specially designed wing section transitions ceramic tile and wood flooring with preexisting floors or thin floor types such as carpeting and vinyl. The ingenious joint allows the wing profile to rotate and perfectly compensate floor elevation differences.



CLB80ANF + 2X CL80P + CLF4900L


Length: 2,70 meters



Aluminum - Brass

In size 490 the clip is to be ordered double.
2 clip - H=12÷18 mm

SELFLINE/KIT PRE-CUT



Aluminum



* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

For SELFLINE/CURVELINE L= 0,9 - 1,35 m as per page 384

multiclip >> CLF490 in Anodized Aluminum					
Cod.	B mm	Finish	€/m	pcs	
CLF490AS270	49	AS - Silver	11,00	20*	☒
CLF490AO270	49	AO - Gold	11,00	20*	☒
CLF490AB270	49	AB - Bronze	11,00	20*	☒

multiclip >> CLF490 in Wood Effect Aluminum					
Cod.	B mm	Finish	€/m	pcs	
CLF490RS270	49	RS - Bleached	17,55	20*	☒
CLF490AC270	49	AC - Maple	17,55	20*	☒
CLF490FA270	49	FA - Beechwood	17,55	20*	☒
CLF490RO270	49	RO - Oak	17,55	20*	☒
CLF490CI270	49	CI - Cherry	17,55	20*	☒
CLF490NC270	49	NC - Light Walnut	17,55	20*	☒
CLF490NS270	49	NS - Dark Walnut	17,55	20*	☒
CLF490WE270	49	WE - Wengé	17,55	20*	☒

Brass



OL

multiclip >> CLF490 OL in Polished Brass					
Cod.	B mm	Finish	€/m	pcs	
CLF490OL270	49	OL - Polished	34,23	5**	☒

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

For SELFLINE/CURVELINE L= 0,9 - 1,35 m as per page 384


multiclip CLP

The patented MULTICLIP CLP 270 aluminum perimeter profile allows floor edge finishing without baseboards. A 16mm internal cavity allows 5mm of differential movement. This profile is also suitable along sliding door tracks and as entrance mat framing.




CLB80ANF + CL80P + CLP270RW

Length: 2,70 meters



Aluminum

- 1 clip - H=6 to 10 mm
- 2 clip - H=11 to 15 mm
- 3 clip - H=16 to 20 mm



Aluminum



* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

For SELFLINE/CURVELINE L= 0,9 - 1,35 m as per page 384



CLB80ANF + CL80P + CLP270AS

multiclip >> CLP270 in Anodized Aluminum				
Cod.	B mm	Finish	€/ m	pcs
CLP270AS270	27	AS - Silver	8,60	30*
CLP270AO270	27	AO - Gold	8,60	30*
CLP270AB270	27	AB - Bronze	8,60	30*

multiclip >> CLP270 in High resistance Wood Laminated Aluminum				
Cod.	B mm	Finish	€/ m	pcs
CLP270RS270	27	RS - Bleached	15,40	30*
CLP270AC270	27	AC - Maple	15,40	30*
CLP270FA270	27	FA - Beechwood	15,40	30*
CLP270RO270	27	RO - Oak	15,40	30*
CLP270CI270	27	CI - Cherry	15,40	30*
CLP270NC270	27	NC - Light Walnut	15,40	30*
CLP270NS270	27	NS - Dark Walnut	15,40	30*
CLP270WE270	27	WE - Wengé	15,40	30*
CLP270RW270	27	RW - Wengé Oak	19,05	30*
CLP270RD270	27	RD - Decapè Oak	19,05	30*
CLP270RG270	27	RG - Grey Oak	19,05	30*

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

For SELFLINE/CURVELINE L= 0,9 - 1,35 m as per page 384


woodtec LT

The WOODTEC LT profiles are specifically designed for finishing the perimeter of floating wood floors, particularly when they transition to another floor type at the same elevation or abut a vertical surface. While acting as an expansion joint, they also allow floor edge finishing without baseboards. This profile is also suitable along sliding door tracks and as entrance mat framing. Installed with flathead screws.




LT100AS


Length: 2,70 meters



Stainless Steel - Brass
B = 15 mm



Aluminum
B = 15 mm



It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.

Stainless Steel



IL



LT 100 IL

woodtec >> LT in Stainless Steel AISI 304 - DIN 1.4301 Polished				
Cod.	Hmm	Finish	€/ m	pcs
LT100ILN270	10	IL - Polished	13,99	15**
LT150ILN270	15	IL - Polished	15,24	10**
LT220ILN270	22	IL - Polished	16,41	10**

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

Aluminum



LT 100 AS



LT 90 RO



LT 90 NS

woodtec >> LT in Anodized Aluminum				
Cod.	H mm	Finish	€/m	pcs
LT70ASN270	7	AS - Silver	7,22	40*
LT90ASN270	9	AS - Silver	7,29	20*
LT100ASN270	10,2	AS - Silver	7,44	30*
LT130ASN270	13	AS - Silver	7,82	30*
LT150ASN270	15	AS - Silver	8,13	30*
LT70AON270	7	AO - Gold	7,26	40*
LT90AON270	9	AO - Gold	7,35	20*
LT100AON270	10,2	AO - Gold	7,47	30*
LT130AON270	13	AO - Gold	7,87	30*
LT150AON270	15	AO - Gold	8,17	30*
LT70ABN270	7	AB - Bronze	7,22	40*
LT90ABN270	9	AB - Bronze	7,29	20*
LT100ABN270	10,2	AB - Bronze	7,44	30*
LT130ABN270	13	AB - Bronze	7,82	30*
LT150ABN270	15	AB - Bronze	8,13	30*

woodtec >> LT in Wood Effect Aluminum				
Cod.	H mm	Finish	€/m	pcs
LT90RSN270	9	RS - Bleached	11,19	20*
LT90ACN270	9	AC - Maple	11,19	20*
LT90FAN270	9	AN - Beechwood	11,19	20*
LT90RON270	9	RO - Oak	11,25	20*
LT90CIN270	9	CI - Cherry	11,15	20*
LT90NCN270	9	NC - Light Walnut	11,19	20*
LT90NSN270	9	NS - Dark Walnut	11,19	20*
LT90WEN270	9	WE - Wengé	11,19	20*

Brass



OL

woodtec >> LT in Polished Brass				
Cod.	H mm	Finish	€/m	pcs
LT100OLN270	10	OL - Polished	18,30	10**
LT150OLN270	15	OL - Polished	19,81	10**
LT220OLN270	22	OL - Polished	21,40	10**

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.


woodtec LP

The WOODTEC LP profiles are specifically designed for finishing the perimeter of floating wood floors. The pointed, sloping shape of this profile ideally transitions to existing flooring or floors at lower elevations. The internal gap acts allows for differential movement. Installed with flathead screws.



LP1000L

Length: 2,70 meters



Stainless Steel - Brass
B = 30 mm

It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.



Stainless Steel



IL



LP 150 IL

woodtec >> LP in Stainless Steel AISI 304 - DIN 1.4301 Polished				
Cod.	H mm	Finish	€/m	pcs
LP100ILN270	10	IL - Polished	16,43	10**
LP150ILN270	15	IL - Polished	20,25	10**
LP220ILN270	22	IL - Polished	24,43	10**

Brass



OL

woodtec >> LP in Polished Brass				
Cod.	H mm	Finish	€/m	pcs
LP100OLN270	10	OL - Polished	21,10	10**
LP150OLN270	15	OL - Polished	24,83	10**
LP220OLN270	22	OL - Polished	29,42	10**

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.


woodtec LG

WOODTEC LG profiles are specifically designed to join two adjoining floating wood floors. The size and shape of the profile section allows for differential movement typical of wood flooring. Its smooth top surface fits under doorways making it perfectly suitable for thresholds.




LG100AON

Length: 2,70 meters




Aluminum
B = 30 mm



It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.

Aluminum



woodtec >> LG in Anodized Aluminum				
Cod.	H mm	Finish	€/ m	pcs
LG90ASN270	9	AS - Silver	8,84	20*
LG100ASN270	10,2	AS - Silver	9,11	20*
LG130ASN270	13	AS - Silver	9,27	20*
LG150ASN270	15	AS - Silver	9,52	20*
LG90AON270	9	AO - Gold	8,88	20*
LG100AON270	10,2	AO - Gold	9,17	20*
LG130AON270	13	AO - Gold	9,32	20*
LG150AON270	15	AO - Gold	9,58	20*
LG90ABN270	9	AB - Bronze	8,84	20*
LG100ABN270	10,2	AB - Bronze	9,11	5*
LG130ABN270	13	AB - Bronze	9,27	20*
LG150ABN270	15	AB - Bronze	9,52	20*
LG130AT270	13	AT - Titan	17,36	20*

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.


carpetec MG

Designed for carpet flooring, CARPETEC MG profiles include two elements: a base track onto which the carpet is laid, and an interlocking, grooved top piece that snaps shut and clamps the carpet.




MG25ASN

Length: 2,70 meters



It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.

Aluminum



carpetec >> MG in Anodized Aluminum - Top				
Cod.	B mm	Finish	€/ m	pcs
MG25ASN270	25	AS - Silver	6,54	20*
MG25AON270	25	AO - Gold	6,54	20*
MG25ABN270	25	AB - Bronze	6,54	20*

carpetec >> MGB Fixing base in Natural Aluminum - Drilled				
Cod.	B mm	Finish	€/ m	pcs
MGB25ANF270	46	AN - Natural	7,00	20*

carpetec >> MGB Fixing base in Natural Aluminum - Notched				
Cod.	B mm	Finish	€/ m	pcs
MGB25AND270	46	AN - Natural	8,15	20*

Brass



carpetec >> MG in Polished Brass -Top				
Cod.	B mm	Finish	€/ m	pcs
MG25OLN270	25	OL - Polished	24,23	10**

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.


carpetec MP

The multipurpose, grooved CARPETEC MP profile bends to clamp carpet flooring at different elevations. They may be used to join two types of carpeting or as edge profiles.




MP28AB

Length: 2,70 meters




Aluminum
H = 9 mm



It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.

☑ **SELFLINE-A**/KIT PRE-CUT

Aluminum



carpetec >> MP in Anodized Aluminum - Self-Adhesive					
Cod.	B mm	Finish	€/m	pcs	
MP28ASA270	28	AS - Silver	10,21	20*	☑
MP28AOA270	28	AO - Gold	10,21	20*	☑
MP28ABA270	28	AB - Bronze	10,21	20*	☑

carpetec >> MP in Anodized Aluminum - Drilled					
Cod.	B mm	Finish	€/m	pcs	
MP28ASF270	28	AS - Silver	8,50	20*	☑
MP28AOF270	28	AO - Gold	8,50	20*	☑
MP28ABF270	28	AB - Bronze	8,50	20*	☑

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

For SELFLINE/CURVELINE L= 0,9 - 1,35 m as per page 384


carpetec MA

CARPETEC trim profiles compress to hold flexible flooring, such as natural fiber carpeting. By pressing the profiles, they close slightly to clamp the flooring, hiding and protecting edge imperfections.



MA24ASA

Length: 2,70 meters



Aluminum
H = 16 mm

It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.

SELFLINE/KIT PRE-CUT

Aluminum



carpetec >> MA in Anodized Aluminum - Self-Adhesive					
Cod.	B mm	Finish	€ / m	pcs	
MA24ASA270	24	AS - Silver	8,08	30*	
MA24AOA270	24	AO - Gold	8,08	30*	
MA24ABA270	24	AB - Bronze	8,08	30*	

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

For SELFLINE/CURVELINE L= 0,9 - 1,35 m as per page 384


carpetec MS

CARPETEC trim profiles compress to hold flexible flooring, such as natural fiber carpeting. By pressing the profiles, they close slightly to clamp the flooring, hiding and protecting edge imperfections.




MS26ASA

Length: 2,70 meters




Aluminum - Brass
H = 13 mm



It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.

☑ **SELFLINE-A**/KIT PRE-CUT

Aluminum



carpetec >> MS in Anodized Aluminum - Self-Adhesive					
Cod.	B mm	Finish	€/m	pcs	
MS26ASA270	26	AS - Silver	7,38	30*	☑
MS26AOA270	26	AO - Gold	7,38	30*	☑
MS26ABA270	26	AB - Bronze	7,38	30*	☑

carpetec >> MS in Anodized Aluminum - Drilled					
Cod.	B mm	Finish	€/m	pcs	
MS26ASF270	26	AS - Silver	5,71	40*	☑
MS26AOF270	26	AO - Gold	5,71	40*	☑
MS26ABF270	26	AB - Bronze	5,71	40*	☑

Brass



carpetec >> MS in Polished Brass					
Cod.	B mm	Finish	€/m	pcs	
MS26OLN270	26	OL - Polished	18,95	15**	☑

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

For SELFLINE/CURVELINE L= 0,9 - 1,35 m as per page 384


carpetec MD

CARPETEC trim profiles compress to hold flexible flooring, such as natural fiber carpeting. By pressing the profiles, they close slightly to clamp the flooring, hiding and protecting edge imperfections.




MD43ABD

Length: 2,70 meters



It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.

Aluminum



carpetec >> MD in Anodized Aluminum - Toothed				
Cod.	B mm	Finish	€/m	pcs
MD43ASD270	43	AS - Silver	9,75	30*
MD43AOD270	43	AO - Gold	9,75	30*
MD43ABD270	43	AB - Bronze	9,75	30*

carpetec >> MD in Anodized Aluminum - Drilled				
Cod.	B mm	Finish	€/m	pcs
MD43ASF270	43	AS - Silver	7,86	30*
MD43AOF270	43	AO - Gold	7,86	30*
MD43ABF270	43	AB - Bronze	7,86	30*

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

For SELFLINE/CURVELINE L= 0,9 - 1,35 m as per page 384


entrytec BU

Reversible profile to create perimeters suitable for containing doormats. The profile accommodates the two most common doormat thicknesses of 18 and 23 mm. Installing the frame must be done at the appropriate height before the installation of the adjacent flooring material. The profile can also be installed using modular and sliding fixing brackets inside the slots.




BU18/23AS


Length: 2,70 meters



Aluminum - Brass
B = 5 mm



Aluminum



BUS / BUI

entrytec >> BU Reversible profile in Aluminum entrance mat framing				
Cod.	HxH1 mm	Finish	€/m	pcs
BU18/23AS270	18x23	AS - Silver	11,67	20*

entrytec >> Internal corners fixing bracket - Aluminum Natural				
Cod.	HxH1 mm	Finish	€/pc	pcs
BUI20AN	x	AN - Natural	1,75	10**

Brass



entrytec >> BU ON reversible profiles for entrance mats in brass				
Cod.	HxH1 mm	Finish	€/m	pcs
BU18/23ON270	18x23	ON - Natural	31,92	5**

entrytec >> Fixing clamp - Brass Natural				
Cod.	HxH1 mm	Finish	€/pc	pcs
BUS20ON	x	ON - Natural	3,30	10**

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.


coprifilo STC

STC wire cover is a profile designed to protect or hide any passage of insulated pipes or cables with a maximum diameter of 4mm. The Brass profile is also available in a self-adhered version.



STC300LA

Length: 2,70 meters



STC 300*
H = 6 mm

It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.

Brass



OL

Wire Cover >> STC in Polished Brass - Self-Adhesive				
Cod.	H1xB mm	Finish	€/m	pcs
STC300LA270	11,5x31	OL - Polished	21,33	10**

Wire Cover >> STC in Polished Brass - not Adhesive				
Cod.	H1xB mm	Finish	€/m	pcs
STC300LN270	11,5x31	OL - Polished	19,35	10**

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.