



Baseboard

PROFILITEC offers a wide range of technical baseboards and are first-rate alternatives to traditional wood, rubber or ceramic baseboards. Designed as aesthetic yet technical elements, the modern line of aluminum baseboards are durable and resistant to humidity.

An internal cavity acts as a channel for low voltage cabling such as telephone, TV and computer wiring.

An innovative “two-tone” baseboard is available in a variety of chromatic variations and matches most material finishes.

Coordinated “two-tone” wall protection rails. Particularly suited for public settings.

PLANO is the latest member of the baseboard family. Fully integrates into the wall surface, creating a seamless contemporary baseboard look.

baseboard BAR

Decorative baseboard with multi-line ribbed effect in the visible part which matches the decorative standard of kitchen furniture. Available either with or without self-adhered backing. Long lasting and elegant finish. The profile contoured ends give a snug fit on the wall covering over the bottom perimeter.




BAR600ASN

Length: 2,70 meters



Aluminum
H1 = 10 mm



It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.

Aluminum



AS



BAE-P



BAI-P



BAT-P

baseboard >> BAR Multiline in Anodized Aluminum - Self-Adhesive				
Cod.	B mm	Finish	€/ m	pcs
BAR600ASA270	60	AS - Silver	13,91	20*

baseboard >> BAR Multiline in Anodized Aluminum - not Adhesive				
Cod.	B mm	Finish	€/ m	pcs
BAR600ASN270	60	AS - Silver	11,68	20*

baseboard >> BAI Internal corner in Plastic				
Cod.	B mm	Finish	€/ pc	pcs
BAI600PS	60	PS - Silver	4,16	1

baseboard >> BAE External corner in Plastic				
Cod.	B mm	Finish	€/ pc	pcs
BAE600PS	60	PS - Silver	4,16	1

baseboard >> BAT End cap in Plastic				
Cod.	B mm	Finish	€/ set	pcs / set
BAT600PSSETDS	60	PS - Silver	8,33	2

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.



baseboard BA

Metal or Aluminium wall baseboard that can be attached using adhesive or metal fasteners. It is easy to install for an elegant and lasting finish. The profile contoured ends give a snug fit on the wall covering over the bottom perimeter.




BA600AOSB


Length: 2,70 meters



Stainless Steel
H1 = 10 mm




Aluminum
H1 = 10 mm



It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.


Stainless Steel



IL

IS

IX



BA600 IX



BA600 ISN



BA800 IL

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

baseboard >> BA in Stainless Steel AISI 304 - DIN. 1.4301 - Polished - Self-Adhesive				
Cod.	B mm	Finish	€/ m	pcs
BA600ILA270	60	IL - Polished	17,09	10**
BA800ILA270	80	IL - Polished	22,49	10**

baseboard >> BA in Stainless Steel AISI 304 - DIN. 1.4301 - Polished - not Adhesive				
Cod.	B mm	Finish	€/ m	pcs
BA600ILN270	60	IL - Polished	14,69	15**
BA800ILN270	80	IL - Polished	20,07	10**

baseboard >> BA in Stainless Steel AISI 304 - DIN. 1.4301 - Sanded				
Cod.	B mm	Finish	€/ m	pcs
BA600IX270	60	IX - Sanded	19,90	15**

baseboard >> BAE External junction in Stainless Steel color plastic				
Cod.	B mm	Finish	€/ pc	pcs
BAE600PI	60	PI - Steel effect	6,15	1
BAE800PI	80	PI - Steel effect	6,15	1


baseboard >> BA in Stainless Steel AISI 304 - DIN 1.4301 - Brushed - Self-Adhesive				
Cod.	B mm	Finish	€/ m	pcs
BA600ISA270	60	IS - Brushed	20,16	10**
BA800ISA270	80	IS - Brushed	25,56	10**

baseboard >> BA in Stainless Steel AISI 304 - DIN. 1.4301 - Brushed - not Adhesive				
Cod.	B mm	Finish	€/ m	pcs
BA600ISN270	60	IS - Brushed	17,77	15**
BA800ISN270	80	IS - Brushed	23,15	10**

baseboard >> BAI Internal junction in Stainless Steel color plastic				
Cod.	B mm	Finish	€/ pc	pcs
BAI600PI	60	PI - Steel effect	6,15	1
BAI800PI	80	PI - Steel effect	6,15	1

baseboard >> BAT End cap in plastic - Silver color				
Cod.	B mm	Finish	€/ set	pcs / set
BAT600PISETDS	60	PI - Steel effect	12,29	2
BAT800PISETDS	80	PI - Steel effect	12,29	2

Aluminum



BA600 AS



BA600 AT

baseboard >> BA in Anodized Aluminum - Self-Adhesive				
Cod.	B mm	Finish	€/ m	pcs
BA450ASA270	45	AS - Silver	10,26	20*
BA600ASA270	60	AS - Silver	11,45	20*
BA800ASA270	80	AS - Silver	13,92	15**
BA1000ASA270	100	AS - Silver	17,51	15**


baseboard >> BA in Anodized Aluminum - not Adhesive				
Cod.	B mm	Finish	€/ m	pcs
BA450ASN270	45	AS - Silver	7,96	20*
BA600ASN270	60	AS - Silver	9,15	20*
BA800ASN270	80	AS - Silver	11,62	15**
BA1000ASN270	100	AS - Silver	15,01	15**
BA450AT270	45	AT - Titan	13,16	20*
BA600AT270	60	AT - Titan	14,3	20*

baseboard >> BA in Polished Brushed Anodized Aluminum - without Adhesive				
Cod.	B mm	Finish	€/ m	pcs
BA450AOSB270	45	AOSB - Bright brushed gold	14,39	20*
BA600AOSB270	60	AOSB - Bright brushed gold	15,64	20*

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

Aluminum



baseboards >> BAJE External Corner in Anodized Aluminum				
Cod.	B mm	Finish	€/ set	pcs / set
BAJE450ASSET2	45	AS - Silver	13,64	2
BAJE600ASSET2	60	AS - Silver	13,64	2
BAJE800ASSET2	80	AS - Silver	13,64	2
BAJE1000ASSET2	100	AS - Silver	13,64	2
BAJE450ATSET2	45	AT - Titan	14,88	2
BAJE600ATSET2	60	AT - Titan	14,88	2

baseboards >> BAJE External Corner in Brushed Polished Anodized Aluminum				
Cod.	B mm	Finish	€/ set	pcs / set
BAJE450AOSBSET2	45	AOSB - Bright brushed gold	19,83	2
BAJE600AOSBSET2	60	AOSB - Bright brushed gold	19,83	2

baseboards >> BAJI Internal Corner in Anodized Aluminum				
Cod.	B mm	Finish	€/ set	pcs / set
BAJI450ASSET2	45	AS - Silver	13,64	2
BAJI600ASSET2	60	AS - Silver	13,64	2
BAJI800ASSET2	80	AS - Silver	13,64	2
BAJI1000ASSET2	100	AS - Silver	13,64	2
BAJI450ATSET2	45	AT - Titan	14,88	2
BAJI600ATSET2	60	AT - Titan	14,88	2

baseboards >> BAJI Internal Corner in Brushed Polished Anodized Aluminum				
Cod.	B mm	Finish	€/ set	pcs / set
BAJI450AOSBSET2	45	AOSB - Bright brushed gold	19,83	2
BAJI600AOSBSET2	60	AOSB - Bright brushed gold	19,83	2

baseboards >> BAJG Joint in Anodized Aluminum				
Cod.	B mm	Finish	€/ set	pcs / set
BAJG450ASSET2	45	AS - Silver	13,64	2
BAJG600ASSET2	60	AS - Silver	13,64	2
BAJG800ASSET2	80	AS - Silver	13,64	2
BAJG1000ASSET2	100	AS - Silver	13,64	2
BAJG450ATSET2	45	AT - Titan	14,88	2
BAJG600ATSET2	60	AT - Titan	14,88	2

baseboards >> BAJG Joint in Brushed Polished Anodized Aluminum				
Cod.	B mm	Finish	€/ set	pcs / set
BAJG450AOSBSET2	45	AOSB - Bright brushed gold	19,83	2
BAJG600AOSBSET2	60	AOSB - Bright brushed gold	19,83	2

baseboards >> BAJT Terminal R + L in Anodized Aluminum				
Cod.	B mm	Finish	€/ set	pcs / set
BAJT450ASSET2	45	AS - Silver	7,13	2
BAJT600ASSET2	60	AS - Silver	7,13	2
BAJT800ASSET2	80	AS - Silver	7,13	2
BAJT1000ASSET2	100	AS - Silver	7,13	2
BAJT450ATSET2	45	AT - Titan	7,77	2
BAJT600ATSET2	60	AT - Titan	7,77	2

baseboards >> BAJT Terminal R + L in Brushed Polished Anodized Aluminum				
Cod.	B mm	Finish	€/ set	pcs / set
BAJT450AOSBSET2	45	AOSB - Bright brushed gold	14,49	2
BAJT600AOSBSET2	60	AOSB - Bright brushed gold	14,49	2

baseboard >> BA in Powder Coated Aluminum				
Cod.	B mm	Finish	€/ m	pcs
BA450AM11270	45	AM11 - Matt White	8,88	20*
BA600AM11270	60	AM11 - Matt White	10,00	20*
BA800AM11270	80	AM11 - Matt White	12,08	15**
BA450A54270	45	A54 - Matt Black	12,82	20*
BA600A54270	60	A54 - Matt Black	14,65	20*
BA800A54270	80	A54 - Matt Black	17,40	15**

baseboards >> BAJE External Corner in Powder Coated Aluminum				
Cod.	B mm	Finish	€/ set	pcs / set
BAJE450AM11SET2	45	AM11 - Matt White	14,88	2
BAJE600AM11SET2	60	AM11 - Matt White	14,88	2
BAJE800AM11SET2	80	AM11 - Matt White	14,88	2
BAJE450A54SET2	45	A54 - Matt Black	16,53	2
BAJE600A54SET2	60	A54 - Matt Black	16,53	2
BAJE800A54SET2	80	A54 - Matt Black	16,53	2

baseboards >> BAJE External Corner in Powder Coated Aluminum				
Cod.	B mm	Finish	€/ set	pcs / set
BAJI450AM11SET2	45	AM11 - Matt White	14,88	2
BAJI600AM11SET2	60	AM11 - Matt White	14,88	2
BAJI800AM11SET2	80	AM11 - Matt White	14,88	2
BAJI450A54SET2	45	A54 - Matt Black	16,53	2
BAJI600A54SET2	60	A54 - Matt Black	16,53	2
BAJI800A54SET2	80	A54 - Matt Black	16,53	2

baseboards >> BAJG Joint in Powder Coated Aluminum				
Cod.	B mm	Finish	€/ set	pcs / set
BAJG450AM11SET2	45	AM11 - Matt White	14,88	2
BAJG600AM11SET2	60	AM11 - Matt White	14,88	2
BAJG800AM11SET2	80	AM11 - Matt White	14,88	2
BAJG450A54SET2	45	A54 - Matt Black	16,53	2
BAJG600A54SET2	60	A54 - Matt Black	16,53	2
BAJG800A54SET2	80	A54 - Matt Black	16,53	2

baseboards >> BAJT Terminal R + L in Powder Coated Aluminum				
Cod.	B mm	Finish	€/ set	pcs / set
BAJT450AM11SET2	45	AM11 - Matt White	7,77	2
BAJT600AM11SET2	60	AM11 - Matt White	7,77	2
BAJT800AM11SET2	80	AM11 - Matt White	7,77	2
BAJT450A54SET2	45	A54 - Matt Black	8,57	2
BAJT600A54SET2	60	A54 - Matt Black	8,57	2
BAJT800A54SET2	80	A54 - Matt Black	8,57	2

baseboard >> BAE External Corner in plastic				
Cod.	B mm	Finish	€/ pc	pcs
BAE600PS	60	PS - Silver	4,16	1
BAE800PS	80	PS - Silver	4,16	1

baseboard >> BAI Internal Corner in plastic				
Cod.	B mm	Finish	€/ pc	pcs
BAI600PS	60	PS - Silver	4,16	1
BAI800PS	80	PS - Silver	4,16	1

baseboard >> BAT End cap in Plastic				
Cod.	B mm	Finish	€/ set	pcs / set
BAT600PSSETDS	60	PS - Silver	8,33	2
BAT800PSSETDS	80	PS - Silver	8,33	2

The colors in the Profilitec range, as shown in the final pages of the price list, are available upon request with the following conditions:

- with a delivery time of 5 weeks;
- for a minimum quantity of 100pcs.

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.



baseboard BA700

The BA700 is a PVC baseboard profile that can be attached using adhesive or metal fasteners. The profile has a small fitting on the upper part to facilitate adhesive and avoid the accumulation of dust and dirt on the edge.



BA700P12


Length: 2.00 meters



Expanded PVC
H1 = 8 mm

It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.

PVC



baseboard >> BA700 in Expanded PVC				
Cod.	B mm	Finish	€ / m	pcs
BA700P12200	70	P12 - Ivory White	4,78	100*
BA700P22200	70	P22 - Pastel Grey	4,78	100*
BA700P51200	70	P51 - Black	4,78	100*
BA700P79200	70	P79 - Walnut	4,78	100*

* 10% increase for quantities lower than 20.
** 10% increase for quantities lower than those indicated.



baseboard BAS

BAS baseboards are designed to meet the modern minimalist design in which all elements perform their function by integrating with each other in a discreet but effective form. The profiles feature a rectangular section available in 3 different heights to meet any aesthetic requirements.

BAS baseboards also feature a groove in the non-visible section to facilitate bonding and avoid adhesive smears during installation. The profiles have corner and end capsules that fit into the profile, creating a pleasing effect of continuity.



BAS600AS

Length: 2,70 meters




Aluminum

H1 = 10 mm

It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.

Available July 2024

Aluminum



BAC400AS

baseboards >> BAS in Anodized Aluminum				
Cod.	B mm	Finish	€/m	pcs
BAS400AS270	40	AS - Silver	9,81	20*
BAS600AS270	60	AS - Silver	10,68	20*
BAS800AS270	80	AS - Silver	12,37	10**
BAS400AT270	40	AT - Titan	14,84	20*
BAS600AT270	60	AT - Titan	15,05	20*

baseboards >> BAS in Bright Polished Anodized Aluminum				
Cod.	B mm	Finish	€/m	pcs
BAS400AOSB270	40	AOSB - Bright brushed gold	19,33	20*
BAS600AOSB270	60	AOSB - Bright brushed gold	19,51	20*

baseboards >> BAC Universal Capsules in Anodized Aluminum				
Cod.	B mm	Finish	€/pc	pcs
BAC400AS	40	AS - Silver	10,36	1
BAC600AS	60	AS - Silver	11,54	1
BAC800AS	80	AS - Silver	12,71	1
BAC400AT	40	AT - Titan	10,36	1
BAC600AT	60	AT - Titan	11,54	1

baseboards >> BAC Universal Capsules in Bright Polished Anodized Aluminum				
Cod.	B mm	Finish	€/pc	pcs
BAC400AOSB	40	AOSB - Bright brushed gold	10,36	1
BAC600AOSB	60	AOSB - Bright brushed gold	11,54	1

* 10% increase for quantities lower than 20 (■)

** 10% increase for quantities lower than those indicated (■)



BAS400A54

baseboards >> BAS in Powder Coated Aluminum				
Cod.	B mm	Finish	€/ m	pcs
BAS400AM11270	40	AM11 - Matt White	10,72	20*
BAS600AM11270	60	AM11 - Matt White	11,57	20*
BAS800AM11270	80	AM11 - Matt White	13,53	10**
BAS400A54270	40	A54 - Matt Black	15,33	20*
BAS600A54270	60	A54 - Matt Black	15,66	20*
BAS800A54270	80	A54 - Matt Black	19,34	10**

baseboards >> BAC Universal Capsules in Powder Coated Aluminum				
Cod.	B mm	Finish	€/ pc	pcs
BAC400AM11	40	AM11 - Matt White	10,36	1
BAC600AM11	60	AM11 - Matt White	11,54	1
BAC800AM11	80	AM11 - Matt White	12,71	1
BAC400A54	40	A54 - Matt Black	10,36	1
BAC600A54	60	A54 - Matt Black	11,54	1
BAC800A54	80	A54 - Matt Black	12,71	1

* 10% increase for quantities lower than 20 (■)

** 10% increase for quantities lower than those indicated (■)


baseboard BI

This anodized aluminium skirting profile is easy to install and can also be used to conceal cables or protect wires while providing an elegant baseboard finish. The internal interlocking support piece is fixed to the wall with screws. This profile is ideal for office environments that have both aesthetic requirements and require solutions for telephone and computer wire passage.



BIS20ANF + BI700ASN

Length: 2,70 meters



BASE: BIS20ANF + TOP: BI - Aluminum
H1 = 10 mm

Aluminum



AS AN



BIE



BII



BIT

baseboard >> BIS Support in Anodized Aluminum - Drilled				
Cod.	H mm	Finish	€/ pc	pcs
BIS20ANF	X	AN - Natural	1,88	10**

Supports have to be ordered separately, suggested from 2 to 3 pcs/m.

baseboard >> BI - TOP Interlocking pieces in Anodized Aluminum				
Cod.	B mm	Finish	€/ m	pcs
BI700ASN270	70	AS - Silver	10,42	15**
BI1000ASN270	100	AS - Silver	16,87	15**

baseboard >> BII Internal corner in Plastic				
Cod.	H mm	Finish	€/ pc	pcs
BII700PS	X	PS - Silver	4,29	10**

baseboard >> BIE External corner in Plastic				
Cod.	B mm	Finish	€/ pc	pcs
BIE700PS	X	PS - Silver	4,29	10**

baseboard >> BIT End cap in Plastic				
Cod.	B mm	Finish	€/ set	pcs / set
BIT700PSSETDS	X	PS - Silver	4,29	2

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

baseboard


BI800

Patented aluminium baseboard composed of two elements. The base element, characterizing the lower part ensures durability and wear resistance. It is available in silver anodized aluminium and can be glued or screwed to the wall. The interlocking upper element covers the base element creating an innovative aesthetic effect. A wonderful separation of two elements using materials and colors that differ from each other.




BIM800ASN + BI800ASN


Length: 2,70 meters



BIM 800 ASN + BI 800
H1 = 50 mm



BIB 800 ASN + BI 800
H1 = 50 mm



It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.

Aluminum



AS A50



BIE



BII



BIT

baseboard >> BIM - BASE Interlocking baseboard which covers the waterproof layer in Anodized Aluminum combinable with the "TOP" in the tables below

Cod.	B mm	Finish	€/ m	pcs
BIM800ASN270	15	AS - BASE Silver	14,12	10**

baseboard >> BI - TOP Interlocking pieces in Anodized Aluminum				
Cod.	HxB mm	Finish	€/ m	pcs
BI800ASN270	30x15	AS - Silver	7,98	20*

baseboard >> BI - TOP Interlocking pieces in Powder Coated Aluminum Modern Line				
Cod.	HxB mm	Finish	€/ m	pcs
BI800A50270	30x15	A50 - Embossed Micaceous	9,85	20*

baseboard >> BII Internal corner in Plastic				
Cod.	HxB mm	Finish	€/ pc	pcs
BII800PS	x	PS - Silver	4,16	1


baseboard >> BIE External corner in Plastic				
Cod.	HxB mm	Finish	€/ pc	pcs
BIE800PS	x	PS - Silver	4,16	1

baseboard >> BIT End cap in Plastic				
Cod.	H mm	Finish	€/ set	pcs / set
BIT800PSSETDS		PS - Silver	4,16	2

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

Aluminum



BIB + BI 800 RON

baseboard >> BIB - BASE Interlocking pieces in Anodized Aluminum
combinable with the "TOP" mentioned in the tables below

Cod.	B mm	Finish	€/m	pcs
BIB800ASN270	15	AS - BASE Silver	14,12	10**

baseboard >> BI - TOP Interlocking pieces in Anodized Aluminum

Cod.	HxB mm	Finish	€/m	pcs
BI800ASN270	30x15	AS - Silver	7,98	20*

baseboard >> BI - TOP Interlocking pieces in Powder Coated Aluminum
Modern Line

Cod.	HxB mm	Finish	€/m	pcs
BI800A50270	30x15	A50 - Embossed Micaceous	9,85	20*

baseboard >> BI - TOP Interlocking pieces in Wood "BiColor" effect

Cod.	HxB mm	Finish	€/m	pcs
BI800RO270	30x15	RO - Polishes Oak	16,04	20*
BI800RON270	30x15	RO - Natural OAK	14,44	20*

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.




baseboard BT

Minimal profile in aluminum conceived for baseboard with low thickness or vitreous mosaic coverings. The profile contoured ends give a snug fit for wall covering over the bottom perimeter along the perimeter joint, thus ensuring the necessary expansion movement to the floor and hiding any defects in cutting of the thin tile.



BT45AS

Length: 2,70 meters



Aluminum
B = 5 mm

Aluminum



AS

ASB

baseboard >> BT in Anodized Aluminum for ultra thin tiles				
Cod.	H mm	Finish	€/ m	pcs
BT45AS270	4,5	AS - Silver	8,91	40*

baseboard >> BT in Bright Polished Alluminum for ultra thin tiles				
Cod.	H mm	Finish	€/ m	pcs
BT45ASB270	4,5	ASB - Chrome	14,60	40*

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

baseboard

BFW

PLANO BFW is a profile conceived to make wall base of the same material used for the floor (ceramic or wood) and create a flush installation with the gypsum wall board. The back profile remains invisible and works as bis support enabling the skirting element (ceramic or wood) to be adhered. This skirting product is designed to coordinate with the most popular varieties of gypsum wall board.



BFW600AN

Length: 2,70 meters



BFW 600 - Aluminum



BFW 1000/130 - Aluminum



BFW 1000/220 - Aluminum



It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.

Aluminum



AN



BFW E



BFWG



BFW I

plano >> BFW in Aluminum wall integrated support to install tile or wood baseboard				
Cod.	HxB mm	Finish	€/ m	pcs
BFW600AN270	13,5x60	AN - Natural	11,97	15**
BFW1000/130AN270	13x100	AN - Natural	26,35	8**
BFW1000/220AN270	22x100	AN - Natural	20,60	12**

plano >> BFWI Internal corner in Plastic for BFW			
Cod.	Finish	€/ set	pcs / set
BFWI600PSET5	PS - Silver	11,89	5

plano >> BFW E External corner in Plastic for BFW			
Cod.	Finish	€/ set	pcs / set
BFW E600PSET5	PS - Silver	11,89	5

plano >> BFWG Junction in Plastic for BFW			
Cod.	Finish	€/ set	pcs / set
BFWG600PSET10	PS - Silver	3,91	10

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

baseboard


BFZ

BFZ is a construction profile that allows you to create a flush-to-the-wall baseboard with the same material as the flooring. In the lower part there are special grooves, designed to allow the insertion of a linear profile which will help to determine the level of the screed and ensure perfect positioning of the heights of doors and windows.




BFZ1000/130AN

Length: 2,70 meters



Aluminum



PP12X2AN included in the packaging

It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.

Aluminum



AN

plano >> BFZ in Aluminum for construction				
Cod.	HxB mm	Finish	€/ m	pcs
BFZ1000/130AN270	12,5x120	AN - Natural	37,72	8**

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.




plano BF

Patented Plano Design baseboards are designed to fully integrate into the wall, becoming a smooth level transition between the wall and floor covering. The base track is installed into the wall structure, flush with the plaster or drywall; the finishing profile seamlessly interlocks into the base. A horizontal, 5mm gap between the wall and finishing profile is a distinctive design element that also adapts to floor level differences of up to 5mm. Plano Design, a modern design system.




BF600ASN + BF550ASN

Length: 2,70 meters




BASE: BF 600 + TOP: BF 550 - Alu.
H = 13 mm



It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.

Aluminum



BFC AM11


* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.



plano BF

Aluminum



plano >> BF - BASE in Anodized Aluminum - Plano Design for Drywall at the wall level				
Cod.	H1 mm	Finish	€/m	pcs
BF600ASN270	60	AS - Silver	14,78	10**

plano >> BF - TOP in Anodized Aluminum for BF 600				
Cod.	H1 mm	Finish	€/m	pcs
BF550ASN270	55	AS - Silver	12,96	15**

plano >> BFC Junction in Anodized Aluminum for baseboard Plano Design				
Cod.	H1 mm	Finish	€/pc	pcs
BFC550AS	55	AS - Silver	10,36	1

plano >> BF - TOP in Powder Coated Aluminum for BF 600				
Cod.	H1 mm	Finish	€/m	pcs
BF550AM11270	55	AM11 - Matt White	15,14	15**

plano >> BFC Junction in Powder Coated Aluminum for baseboard Plano Design				
Cod.	H1 mm	Finish	€/pc	pcs
BFC550AM11	55	AM11 - Matt White	10,36	1

plano >> BF - TOP in Natural Oak for BF 600				
Cod.	H1 mm	Finish	€/m	pcs
BF550RON270	55	RO - Natural OAK	19,63	15**
BF550RO270	55	RO - Polishes Oak	21,11	15**

* 10% increase for quantities lower than 20.


** 10% increase for quantities lower than those indicated.

plano PS

The PS Plano baseboard, made of aluminum, is available in two heights (70 and 100 mm), in both powder coated and anodized finishes, and is suitable for applications of plasterboard panels directly into walls. The profile, which has multiple installation heights and panel thicknesses, is easy to apply using FIXXTEC, the specific adhesive in a cartridge, or by fixing with screws. The innovative geometry makes it particularly suitable for applications where a certain amount of space is required for the perimeter joint, while containing the curvature at the bottom to a minimum in order to maintain a clean appearance in the lines. The front panel also facilitates the possible placement of LED strips, should they be required by the designer.




PS1000/13AM11



Aluminum
B1 = 13 mm
H1 = B1 + B + 1,3 mm

Length: 2,70 meters



Aluminum



plano >> PS Profile for Drywell in Anodized Aluminum				
Cod.	HxB mm	Finish	€ / m	pcs
PS700/13AS270	13x70	AS - Silver	12,97	10**
PS1000/13AS270	13x100	AS - Silver	18,98	10**
PS700/15AS270	15x70	AS - Silver	13,29	10**
PS1000/15AS270	15x100	AS - Silver	19,22	10**

plano >> PS Aluminium Powder Coated Drywall Profile				
Cod.	HxB mm	Finish	€ / m	pcs
PS700/13AM11270	13x70	AM11 - Matt white	13,21	10**
PS1000/13AM11270	13x100	AM11 - Matt white	18,98	10**
PS700/15AM11270	15x70	AM11 - Matt white	13,53	10**
PS1000/15AM11270	15x100	AM11 - Matt white	19,22	10**
PS700/13A54270	13x70	A54 - Matt Black	13,21	10**
PS1000/13A54270	13x100	A54 - Matt Black	18,98	10**
PS700/15A54270	15x70	A54 - Matt Black	13,53	10**
PS1000/15A54270	15x100	A54 - Matt Black	19,22	10**

* 10% increase for quantities lower than 20 (■)


** 10% increase for quantities lower than those indicated (■)

plano PS130


Drywall is the most commonly used material in modern residential and commercial construction. PLANO PS130, a new, one-of-a-kind profile elegantly finishes drywall ceiling and wall installations. Its discreet, 13x13mm profile section perfectly edges drywall panels, becoming a minimalist design feature. At the floor level, the profile connects with the PLANO DESIGN BF baseboard for a fully integrated installation. The result is a profile that leaves a small gap of negative space, almost suspending the wall in mid-air.




PS130AGR



Aluminum
B = 13 mm
H1 = 38,2 mm



Length: 2,70 meters



It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.

Aluminum



plano >> PS130 Anodized Aluminum Drywall Profile				
Cod.	H mm	Finish	€/ m	pcs
PS130AS270	13	AS - Silver	7,09	30*
PS130AGR270	13	AGR - Graphite	11,62	30*

plano >> PS130 Powder Coated Aluminum Drywall Profile				
Cod.	H mm	Finish	€/ m	pcs
PS130AM11270	13	AM11 - Matt white	8,95	30*
PS130A54270	13	A54 - Matt Black	8,95	30*



PS130AS

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.




sanitec IC60

SANITEC IC60 is a range of resin baseboards created for hygienic connections between floor and wall covering or between two walls, particularly in the healthcare, chemical and food fields. Designed for application on existing surfaces, they can be used for renovations and retrofitting of previously built public buildings, because they meet current regulations. Shaped outer edges ensure perfect adhesion of the profile to the substrate.




IC60P11

Length: 2,70 meters



PVC

H1 = 20 mm



It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.

PVC

P11

baseboard >> IC in Synthetic Resin Full body Colored Resinil				
Cod.	B mm	Finish	€/ m	pcs
IC60P11270	60	P11 - Pure White	7,28	40*

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

wallprotection WB

Synthetic resin skirting, through body colored to hide the effects of wear and damage. The smooth surface makes it easy to clean and more hygienic than traditional skirtings. Available in colors and a range of dual-colored options. For sanitary benefits, the profile is coved which will allow for it to be “set-in” to the flooring using a cold weld procedure for a totally homogeneous finish. Thanks to the particular material composition and to the specific cavity at the bottom, this skirting can also be chemically welded to the PVC floor, as often required by hygiene standards. The WB skirting profile can be coordinated with the other profiles in the wallprotection range - corner protectors (WA) and bumper guards (WP).




WB100P11/22

Length: 2,70 meters



Synthetic resin
H1 = 15,8 mm



It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.

Synthetic Resin

wallprotection >> WB in Synthetic Resin Full body Colored Resin top				
Cod.	B mm	Finish	€/ m	pcs
WB100P11/22270	100	P11 - White + Pastel Grey	9,60	15**
WB100P11/11270	100	P11 - White + Pure White	9,60	15**
WB100P22/22270	100	P22 - Grey + Pastel Grey	9,60	15**

* 10% increase for quantities lower than 20.
** 10% increase for quantities lower than those indicated.