



Drainage systems

PROFILITEC offers a variety of drainage solutions for bathrooms, wellness centers, sports facilities and outdoor areas. Showertec Linear is a series of elegant shower drains equipped with features for modern bathrooms. For use in barrier-free shower spaces and comes as a system, if needed with functional sloping profiles and innovative technical solutions to compliment tiled shower installation projects in spaces that are new construction or renovation.

Square Drain is a simple and convenient system for conveying water on square drains.


Multidrain is a complete line of sloping modules that can easily solve the problem of water drainage in terraces or indoor environments created with large tiles that require a well designed yet functional solution.

Floor level showers

Floor level showers reflect the latest design trends, which often generally involve the installation of linear drainage systems. There may be drain grates or, in the more refined models, water is discharged through slots that follow the perimeter of the gutter resulting almost invisible, being integrated into the joints of the shower tiles. Along with the drain body of the gutter, for a state-of-the-art shower, sloped trays can be installed on which to lay the drain and then to be covered later with flooring.

There are several reasons for designers and homeowners to opt for a walk-in shower, here they are outlined below:

- Possibility of replacing the bathtub during renovation;
- Guaranteed shower accessibility even for people with reduced mobility, thanks to the absence of the traditional shower tray raised above the floor;
- Clean, linear and minimalist design of the shower.








Linear drains

The showertec linear STL drain consists of 3 parts: body, cover and frame. The channels range in size from 600mm up to 1200mm and can be installed with tile heights up to over 20mm. Available finishes go from steel to aluminum and can meet the most demanding requirements in terms of color range. The covers are perimetral drain grates with a minimalist design, and there is also a tileable version to make the draining system almost invisible. The frames can be matched with the finishes of the covers and have the same flexibility of use. Waterproofing of the drainage system is provided by the pre-glued membrane. The linear drain can be installed on the special pre-sloped shower tray for a perfectly draining shower with a regular, modern design.






Showertec Linear



1

Tileable cover


Minimalist simplicity with the drain perfectly blending into the floor.



2

Tileable grid with holding tray



The holding tray protects the tile while giving it a modern look.



3

ALU+ or stainless steel grid


16 finishes for a wide variety of aesthetic combinations.




4

External frame

Available in 13 finishes of ALU+ or Stainless Steel, it can create neat effects or pleasant color contrasts.





Benefits & Reference Standards of Showertec Linear



All aluminum parts of Showertec Linear have been subjected to a special treatment, used in shipbuilding.



The best steel on the market, of low carbon quality. Used in the naval industry.



The construction cap ensures the ideal laying perimeter for tiles.



The drain body is designed with displaced support islands to provide better distribution to the cover load. They also allow optimal water runoff.



Lifting key for the cover and inspection brush enable proper maintenance.



DIN18534:
Humidity resistance



EN1928:
Resistance to water pressure



K3:
Cover load resistance > 300kg



EN1253:
Syphon design





270

aesthetic solutions

showertec linear


STL-BL, STL-BS, STL-BV

Showertec STL-BL, STL-BS and STL-BV are a family of patented linear channels in AISI 316 stainless steel for water drainage available in sizes 600-700-800-900-1000-1200 mm. These channels are supplied complete with siphon assembly and cleaning kit which includes a flexible brush to reach every part of the drain and a tool to lift the cover in a convenient way to clean the inside of the channel. Made with a single piece of seamless steel, they have a vertical drain with a diameter of 50 mm.


The STL-BL are designed to have a very low installation height (56 mm) and are therefore particularly suitable for renovation projects. They are supplied with the Foiltec waterproofing membrane pre-attached which allows for a complete watertight shower environment in an effective way. This model is also supplied with a special siphon protection bracket for those cases of particularly low and yielding floors (such as mosaic).

The STL-BS are compatible with the pre-graded and waterproofed trays of the showertec STL-TRAY line. The channels are supplied with the Foiltec waterproofing membrane pre-applied, which allows them to be connected safely and quickly to the pre-graded STL-TRAY shower tray rather than to the shower surface built on site.


The STL-BV are like the STL-BS but supplied without the drain siphon assembly.



STL-BL DRAIN LOW: H = 56 mm
D = 50 mm



STL-BS DRAIN STANDARD: H = 73 mm
D = 50 mm



STL-BV DRAIN VERTICAL: H = 17 mm
D = 50 mm

It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.

Stainless Steel AISI 316



ILM

showertec linear >> DRAIN LOW - Channel body with horizontal drain in 316 Stainless Steel - DIN 1.4404 - H = 56 mm

Cod.	Lmm	L1 mm	Finish	€/pc	pcs
STL-BL600	650	600	- Natural	286,21	1
STL-BL700	750	700	- Natural	297,73	1
STL-BL800	850	800	- Natural	309,37	1
STL-BL900	950	900	- Natural	320,14	1
STL-BL1000	1050	1000	- Natural	331,31	1
STL-BL1200	1250	1200	- Natural	347,33	1

showertec linear >> DRAIN VERTICAL - Shower channel base body with vertical drain in Stainless Steel 316 - DIN 1.4404 - H = 17 mm

Cod.	Lmm	L1 mm	Finish	€/pc	pcs
STL-BV600	650	600	- Natural	250,20	1
STL-BV700	750	700	- Natural	262,75	1
STL-BV800	850	800	- Natural	273,47	1
STL-BV900	950	900	- Natural	287,03	1
STL-BV1000	1050	1000	- Natural	299,03	1
STL-BV1200	1250	1200	- Natural	325,50	1

showertec linear >> DRAIN STANDARD - Shower channel base body with horizontal drain in Stainless Steel 316 - DIN 1.4404 - H = 73 mm

Cod.	Lmm	L1 mm	Finish	€/pc	pcs
STL-BS600	650	600	- Natural	286,21	1
STL-BS700	750	700	- Natural	297,73	1
STL-BS800	850	800	- Natural	309,37	1
STL-BS900	950	900	- Natural	320,14	1
STL-BS1000	1050	1000	- Natural	331,31	1
STL-BS1200	1250	1200	- Natural	347,33	1

showertec linear >> STB - STL Body Leveling system

Cod.	H mm	Finish	€/pck	pcs
STL-SLB	X	ABS - Black	18	1



STL-ILM


showertec linear STL-C

The trunking is completed with different types of COVER (STL-CT, STL-CTF, STL-C) and frames (STL-F) combining multiple aesthetic solutions thanks to the extensive color range. They are both steel and aluminum and will fit up to 20mm tile height and come with adjustable feet to allow fit up to 20mm tile height.


The tileable drain covers can allow for an invisible design or a tileable look.




STL-C1000AOSB




STL-CT
B = 54 mm



STL-CTF
B = 54 mm
H1 = 11 mm




STL-C I
B = 54 mm



STL C A
B = 54 mm


Adjusting screw with protective cap included in the package
Caps included in the package.
Floor thickness from 6 to 20 mm

showertec linear >> COVER - Seamless tileable cover				
Cod.	L mm	Finish	€/pc	pcs
STL-CT600	600	- Natural	84,98	1
STL-CT700	700	- Natural	91,42	1
STL-CT800	800	- Natural	98,74	1
STL-CT900	900	- Natural	107,65	1
STL-CT1000	1000	- Natural	115,60	1
STL-CT1200	1200	- Natural	123,95	1




STL-CT

showertec linear >> COVER - Tileable cover with internal frame in Stainless Steel AISI 316 - DIN 1.4404				
Cod.	L mm	Finish	€/pc	pcs
STL-CTF600	600	IL - Polished	116,79	1
STL-CTF700	700	IL - Polished	127,25	1
STL-CTF800	800	IL - Polished	139,08	1
STL-CTF900	900	IL - Polished	151,27	1
STL-CTF1000	1000	IL - Polished	163,21	1
STL-CTF1200	1200	IL - Polished	180,00	1




STL-CTF

Stainless Steel



showertec linear >> COVER - Cover in Stainless Steel AISI 316 - DIN 1.4404 - Brushed				
Cod.	L mm	Finish	€/pc	pcs
STL-C600ISM	600	IS - Brushed	187,83	1
STL-C700ISM	700	IS - Brushed	194,83	1
STL-C800ISM	800	IS - Brushed	204,01	1
STL-C900ISM	900	IS - Brushed	216,22	1
STL-C1000ISM	1000	IS - Brushed	228,56	1
STL-C1200ISM	1200	IS - Brushed	237,16	1


showertec linear >> COVER - Cover in Stainless Steel AISI 316 - DIN 1.4404 - Polished				
Cod.	L mm	Finish	€/pc	pcs
STL-C600ILM	600	IL - Polished	171,53	1
STL-C700ILM	700	IL - Polished	177,93	1
STL-C800ILM	800	IL - Polished	186,31	1
STL-C900ILM	900	IL - Polished	197,46	1
STL-C1000ILM	1000	IL - Polished	208,72	1
STL-C1200ILM	1200	IL - Polished	216,59	1



STL-CIL


showertec linear >> COVER - Cover in Stainless Steel AISI 316 - DIN 1.4404 - Sanded				
Cod.	L mm	Finish	€/pc	pcs
STL-C600IXM	600	IX - Sanded	205,67	1
STL-C700IXM	700	IX - Sanded	213,34	1
STL-C800IXM	800	IX - Sanded	223,38	1
STL-C900IXM	900	IX - Sanded	236,76	1
STL-C1000IXM	1000	IX - Sanded	250,27	1
STL-C1200IXM	1200	IX - Sanded	259,69	1

showertec linear >> COVER - Cover in Stainless Steel AISI 316 - DIN 1.4404 - Chrome				
Cod.	L mm	Finish	€/pc	pcs
STL-C600IC	600	IC - Chrome	277,65	1
STL-C700IC	700	IC - Chrome	288,01	1
STL-C800IC	800	IC - Chrome	301,58	1
STL-C900IC	900	IC - Chrome	319,61	1
STL-C1000IC	1000	IC - Chrome	337,86	1
STL-C1200IC	1200	IC - Chrome	350,58	1



STL-CIS

Aluminum



showertec linear >> COVER - Cover in Anodized Aluminum ALU+				
Cod.	Lmm	Finish	€/ pc	pcs
STL-C600AT	600	AT - Titan	161,23	1
STL-C700AT	700	AT - Titan	167,26	1
STL-C800AT	800	AT - Titan	175,12	1
STL-C900AT	900	AT - Titan	185,61	1
STL-C1000AT	1000	AT - Titan	196,21	1
STL-C1200AT	1200	AT - Titan	203,58	1
STL-C600AR	600	AR - Copper	161,23	1
STL-C700AR	700	AR - Copper	167,26	1
STL-C800AR	800	AR - Copper	175,12	1
STL-C900AR	900	AR - Copper	185,61	1
STL-C1000AR	1000	AR - Copper	196,21	1
STL-C1200AR	1200	AR - Copper	203,58	1
STL-C600AO	600	AO - Gold	161,23	1
STL-C700AO	700	AO - Gold	167,26	1
STL-C800AO	800	AO - Gold	175,12	1
STL-C900AO	900	AO - Gold	185,61	1
STL-C1000AO	1000	AO - Gold	196,21	1
STL-C1200AO	1200	AO - Gold	203,58	1

showertec linear >> COVER - Cover in Bright Polished Brushed Anodized Aluminum ALU+				
Cod.	Lmm	Finish	€/ pc	pcs
STL-C600ASSB	600	ASSB - Brus. br. pol. silver	161,23	1
STL-C700ASSB	700	ASSB - Brus. br. pol. silver	167,26	1
STL-C800ASSB	800	ASSB - Brus. br. pol. silver	175,12	1
STL-C900ASSB	900	ASSB - Brus. br. pol. silver	185,61	1
STL-C1000ASSB	1000	ASSB - Brus. br. pol. silver	196,21	1
STL-C1200ASSB	1200	ASSB - Brus. br. pol. silver	203,58	1
STL-C600ATSB	600	ATSB - Brig. pol. brus. titanium	161,23	1
STL-C700ATSB	700	ATSB - Brig. pol. brus. titanium	167,26	1
STL-C800ATSB	800	ATSB - Brig. pol. brus. titanium	175,12	1
STL-C900ATSB	900	ATSB - Brig. pol. brus. titanium	185,61	1
STL-C1000ATSB	1000	ATSB - Brig. pol. brus. titanium	196,21	1
STL-C1200ATSB	1200	ATSB - Brig. pol. brus. titanium	203,58	1
STL-C600ARSB	600	ARSB - Bright brus. copper	161,23	1
STL-C700ARSB	700	ARSB - Bright brus. copper	167,26	1
STL-C800ARSB	800	ARSB - Bright brus. copper	175,12	1
STL-C900ARSB	900	ARSB - Bright brus. copper	185,61	1
STL-C1000ARSB	1000	ARSB - Bright brus. copper	196,21	1
STL-C1200ARSB	1200	ARSB - Bright brus. copper	203,58	1
STL-C600AOSB	600	AOSB - Bright brushed gold	161,23	1
STL-C700AOSB	700	AOSB - Bright brushed gold	167,26	1
STL-C800AOSB	800	AOSB - Bright brushed gold	175,12	1
STL-C900AOSB	900	AOSB - Bright brushed gold	185,61	1
STL-C1000AOSB	1000	AOSB - Bright brushed gold	196,21	1
STL-C1200AOSB	1200	AOSB - Bright brushed gold	203,58	1

showertec linear >> COVER - Cover in Aluminum ALU+ Bright Anodized				
Cod.	Lmm	Finish	€/ pc	pcs
STL-C600AORB	600	AORB - Bright pink gold	229,31	1
STL-C700AORB	700	AORB - Bright pink gold	237,87	1
STL-C800AORB	800	AORB - Bright pink gold	249,09	1
STL-C900AORB	900	AORB - Bright pink gold	263,97	1
STL-C1000AORB	1000	AORB - Bright pink gold	279,05	1
STL-C1200AORB	1200	AORB - Bright pink gold	289,55	1

showertec linear >> COVER - Cover in Aluminum ALU+ Brushed Anodized				
Cod.	Lmm	Finish	€/ pc	pcs
STL-C600AGRS	600	AGRS - Brushed graphite	161,23	1
STL-C700AGRS	700	AGRS - Brushed graphite	167,26	1
STL-C800AGRS	800	AGRS - Brushed graphite	175,12	1
STL-C900AGRS	900	AGRS - Brushed graphite	185,61	1
STL-C1000AGRS	1000	AGRS - Brushed graphite	196,21	1
STL-C1200AGRS	1200	AGRS - Brushed graphite	203,58	1
STL-C600AMSB	600	AMSB - Brus. an. ant. bronze	161,23	1
STL-C700AMSB	700	AMSB - Brus. an. ant. bronze	167,26	1
STL-C800AMSB	800	AMSB - Brus. an. ant. bronze	175,12	1
STL-C900AMSB	900	AMSB - Brus. an. ant. bronze	185,61	1
STL-C1000AMSB	1000	AMSB - Brus. an. ant. bronze	196,21	1
STL-C1200AMSB	1200	AMSB - Brus. an. ant. bronze	203,58	1

showertec linear >> COVER - Cover in Aluminum ALU+ Powder Coated				
Cod.	Lmm	Finish	€/ pc	pcs
STL-C600AM11	600	AM11 - Matt White	161,23	1
STL-C700AM11	700	AM11 - Matt White	167,26	1
STL-C800AM11	800	AM11 - Matt White	175,12	1
STL-C900AM11	900	AM11 - Matt White	185,61	1
STL-C1000AM11	1000	AM11 - Matt White	196,21	1
STL-C1200AM11	1200	AM11 - Matt White	203,58	1

showertec linear >> COVER - Cover in Aluminum ALU+ Powder Coated Modern Line				
Cod.	Lmm	Finish	€/ pc	pcs
STL-C600A65	600	A65 - Embossed matt Black	161,23	1
STL-C700A65	700	A65 - Embossed matt Black	167,26	1
STL-C800A65	800	A65 - Embossed matt Black	175,12	1
STL-C900A65	900	A65 - Embossed matt Black	185,61	1
STL-C1000A65	1000	A65 - Embossed matt Black	196,21	1
STL-C1200A65	1200	A65 - Embossed matt Black	203,58	1




STL-C AGRS



STL-CAR



STL-CAOSB



STL-CA65




STL-CASSB



STL-CAORB



STL-CAM11



STL-CAT

showertec linear STL-F

The channel with cover can also be combined with different types of finishing frames (STL-F) that allow you to protect the tile edge around the drainage perimeter line by combining multiple aesthetic solutions thanks to the extensive color range of the covers. COVER (STL-CT, STL-CTF, STL-C) The frames, made up of strips of the same finish as the covers, adapt to a very wide range of tile heights, from 6 to 20 mm, thanks to the ingenious supports.



STL-F1000AO



STL-FW

B = 72 mm
H1 = 20 mm

Floor thickness from 6 to 20 mm
Frame support pedestals included in the package



STL-F

B = 72 mm

Stainless Steel



ILM


showertec linear >> FRAME - Frame in Stainless Steel AISI 316 - DIN 1.4404 - Polished				
Cod.	Lmm	Finish	€/pc	pcs
STL-F600	600	IL - Polished	91,76	1
STL-F700	700	IL - Polished	95,32	1
STL-F800	800	IL - Polished	99,24	1
STL-F900	900	IL - Polished	103,74	1
STL-F1000	1000	IL - Polished	107,19	1
STL-F1200	1200	IL - Polished	115,62	1

showertec linear >> WALL FRAME - Flush wall fram in Stainless Steel AISI 316 - DIN 1.4404 - Polished				
Cod.	Lmm	Finish	€/pc	pcs
STL-FW600ILM	600	IL - Polished	100,93	1
STL-FW700ILM	700	IL - Polished	104,85	1
STL-FW800ILM	800	IL - Polished	109,15	1
STL-FW900ILM	900	IL - Polished	114,12	1
STL-FW1000ILM	1000	IL - Polished	117,90	1
STL-FW1200ILM	1200	IL - Polished	127,18	1



STL-FW

Aluminum




showertec linear >> FRAME - Frame in Anodized Aluminum				
Cod.	L mm	Finish	€/ pc	pcs
STL-F600AT	600	AT - Titan	81,66	1
STL-F700AT	700	AT - Titan	84,83	1
STL-F800AT	800	AT - Titan	88,32	1
STL-F900AT	900	AT - Titan	92,33	1
STL-F1000AT	1000	AT - Titan	95,39	1
STL-F1200AT	1200	AT - Titan	102,90	1
STL-F600AR	600	AR - Copper	81,66	1
STL-F700AR	700	AR - Copper	84,83	1
STL-F800AR	800	AR - Copper	88,32	1
STL-F900AR	900	AR - Copper	92,33	1
STL-F1000AR	1000	AR - Copper	95,39	1
STL-F1200AR	1200	AR - Copper	102,90	1
STL-F600AO	600	AO - Gold	81,66	1
STL-F700AO	700	AO - Gold	84,83	1
STL-F800AO	800	AO - Gold	88,32	1
STL-F900AO	900	AO - Gold	92,33	1
STL-F1000AO	1000	AO - Gold	95,39	1
STL-F1200AO	1200	AO - Gold	102,90	1

showertec linear >> FRAME - Frame in Brushed Anodized Aluminum				
Cod.	L mm	Finish	€/ pc	pcs
STL-F600AGRS	600	AGRS - Brushed graphite	81,66	1
STL-F700AGRS	700	AGRS - Brushed graphite	84,83	1
STL-F800AGRS	800	AGRS - Brushed graphite	88,32	1
STL-F900AGRS	900	AGRS - Brushed graphite	92,33	1
STL-F1000AGRS	1000	AGRS - Brushed graphite	95,39	1
STL-F1200AGRS	1200	AGRS - Brushed graphite	102,90	1
STL-F600AMSB	600	AMSB - Brus. an. ant. bronze	81,66	1
STL-F700AMSB	700	AMSB - Brus. an. ant. bronze	84,83	1
STL-F800AMSB	800	AMSB - Brus. an. ant. bronze	88,32	1
STL-F900AMSB	900	AMSB - Brus. an. ant. bronze	92,33	1
STL-F1000AMSB	1000	AMSB - Brus. an. ant. bronze	95,39	1
STL-F1200AMSB	1200	AMSB - Brus. an. ant. bronze	102,90	1

showertec linear >> FRAME - Frame in Bright Polished Brushed Anodized Aluminum				
Cod.	L mm	Finish	€/ pc	pcs
STL-F600ASSB	600	ASSB - Brus. br. pol. silver	81,66	1
STL-F700ASSB	700	ASSB - Brus. br. pol. silver	84,83	1
STL-F800ASSB	800	ASSB - Brus. br. pol. silver	88,32	1
STL-F900ASSB	900	ASSB - Brus. br. pol. silver	92,33	1
STL-F1000ASSB	1000	ASSB - Brus. br. pol. silver	95,39	1
STL-F1200ASSB	1200	ASSB - Brus. br. pol. silver	102,90	1
STL-F600ATSB	600	ATSB - Brig. pol. brus. titanium	81,66	1
STL-F700ATSB	700	ATSB - Brig. pol. brus. titanium	84,83	1
STL-F800ATSB	800	ATSB - Brig. pol. brus. titanium	88,32	1
STL-F900ATSB	900	ATSB - Brig. pol. brus. titanium	92,33	1
STL-F1000ATSB	1000	ATSB - Brig. pol. brus. titanium	95,39	1
STL-F1200ATSB	1200	ATSB - Brig. pol. brus. titanium	102,90	1
STL-F600ARSB	600	ARSB - Bright brus. copper	81,66	1
STL-F700ARSB	700	ARSB - Bright brus. copper	84,83	1
STL-F800ARSB	800	ARSB - Bright brus. copper	88,32	1
STL-F900ARSB	900	ARSB - Bright brus. copper	92,33	1
STL-F1000ARSB	1000	ARSB - Bright brus. copper	95,39	1
STL-F1200ARSB	1200	ARSB - Bright brus. copper	102,90	1
STL-F600AOSB	600	AOSB - Bright brushed gold	81,66	1
STL-F700AOSB	700	AOSB - Bright brushed gold	84,83	1
STL-F800AOSB	800	AOSB - Bright brushed gold	88,32	1
STL-F900AOSB	900	AOSB - Bright brushed gold	92,33	1
STL-F1000AOSB	1000	AOSB - Bright brushed gold	95,39	1
STL-F1200AOSB	1200	AOSB - Bright brushed gold	102,90	1


showertec linear >> FRAME - Frame in Aluminum Alu+ Pink Gold Bright Brushed Anodized				
Cod.	L mm	Finish	€/ pc	pcs
STL-F600AORB	600	AORB - Bright pink gold	109,65	1
STL-F700AORB	700	AORB - Bright pink gold	113,90	1
STL-F800AORB	800	AORB - Bright pink gold	118,57	1
STL-F900AORB	900	AORB - Bright pink gold	123,97	1
STL-F1000AORB	1000	AORB - Bright pink gold	128,07	1
STL-F1200AORB	1200	AORB - Bright pink gold	138,16	1

Aluminum



showertec linear >> FRAME - Frame in Powder Coated Aluminum				
Cod.	L mm	Finish	€/ pc	pcs
STL-F600AM11	600	AM11 - Matt White	81,66	1
STL-F700AM11	700	AM11 - Matt White	84,83	1
STL-F800AM11	800	AM11 - Matt White	88,32	1
STL-F900AM11	900	AM11 - Matt White	92,33	1
STL-F1000AM11	1000	AM11 - Matt White	95,39	1
STL-F1200AM11	1200	AM11 - Matt White	102,90	1


showertec linear >> FRAME - Frame in Powder Coated Aluminum				
Cod.	L mm	Finish	€/ pc	pcs
STL-F600A65	600	A65 - Embossed matt Black	81,66	1
STL-F700A65	700	A65 - Embossed matt Black	84,83	1
STL-F800A65	800	A65 - Embossed matt Black	88,32	1
STL-F900A65	900	A65 - Embossed matt Black	92,33	1
STL-F1000A65	1000	A65 - Embossed matt Black	95,39	1
STL-F1200A65	1200	A65 - Embossed matt Black	102,90	1



STL-CAT + STL-FAT



STL-CILM + STL-F ARSB




STL-CATSB + STL-F ATSB



STL-CAO + STL-F AO





STL-C ARSB + STL-F ARSB



STL-C AMSB + STL-F AMSB

showertec linear STL-TRAY

Showertec STL-TRAY are a family of pre-sloped shower trays compatible with the Showertec linear STL-BS, STL-BV, STL-BC and STL-BO. They are made with waterproof material and thanks to the surface covered with a reinforcing grid and the honeycomb surface finish they are very resistant and allow a solid grip between the cement glue and the tile. They can be combined with sloping extensions and also in combination with the XPS (RAISER) panel with a thickness of 53 mm to avoid the raised casting to reach the final thickness of the installation.




STL-TRAY

H = 15 mm

H1 = 37 mm

2% sloped tray for substrate installation




STL-EXTENSION

H = 37 mm

H1 = 48 mm

Extension for 2% sloped tray for substrate installation




STL-RAMP

H = 6 mm

H1 = 37 mm


Pre-sloped Ramp



STL-TRAY-R

H = 68 mm

H1 = 90 mm



STL-EXTENSION-R

H = 90 mm

H1 = 101 mm

STL-TRAY132/112 + STL-EXT132/56


showertec linear >> TRAY - Waterproof pre-sloped Tray - 91,4 x 112 cm					
Cod.	BxL mm	Finish	€/ pc	pcs	
STL-TRAY91/112	112x91	-	173,70	1	

showertec linear >> EXTENSION - Extension for waterproof pre-sloped tray - 91,4 x 56 cm					
Cod.	BxL mm	Finish	€/ pc	pcs	
STL-EXT91/56	56x91	-	111,53	1	


showertec linear >> RAMP - Waterproof ramp - 132 x 30 cm					
Cod.	BxL mm	Finish	€/ pc	pcs	
STL-RAMP132/30	30x132	-	93,30	1	

showertec linear >> TRAY - Waterproof pre-sloped Tray - 132 x 112 cm					
Cod.	BxL mm	Finish	€/ pc	pcs	
STL-TRAY132/112	112x132	-	227,63	1	

showertec linear >> EXTENSION - Waterproof Extension for pre-sloped tray - 132 x 56 cm					
Cod.	BxL mm	Finish	€/ pc	pcs	
STL-EXT132/56	56x132	-	146,95	1	



TRAY



TRAY + EXTENSION




TRAY + RAMP

showertec linear >> TRAY - Waterproof pre-sloped Tray - 91,4 x 112 cm - with riser panel					
Cod.	BxL mm	Finish	€/ pc	pcs	
STL-TRAY91/112R	112x91	-	230,36	1	


showertec linear >> EXTENSION - Waterproof pre-sloped Tray - 91,4 x 56 cm - with riser panel					
Cod.	BxL mm	Finish	€/ pc	pcs	
STL-EXT91/56R	56x91	-	148,60	1	

showertec linear >> TRAY - Waterproof pre-sloped Tray - 132 x 112 cm - with riser panel					
Cod.	BxL mm	Finish	€/ pc	pcs	
STL-TRAY132/112R	112x132	-	289,38	1	

showertec linear >> EXTENSION - Waterproof pre-sloped Tray - 132 x 56 cm - with riser panel					
Cod.	BxL mm	Finish	€/ pc	pcs	
STL-EXT132/56R	56x132	-	200,96	1	



TRAY + RAISER




TRAY with RISER + EXTENSION with RISER


showertec

STN


Showertec STN niches complete the Profilitec Showertec range. Constructed using a single-cell structure of XPS, covered with a rigid, waterproof fiber-reinforced cementitious grid. Showertec STN niches are water-resistant and incorporate a tileable honeycomb surface. Available in various dimensions to satisfy all customer needs. A perfectly waterproofed bathroom environment can be achieved by using showertec STN in combination with FOILTEC waterproofing membrane.



STN33X33



STN*
H1 = 12,7 mm
H = 89 mm
B1 = 38 mm



STN33X71W/S (shelf included)
H = 50 mm
B1 = 38 mm

Fiber-reinforced cement

showertec STN >> Waterproof niches					
Cod.	BxL mm	Finish	€/pc	pcs	
STN33X25	330x254	- Fiber-reinforced cement	73,35	1	
STN33X33	330x330	- Fiber-reinforced cement	81,50	1	
STN33X51	330x508	- Fiber-reinforced cement	107,77	1	
STN33X71W/S	330x711	- Fiber-reinforced cement	126,35	1	

showertec STN >> Washer set				
Cod.	H mm	Finish	€/set	pcs/set
STN/WSET10		-	4,60	1




FOILTEC

Waterproofing and steam-tight membrane made of bi-component polyethylene. Used for high moisture and steam environments. Suitable for tile shower assemblies, preventing the transfer of water and steam to wall cavities and adjacent rooms. Applied during tiling using appropriate thin-set adhesive. Foiltec membrane includes all necessary components and accessories to address all waterproofing needs.



foiltec

1. Tiles
2. Glue
3. **WATER-STOP FOILTEC**
4. Glue
5. Glue Screed



Polyethylene (PE HD)

foiltec water-stop >> Insulating membrane thickness 0.5mm in Polyethylene suitable for tile adhesive							
Cod.	LxB mm	€/m²	roll	€/rol	€/pallet	rol / pallet	
FOILTEC/05/G	30mx1 m	14,04	1	421,2	12'636,00	30	
FOILTEC/05/5/G	5mx1 m	17,85	1	89,25	9'371,25	105	
FOILTEC/05/10/G	10mx1 m	17,85	1	178,5	18'742,50	105	

Foiltec/05/G

Roll length L = 30 m
Roll width B = 1 m
Total: 30 m²

Foiltec/05/5/G

Roll length L = 5 m
Roll width B = 1 m
Total: 5 m²

Foiltec/05/10/G

Roll length L = 10 m
Roll width B = 1 m
Total: 10 m²

foiltec water-stop >> Sealing strip for butt joints and perimeter edges				
Cod.	BxL mm	Finish	€/m	roll
FOILTEC/15	0,15mx30 m	- Sealing strip	3,48	1
FOILTEC/15/10	0,15mx10 m	- Sealing strip	4,18	1

Foiltec/15

Roll length L = 30 m
Roll width B = 0,15 m

Foiltec/15/10

Roll length L = 10 m
Roll width B = 0,15 m

foiltec >> Internal corner water-stop in Polyethylene			
Cod.	Finish	€/ set	pcs / set
FOILTEC/I/G/SET2	- Internal corner	16,67	2


foiltec >> External corner water-stop in Polyethylene			
Cod.	Finish	€/ set	pcs / set
FOILTEC/E/G/SET2	- External corner	16,67	2

foiltec >> Pipe collar water-stop in Polyethylene				
Cod.	BxL mm	Finish	€ / pc	pck
FOILTEC/T20/G	20x20	- Pipe collar ø 15-20 mm	7.95	1


foiltec water-stop >> 135° angle set			
Cod.	Finish	€/ set	pcs / set
FOILTEC/BENCHSET	- 2x 135° corner pieces + Right top corner piece + Left top corner piece	54,01	4

fixxtec >> Multipurpose waterproof adhesive sealant			
Cod.	Description	€/ pc	pc/ pck
FIXXTEC	MULTIPURPOSE WATERPROOF ADHESIVE SEALANT 290ML	22,45	12


pck = indivisible packaging
For further information see page 302.




Foiltec




FOILTEC ROLL



FOILTEC T20/G



FOILTEC /E/ G




FOILTEC /I/ G




SEALING STRIP FOR BUTT JOINTS




FIXXTEC adhesive sealant




FOILTEC/BENCHSET



Left corner top



Right corner top



2x 135° Angles




FOILTEC Water-Stop membrane consists of a 0.5mm polyethylene film laminated with a synthetic fabric on both sides that makes it compatible with the ceramic adhesives. FOILTEC Water-Stop can be used on both floors and walls and acts not only as a waterproofing membrane but also as a vapor barrier.

square drain SD


SQUARE DRAIN is a squared drain for drainage with a height of only 5.6 cm and a steel block. SQUARE DRAIN offers a range of three different grids, from the minimal of the PLANO, to the STAR or the TILE.




SDS150IL + SDG150IL




SDS 150 IL / N
Outlet of 40 mm diameter



SDG 150 IL / S




SDG 150 IL / PT



SDG 150 IL / T

Stainless Steel



IL IS

Square Drain >> SDS 150 IL/N drain in Stainless Steel AISI 316 - DIN 1.4404				
Cod.	HxB mm	Finish	€/ pc	pcs
SDS150IL/N	54x228	IL - Polished	165,03	1

Square Drain >> SDS 150 IL/S drain in Stainless Steel AISI 316 - DIN 1.4404 with grip				
Cod.	HxB mm	Finish	€/ pc	pcs
SDS150IL/S	54x228	IL - Polished	173,65	1

Square Drain >> SDS 150 IL/M drain in Stainless Steel AISI 316 - DIN 1.4404 with Membrane				
Cod.	HxB mm	Finish	€/ pc	pcs
SDS150IL/M	54x170	IL - Polished	229,07	1

STAR grid >> SDG 150 IL/S grid made of Stainless Steel AISI 316 - DIN 1.4404 - Satin finish				
Cod.	HxB mm	Finish	€/ pc	pcs
SDG150IL/S	6-20x150	IL - Polished	107,16	1

PLANO grid >> SDG 150 IL/PT tileable grid in Stainless Steel AISI 316 - DIN 1.4404 - Satin finish				
Cod.	HxB mm	Finish	€/ pc	pcs
SDG150IL/PT	6-20x150	IL - Polished	91,13	1

grid TILE >> SDG 150 IL/T To Be Tiled grating in Stainless Steel AISI 316 - DIN 1.4404				
Cod.	HxB mm	Finish	€/ pc	pcs
SDG150IL/T	6-20x150	IL - Polished	40,64	1

showertec


STKV

The SHOWERTEC STK range includes a series of profiles dedicated to the shower area. They are products designed to simplify the installation phase. The STKV profiles can be mounted on the floor and on the wall to achieve a safe assembly of the glass wall of the shower and to obtain a homogeneous and optimal finish thanks to the clean line of the installation. The Showertec STK profiles create bathroom environments with a minimalist and modern design, obtaining floor-level showers without obstacles and without architectural barriers.



STKV100IS + STKV100AS

Length: 2,00 metres - 2,40 metres stainless steel



Stainless Steel
H = 10 mm

Aluminum
H = 10 mm

It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.

Stainless Steel



IS


showertec >> STKV shower profile in Stainless Steel AISI 304 - DIN 1.4301 - Brushed				
Cod.	H1 mm	Finish	€/ pc	pcs
STKV100IS200	13	IS - Brushed	104,60	1
STKV100IS240	13	IS - Brushed	115,74	1
STKV10/10IS200	10	IS - Brushed	104,60	1
STKV10/10IS240	10	IS - Brushed	115,74	1

Aluminum



AS

showertec >> STKV shower profile in anodized aluminum - Silver				
Cod.	H1 mm	Finish	€/ m	pcs
STKV100AS270	12	AS - Silver	16,12	30*





showertec STKPV

The SHOWERTEC STK range includes a series of profiles dedicated to the shower area. They are products designed to simplify the installation phase. STKPV profiles act as a transition between the sloping tiled shower tray and the floor when you want to install the glass wall as well. The latter can be combined with its STKF front profile and with the STKV glass holder profile mounted on the cladding to achieve safe assembly of the glass shower wall and to obtain a homogeneous and optimal finish thanks to the clean line of the installation. The Showertec STK profiles create bathroom environments with a minimalist and modern design, obtaining floor-level showers without obstacles and without architectural barriers.



STKPV35IS

Length: 1.35 meters - 2.00 meters



Stainless Steel
H = 10 mm


It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 302.

Stainless Steel



IS

showertec >> STKPV shower profile in Stainless Steel AISI 304 - DIN 1.4301 - Brushed				
Cod.	H1xB mm	Finish	€/pc	pcs■
STKPV35IS135DX	13x35	IS - Brushed	133,03	1
STKPV35IS135SX	13x35	IS - Brushed	133,03	1
STKPV48IS200DX	13x48	IS - Brushed	200,10	1
STKPV48IS200SX	13x48	IS - Brushed	200,10	1





showertec STKP

The SHOWERTEC STK range includes a series of profiles dedicated to the shower area. They are products designed to simplify the installation phase. STKP profiles act as a transition between the sloping shower tray and the floor. The latter can be combined with its STKF front profile to obtain a homogeneous and optimal finish thanks to the clean line of the installation. The Showertec STK profiles create bathroom environments with a minimalist and modern design, obtaining floor-level showers without obstacles and without architectural barriers.



STKP35/100IS

Length: 1.35 meters - 2.00 meters




Stainless Steel
B min = 8 mm

Stainless Steel



IS

showertec >> STKP shower profile in Stainless Steel AISI 304 - DIN 1.4301 - Brushed				
Cod.	HxB mm	Finish	€ / pc	pcs
STKP35/100IS135DX	10x35	IS - Brushed	73,07	1
STKP35/100IS135SX	10x35	IS - Brushed	73,07	1
STKP35/125IS135DX	12,5x35	IS - Brushed	74,50	1
STKP35/125IS135SX	12,5x35	IS - Brushed	74,50	1
STKP48/100IS200DX	10x48	IS - Brushed	103,81	1
STKP48/100IS200SX	10x48	IS - Brushed	103,81	1
STKP48/125IS200DX	12,5x48	IS - Brushed	106,15	1
STKP48/125IS200SX	12,5x48	IS - Brushed	106,15	1



showertec STKR

The SHOWERTEC STK range includes a series of profiles dedicated to the shower area. They are products designed to simplify the installation phase. STKR profiles act as a transition between the sloping tiled shower tray and the cladding. The latter can be combined with its STKF front profile to obtain a homogeneous and optimal finish thanks to the clean line of the installation. The Showertec STK profiles create bathroom environments with a minimalist and modern design, obtaining floor-level showers without obstacles and without architectural barriers.




STKR35/100IS

Length: 1.35 meters - 2.00 meters



Stainless Steel
B min = 8 mm




Stainless Steel



IS

showertec >> STKR conical profile in Stainless Steel AISI 304 - DIN 1.4301 - Brushed				
Cod.	HxB mm	Finish	€/ pc	pcs
STKR35/80IS135DX	8x35	IS - Brushed	66,55	1
STKR35/80IS135SX	8x35	IS - Brushed	66,55	1
STKR35/100IS135DX	10x35	IS - Brushed	67,52	1
STKR35/100IS135SX	10x35	IS - Brushed	67,52	1
STKR35/125IS135DX	12,5x35	IS - Brushed	68,65	1
STKR35/125IS135SX	12,5x35	IS - Brushed	68,65	1
STKR48/80IS200DX	8x48	IS - Brushed	98,59	1
STKR48/80IS200SX	8x48	IS - Brushed	98,59	1
STKR48/100IS200DX	10x48	IS - Brushed	100,20	1
STKR48/100IS200SX	10x48	IS - Brushed	100,20	1
STKR48/125IS200DX	12,5x48	IS - Brushed	102,24	1
STKR48/125IS200SX	12,5x48	IS - Brushed	102,24	1



showertec STKF

The SHOWERTEC STK range includes a series of profiles dedicated to the shower area. They are products designed to simplify the installation phase. The STKF profiles act as a transition between the sloping tiled shower tray and the cladding. The latter can be integrated with its STKP front profile to obtain a homogeneous and optimal finish thanks to the clean line of the installation. The Showertec STK profiles create bathroom environments with a minimalist and modern design, obtaining floor-level showers without obstacles and without architectural barriers.



STKF35/100IS

Length: 1,35 m




Stainless Steel

Stainless Steel



IS

showertec >> STKF conical frontal profile in Stainless Steel AISI 304 - DIN 1.4301 - Brushed				
Cod.	HxB mm	Finish	€/ pc	pcs
STKF35/80IS135	8x35	IS - Brushed	67,56	1
STKF35/100IS135	10x35	IS - Brushed	68,44	1
STKF35/125IS135	12,5x35	IS - Brushed	69,84	1
STKF48/80IS135	8x48	IS - Brushed	73,63	1
STKF48/100IS135	10x48	IS - Brushed	74,57	1
STKF48/125IS135	12,5x48	IS - Brushed	75,74	1




drain cover PD

Drainage cover system which is fitting during the tile installation. Designed specifically for tiled installations the cover is available in two thicknesses (8 mm and 10 mm) and is supplied in a brushed stainless steel finish (AISI 304). The system provides a neat finish that is totally integrated with the surrounding tiles. Ideally installed when tiling on to an existing drainage system with waterproofing systems. Recommended only for pedestrian transit.



PD150/10IS



PD-IS

Stainless Steel




IS

Copridrain >> PD Drain well in St. Steel AISI 304 with frame for thin-set adhesive installation


Cod.	H mm	Finish	€/ pc	pcs
PD100/8IS	8	IS - Brushed	134,19	1
PD100/10IS	10	IS - Brushed	134,93	1
PD150/8IS	8	IS - Brushed	145,14	1
PD150/10IS	10	IS - Brushed	145,95	1
PD200/8IS	8	IS - Brushed	158,05	1
PD200/10IS	10	IS - Brushed	159,24	1

showertec balconies STC-DC


SHOWERTEC BALCONIES STC-DC is a balcony and terrace drain with a vertical outlet equipped with a height-adjustable support and a sturdy stainless steel grid. It can be used in private homes, hotel and public facilities due to the presence of grating fixing screws and 150 mm long installation pipe. The grid support allows a perfect connection with siding heights up to 20 mm.



STC-DC50ABS
B1 = 300 mm
H = 150 mm
H1 = 163,5 mm



STC-DC70ABS
B1 = 300 mm
H = 150 mm
H1 = 163,5 mm



STC-DC100ABS
B1 = 300 mm
H = 150 mm
H1 = 163,5 mm

Stainless Steel



IL



IS

showertec balconies >> STC-DC ABS drain - 10 cm grid made of AISI 304
Stainless Steel - DIN 1.4301 - Polished


Cod.	B mm	Finish	€ / pc	pcs
STC-DC50ABS98IL	50	IL - Polished	119,24	1
STC-DC70ABS98IL	75	IL - Polished	119,24	1
STC-DC100ABS98IL	110	IL - Polished	119,24	1

showertec balconies >> STC-DC ABS drain - 10 cm grid made of
Stainless Steel AISI 304 - DIN 1.4301 - Brushed


Cod.	B mm	Finish	€ / pc	pcs
STC-DC50ABS98IS	50	IS - Brushed	119,24	1
STC-DC70ABS98IS	75	IS - Brushed	119,24	1
STC-DC100ABS98IS	110	IS - Brushed	119,24	1

showertec balconies STC-DP


SHOWERTEC BALCONIES STC-DP is a horizontal sloping perimeter drain system with rectangular cross-section made of thermoplastic TPE material and resistant to impacts and chemicals. It is used for perimeter drains of balconies and terraces. The system features a square-section drain pipe and a rectangular flange covered with TNT to fit the parapet and to provide an adequate bonding surface to the FOILTEC waterproofing membrane. It is ready to be installed with the included FOILTEC gusset, which is suitable to connect it perfectly to the BALCOTEC system.



H1 = 43 mm



L = 460 mm
L1 = 340 mm
H = 130 mm



L2 = 120 mm
B1 = 265 mm

Plastic

showertec balconies >> STC-DP Horizontal TPE drain with rectangular flange

Cod.	B mm	Finish	€/ set	pcs / set
STC-DP50PSET2	50	-	62,84	2

