





# stairtec FL

The STAIRTEC FL stair nosing profile elegantly finishes stair edges. Its technical, rounded shape becomes a distinctive design feature which hides imperfections and conceals the riser edge, whereas the tread covering can be simply laid flush to the indented lip of the profile. Solid and long-lasting, STAIRTEC FL is truly a decorative element in the design of staircases. The grooved top surface is slip resistant and the profile is suited for both residential and commercial applications. The STAIRTEC FL technical stair nosing profile elegantly finishes stair edges. Its angled shape becomes a distinctive design feature which hides imperfections and conceals the riser edge, whereas the tread covering can be simply laid flush to the indented lip of the profile. Solid and long-lasting, STAIRTEC FL is truly a decorative element in the design of the staircases. The grooved top surface is slip resistant and the profile is suited for both residential and commercial applications.



FL80AS

Length: 2,70 meters




## Stainless Steel - FL

FL80: H1 = 8,2 mm


FL100: H1 = 9 mm

FL125: H1 = 10 mm



## Stainless Steel - FLR

H1 = 8,5 mm





## Aluminum - Brass

FL80: H1 = 9 mm

FL100: H1 = 10 mm

FL125: H1 = 11,3 mm



## Stainless Steel



IL

\* 10% increase for quantities lower than 20.

\*\* 10% increase for quantities lower than those indicated.



FL80 IL

| stairtec >> FL-IL in Stainless Steel AISI 304 - DIN 1.4301 |         |               |  |      |
|------------------------------------------------------------|---------|---------------|--|------|
| Item                                                       | HxB mm  | Finish        |  | pcs  |
| FL80IL270                                                  | 8x20    | IL - Polished |  | 10** |
| FL100IL270                                                 | 10x20   | IL - Polished |  | 10** |
| FL125IL270                                                 | 12,5x20 | IL - Polished |  | 10** |


| stairtec >> FLR-IL in Stainless Steel AISI 304 - DIN 1.4301 |           |               |  |      |
|-------------------------------------------------------------|-----------|---------------|--|------|
| Item                                                        | HxB mm    | Finish        |  | pcs  |
| FLR100IL250                                                 | 10x22,7   | IL - Polished |  | 10** |
| FLR125IL250                                                 | 12,5x24,3 | IL - Polished |  | 10** |

Profile length 2,50 m

## Aluminum



AS



FLT - IS



FL

| stairtec >> FL-AS in Anodized Aluminum |           |             |  |     |
|----------------------------------------|-----------|-------------|--|-----|
| Item                                   | HxB mm    | Finish      |  | pcs |
| FL80AS270                              | 8x16,9    | AS - Silver |  | 30* |
| FL100AS270                             | 10x18,9   | AS - Silver |  | 30* |
| FL125AS270                             | 12,5x21,4 | AS - Silver |  | 20* |

| stairtec >> FLT End caps for stair nosing in Stainless Steel AISI 304 - DIN 1.4301 |      |              |  |           |
|------------------------------------------------------------------------------------|------|--------------|--|-----------|
| Item                                                                               | H mm | Finish       |  | pcs / set |
| FLT80ISSET                                                                         | 8    | IS - Brushed |  | 10        |
| FLT100ISSET                                                                        | 10   | IS - Brushed |  | 10        |
| FLT125ISSET                                                                        | 12,5 | IS - Brushed |  | 10        |

\* 10% increase for quantities lower than 20.

\*\* 10% increase for quantities lower than those indicated.



## Brass



OL

ON

stairtec >> FL-ON in Natural Brass

| Item       | HxB mm  | Finish       |  | pcs  |
|------------|---------|--------------|--|------|
| FL80ON270  | 8x20    | ON - Natural |  | 10** |
| FL100ON270 | 10x20   | ON - Natural |  | 10** |
| FL125ON270 | 12,5x20 | ON - Natural |  | 10** |

stairtec >> FL-OL in Polished Brass

| Item       | HxB mm  | Finish        |  | pcs  |
|------------|---------|---------------|--|------|
| FL80OL270  | 8x20    | OL - Polished |  | 10** |
| FL100OL270 | 10x20   | OL - Polished |  | 10** |
| FL125OL270 | 12,5x20 | OL - Polished |  | 10** |

\* 10% increase for quantities lower than 20.

\*\* 10% increase for quantities lower than those indicated.