










trimtec TR

TRIMTEC TR is a complete range of brass, aluminum and stainless steel trim profiles designed for fast and efficient installation of any flooring type, regardless of size and thickness. TRIMTEC TR is available in various heights from 2 to 30 mm, matching different tile thicknesses. In the aluminum and brass versions, a dovetail groove maximizes the grout grip and edge protection for both vertical and horizontal tile laying. TRIMTEC TR profiles are conceived for tile laying, but can also be used with other types of flooring such as stone, wood and industrial resin floors. TRIMTEC TR profiles are mainly used as transition trims between two types of flooring (for example between tiling and carpeting) and as expansion joints when two lengths are laid side by side. They can also be used as trimming for ceramic baseboards and as edge protection for any floor thickness. In some cases the profiles may be used as entrance mat framing.



TR100IL

Length: 2,70 meters



☐ **SELFLINE**/KIT PRE-CUT
☑ **CURVELINE**/BENDABLE

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.

For SELFLINE/CURVELINE L= 0,9 - 1,35 m as per page 388

Stainless Steel



IL/ILM IS IX



TR125IL

trimtec >> TR in Stainless Steel AISI 304 - DIN 1.4301 Polished

Item	H mm	Finish		pcs
TR20IL270	2	IL - Polished		40*
TR30IL270	3	IL - Polished		40*
TR45IL270	4,5	IL - Polished		30*
TR60IL270	6	IL - Polished		30*
TR80IL270	8	IL - Polished		30*
TR100IL270	10	IL - Polished		30*
TR110IL270	11	IL - Polished		30*
TR125IL270	12,5	IL - Polished		30*
TR150IL270	15	IL - Polished		30*
TR175IL270	17,5	IL - Polished		20*
TR200IL270	20	IL - Polished		20*
TR225IL270	22,5	IL - Polished		20*
TR250IL270	25	IL - Polished		20*
TR275IL270	27,5	IL - Polished		20*
TR300IL270	30	IL - Polished		10**

trimtec >> TR in Stainless Steel AISI 316 - DIN 1.4404 Polished

Item	H mm	Finish		pcs
TR60ILM270	6	ILM - Polished		30*
TR80ILM270	8	ILM - Polished		30*
TR100ILM270	10	ILM - Polished		30*
TR110ILM270	11	ILM - Polished		30*
TR125ILM270	12,5	ILM - Polished		30*
TR150ILM270	15	ILM - Polished		30*

trimtec >> TR in Stainless Steel AISI 304 - DIN 1.4301 Brushed

Item	H mm	Finish		pcs
TR45IS270	4,5	IS - Brushed		30*
TR60IS270	6	IS - Brushed		30*
TR80IS270	8	IS - Brushed		30*
TR100IS270	10	IS - Brushed		30*
TR110IS270	11	IS - Brushed		30*
TR125IS270	12,5	IS - Brushed		30*
TR150IS270	15	IS - Brushed		30*
TR175IS270	17,5	IS - Brushed		20*
TR200IS270	20	IS - Brushed		20*
TR225IS270	22,5	IS - Brushed		20*
TR250IS270	25	IS - Brushed		20*
TR275IS270	27,5	IS - Brushed		20*
TR300IS270	30	IS - Brushed		10**

trimtec >> TR in Stainless Steel AISI 304 - DIN 1.4301 Sanded

Item	H mm	Finish		pcs
TR100IX270	10	IX - Sanded		30*
TR110IX270	11	IX - Sanded		30*
TR125IX270	12,5	IX - Sanded		30*

Aluminum



AN AS



TRC100AS



TR100AN



TR200AN



TR100AND

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.



For SELFLINE/CURVELINE L= 0,9 - 1,35 m as per page 388

trimtec >> TR in Natural Aluminum					
Item	H mm	Finish		pcs	
TR20AN270	2	AN - Natural		100*	☑
TR30AN270	3	AN - Natural		120*	☑
TR45AN270	4,5	AN - Natural		120*	☑☒
TR60AN270	6	AN - Natural		100*	☑☒
TR80AN270	8	AN - Natural		100*	☑☒
TR100AN270	10	AN - Natural		80*	☑☒
TR110AN270	11	AN - Natural		80*	☑☒
TR125AN270	12,5	AN - Natural		80*	☑☒
TR150AN270	15	AN - Natural		70*	☑☒
TR175AN270	17,5	AN - Natural		60*	☑
TR200AN270	20	AN - Natural		60*	☑
TR225AN270	22,5	AN - Natural		60*	☑

trimtec >> TR in Anodized Aluminum					
Item	H mm	Finish		pcs	
TR20AS270	2	AS - Silver		40*	☑
TR30AS270	3	AS - Silver		40*	☑
TR45AS270	4,5	AS - Silver		40*	☑☒
TR60AS270	6	AS - Silver		40*	☑☒
TR80AS270	8	AS - Silver		40*	☑☒
TR100AS270	10	AS - Silver		40*	☑☒
TR110AS270	11	AS - Silver		40*	☑☒
TR125AS270	12,5	AS - Silver		40*	☑☒
TR150AS270	15	AS - Silver		40*	☑☒
TR175AS270	17,5	AS - Silver		30*	☑
TR200AS270	20	AS - Silver		30*	☑
TR225AS270	22,5	AS - Silver		30*	☑

trimcapsules >> TRC in Anodized Aluminum					
Item	H mm	Finish		pcs	
TRC80ASSET2	8	AS - Silver		2	
TRC100ASSET2	10	AS - Silver		2	
TRC110ASSET2	11	AS - Silver		2	
TRC125ASSET2	12,5	AS - Silver		2	

Brass



TR100ON

trimtec >> TR in Natural Brass					
Item	H mm	Finish		pcs	
TR200N270	2	ON - Natural		30*	☑
TR300N270	3	ON - Natural		30*	☑
TR450N270	4,5	ON - Natural		30*	☑☒
TR600N270	6	ON - Natural		20*	☑☒
TR800N270	8	ON - Natural		20*	☑☒
TR1000N270	10	ON - Natural		20*	☑☒
TR1250N270	12,5	ON - Natural		20*	☑☒
TR1500N270	15	ON - Natural		20*	☑☒
TR1750N270	17,5	ON - Natural		20*	☑
TR2000N270	20	ON - Natural		10**	☑
TR2250N270	22,5	ON - Natural		10**	☑
TR2500N270	25	ON - Natural		10**	☑
TR2750N270	27,5	ON - Natural		10**	☑
TR3000N270	30	ON - Natural		10**	☑

trimtec >> TR in Polished Brass					
Item	H mm	Finish		pcs	
TR200L270	2	OL - Polished		10**	
TR300L270	3	OL - Polished		20*	
TR450L270	4,5	OL - Polished		20*	
TR600L270	6	OL - Polished		20*	
TR800L270	8	OL - Polished		15**	
TR1000L270	10	OL - Polished		10**	
TR1250L270	12,5	OL - Polished		10**	
TR1500L270	15	OL - Polished		10**	
TR1750L270	17,5	OL - Polished		10**	
TR2000L270	20	OL - Polished		10**	
TR2250L270	22,5	OL - Polished		10**	
TR2500L270	25	OL - Polished		5**	
TR2750L270	27,5	OL - Polished		10**	
TR3000L270	30	OL - Polished		10**	

* 10% increase for quantities lower than 20.

** 10% increase for quantities lower than those indicated.