



Drainage systems

PROFILITEC offers a variety of drainage solutions for bathrooms, wellness centers, sports facilities and outdoor areas. Showertec Linear is a series of elegant shower drains equipped with features for modern bathrooms. For use in barrier-free shower spaces and comes as a system, if needed with functional sloping profiles and innovative technical solutions to compliment tiled shower installation projects in spaces that are new construction or renovation.

Square Drain is a simple and convenient system for conveying water on square drains.


Multidrain is a complete line of sloping modules that can easily solve the problem of water drainage in terraces or indoor environments created with large tiles that require a well designed yet functional solution.

Floor level showers

Floor level showers reflect the latest design trends, which often generally involve the installation of linear drainage systems. There may be drain grates or, in the more refined models, water is discharged through slots that follow the perimeter of the gutter resulting almost invisible, being integrated into the joints of the shower tiles. Along with the drain body of the gutter, for a state-of-the-art shower, sloped trays can be installed on which to lay the drain and then to be covered later with flooring.

There are several reasons for designers and homeowners to opt for a walk-in shower, here they are outlined below:

- Possibility of replacing the bathtub during renovation;
- Guaranteed shower accessibility even for people with reduced mobility, thanks to the absence of the traditional shower tray raised above the floor;
- Clean, linear and minimalist design of the shower.








Linear drains

The showertec linear STL drain consists of 3 parts: body, cover and frame. The channels range in size from 600mm up to 1200mm and can be installed with tile heights up to over 20mm. Available finishes go from steel to aluminum and can meet the most demanding requirements in terms of color range. The covers are perimetral drain grates with a minimalist design, and there is also a tileable version to make the draining system almost invisible. The frames can be matched with the finishes of the covers and have the same flexibility of use. Waterproofing of the drainage system is provided by the pre-glued membrane. The linear drain can be installed on the special pre-sloped shower tray for a perfectly draining shower with a regular, modern design.






Showertec Linear



1

Tileable cover


Minimalist simplicity with the drain perfectly blending into the floor.



2

Tileable grid with holding tray



The holding tray protects the tile while giving it a modern look.



3

ALU+ or stainless steel grid


16 finishes for a wide variety of aesthetic combinations.




4

External frame

Available in 13 finishes of ALU+ or Stainless Steel, it can create neat effects or pleasant color contrasts.





Benefits & Reference Standards of Showertec Linear



All aluminum parts of Showertec Linear have been subjected to a special treatment, used in shipbuilding.



The best steel on the market, of low carbon quality. Used in the naval industry.



The construction cap ensures the ideal laying perimeter for tiles.



The drain body is designed with displaced support islands to provide better distribution to the cover load. They also allow optimal water runoff.



Lifting key for the cover and inspection brush enable proper maintenance.



DIN18534:
Humidity resistance



EN1928:
Resistance to water pressure




K3:
Cover load resistance > 300kg



EN1253:
Syphon design





270

aesthetic solutions

showertec linear


STL-BL, STL-BS, STL-BV

Showertec STL-BL, STL-BS and STL-BV are a family of patented linear channels in AISI 316 stainless steel for water drainage available in sizes 600-700-800-900-1000-1200 mm. These channels are supplied complete with siphon assembly and cleaning kit which includes a flexible brush to reach every part of the drain and a tool to lift the cover in a convenient way to clean the inside of the channel. Made with a single piece of seamless steel, they have a vertical drain with a diameter of 50 mm.

The STL-BL are designed to have a very low installation height (56 mm) and are therefore particularly suitable for renovation projects. They are supplied with the Foiltec waterproofing membrane pre-attached which allows for a complete watertight shower environment in an effective way. This model is also supplied with a special siphon protection bracket for those cases of particularly low and yielding floors (such as mosaic).

The STL-BS are compatible with the pre-graded and waterproofed trays of the showertec STL-TRAY line. The channels are supplied with the Foiltec waterproofing membrane pre-applied, which allows them to be connected safely and quickly to the pre-graded STL-TRAY shower tray rather than to the shower surface built on site.

The STL-BV are like the STL-BS but supplied without the drain siphon assembly.



STL-BL DRAIN LOW: H = 56 mm
D = 50 mm

STL-BS DRAIN STANDARD: H = 73 mm
D = 50 mm

STL-BV DRAIN VERTICAL: H = 17 mm
D = 50 mm

It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 368.

Stainless Steel AISI 316



ILM

showertec linear >> DRAIN LOW - Channel body with horizontal drain in 316 Stainless Steel - DIN 1.4404 - H = 56 mm

Item	L mm	L1 mm	Finish		pcs
STL-BL600	650	600	- Natural		1
STL-BL700	750	700	- Natural		1
STL-BL800	850	800	- Natural		1
STL-BL900	950	900	- Natural		1
STL-BL1000	1050	1000	- Natural		1
STL-BL1200	1250	1200	- Natural		1

showertec linear >> DRAIN VERTICAL - Shower channel base body with vertical drain in Stainless Steel 316 - DIN 1.4404 - H = 17 mm

Item	L mm	L1 mm	Finish		pcs
STL-BV600	650	600	- Natural		1
STL-BV700	750	700	- Natural		1
STL-BV800	850	800	- Natural		1
STL-BV900	950	900	- Natural		1
STL-BV1000	1050	1000	- Natural		1
STL-BV1200	1250	1200	- Natural		1

showertec linear >> DRAIN STANDARD - Shower channel base body with horizontal drain in Stainless Steel 316 - DIN 1.4404 - H = 73 mm

Item	L mm	L1 mm	Finish		pcs
STL-BS600	650	600	- Natural		1
STL-BS700	750	700	- Natural		1
STL-BS800	850	800	- Natural		1
STL-BS900	950	900	- Natural		1
STL-BS1000	1050	1000	- Natural		1
STL-BS1200	1250	1200	- Natural		1

showertec linear >> STB - STL Body Leveling system

Item	H mm	Finish		pcs
STL-SLB	X	ABS - Black		2



STL-ILM


showertec linear STL-C

The trunking is completed with different types of COVER (STL-CT, STL-CTF, STL-C) and frames (STL-F) combining multiple aesthetic solutions thanks to the extensive color range. They are both steel and aluminum and will fit up to 20mm tile height and come with adjustable feet to allow fit up to 20mm tile height.


The tileable drain covers can allow for an invisible design or a tileable look.




STL-C1000AOSB




STL-CT
B = 54 mm



STL-CTF
B = 54 mm
H1 = 11 mm




STL-C I
B = 54 mm



STL C A
B = 54 mm

Adjusting screw with protective cap included in the package
Caps included in the package.
Floor thickness from 6 to 20 mm

showertec linear >> COVER - Seamless tileable cover				
Item	L mm	Finish		pcs
STL-CT600	600	- Natural		1
STL-CT700	700	- Natural		1
STL-CT800	800	- Natural		1
STL-CT900	900	- Natural		1
STL-CT1000	1000	- Natural		1
STL-CT1200	1200	- Natural		1



STL-CT

showertec linear >> COVER - Tileable cover with internal frame in Stainless Steel AISI 316 - DIN 1.4404				
Item	L mm	Finish		pcs
STL-CTF600	600	IL - Polished		1
STL-CTF700	700	IL - Polished		1
STL-CTF800	800	IL - Polished		1
STL-CTF900	900	IL - Polished		1
STL-CTF1000	1000	IL - Polished		1
STL-CTF1200	1200	IL - Polished		1



STL-CTF

Stainless Steel



ILM

ISM

IXM


IC

showertec linear >> COVER - Cover in Stainless Steel AISI 316 - DIN 1.4404 - Brushed				
Item	L mm	Finish		pcs
STL-C600ISM	600	IS - Brushed		1
STL-C700ISM	700	IS - Brushed		1
STL-C800ISM	800	IS - Brushed		1
STL-C900ISM	900	IS - Brushed		1
STL-C1000ISM	1000	IS - Brushed		1
STL-C1200ISM	1200	IS - Brushed		1


showertec linear >> COVER - Cover in Stainless Steel AISI 316 - DIN 1.4404 - Sanded				
Item	L mm	Finish		pcs
STL-C600IXM	600	IX - Sanded		1
STL-C700IXM	700	IX - Sanded		1
STL-C800IXM	800	IX - Sanded		1
STL-C900IXM	900	IX - Sanded		1
STL-C1000IXM	1000	IX - Sanded		1
STL-C1200IXM	1200	IX - Sanded		1

showertec linear >> COVER - Cover in Stainless Steel AISI 316 - DIN 1.4404 - Polished				
Item	L mm	Finish		pcs
STL-C600ILM	600	IL - Polished		1
STL-C700ILM	700	IL - Polished		1
STL-C800ILM	800	IL - Polished		1
STL-C900ILM	900	IL - Polished		1
STL-C1000ILM	1000	IL - Polished		1
STL-C1200ILM	1200	IL - Polished		1

showertec linear >> COVER - Cover in Stainless Steel AISI 316 - DIN 1.4404 - Chrome				
Item	L mm	Finish		pcs
STL-C600IC	600	IC - Chrome		1
STL-C700IC	700	IC - Chrome		1
STL-C800IC	800	IC - Chrome		1
STL-C900IC	900	IC - Chrome		1
STL-C1000IC	1000	IC - Chrome		1
STL-C1200IC	1200	IC - Chrome		1




STL-C IL



STL-C IS

Aluminum



showertec linear >> COVER - Cover in Anodized Aluminum ALU+				
Item	L mm	Finish		pcs
STL-C600AT	600	AT - Titan		1
STL-C700AT	700	AT - Titan		1
STL-C800AT	800	AT - Titan		1
STL-C900AT	900	AT - Titan		1
STL-C1000AT	1000	AT - Titan		1
STL-C1200AT	1200	AT - Titan		1
STL-C600AR	600	AR - Copper		1
STL-C700AR	700	AR - Copper		1
STL-C800AR	800	AR - Copper		1
STL-C900AR	900	AR - Copper		1
STL-C1000AR	1000	AR - Copper		1
STL-C1200AR	1200	AR - Copper		1
STL-C600AO	600	AO - Gold		1
STL-C700AO	700	AO - Gold		1
STL-C800AO	800	AO - Gold		1
STL-C900AO	900	AO - Gold		1
STL-C1000AO	1000	AO - Gold		1
STL-C1200AO	1200	AO - Gold		1

showertec linear >> COVER - Cover in Bright Polished Brushed Anodized Aluminum ALU+				
Item	L mm	Finish		pcs
STL-C600ASSB	600	ASSB - Brus. br. pol. silver		1
STL-C700ASSB	700	ASSB - Brus. br. pol. silver		1
STL-C800ASSB	800	ASSB - Brus. br. pol. silver		1
STL-C900ASSB	900	ASSB - Brus. br. pol. silver		1
STL-C1000ASSB	1000	ASSB - Brus. br. pol. silver		1
STL-C1200ASSB	1200	ASSB - Brus. br. pol. silver		1
STL-C600ATSB	600	ATSB - Brig. pol. brus. titanium		1
STL-C700ATSB	700	ATSB - Brig. pol. brus. titanium		1
STL-C800ATSB	800	ATSB - Brig. pol. brus. titanium		1
STL-C900ATSB	900	ATSB - Brig. pol. brus. titanium		1
STL-C1000ATSB	1000	ATSB - Brig. pol. brus. titanium		1
STL-C1200ATSB	1200	ATSB - Brig. pol. brus. titanium		1
STL-C600ARSB	600	ARSB - Bright brus. copper		1
STL-C700ARSB	700	ARSB - Bright brus. copper		1
STL-C800ARSB	800	ARSB - Bright brus. copper		1
STL-C900ARSB	900	ARSB - Bright brus. copper		1
STL-C1000ARSB	1000	ARSB - Bright brus. copper		1
STL-C1200ARSB	1200	ARSB - Bright brus. copper		1
STL-C600AOSB	600	AOSB - Bright brushed gold		1
STL-C700AOSB	700	AOSB - Bright brushed gold		1
STL-C800AOSB	800	AOSB - Bright brushed gold		1
STL-C900AOSB	900	AOSB - Bright brushed gold		1
STL-C1000AOSB	1000	AOSB - Bright brushed gold		1
STL-C1200AOSB	1200	AOSB - Bright brushed gold		1

showertec linear >> COVER - Cover in Aluminum ALU+ Bright Anodized				
Item	L mm	Finish		pcs
STL-C600AORB	600	AORB - Bright pink gold		1
STL-C700AORB	700	AORB - Bright pink gold		1
STL-C800AORB	800	AORB - Bright pink gold		1
STL-C900AORB	900	AORB - Bright pink gold		1
STL-C1000AORB	1000	AORB - Bright pink gold		1
STL-C1200AORB	1200	AORB - Bright pink gold		1

showertec linear >> COVER - Cover in Aluminum ALU+ Brushed Anodized				
Item	L mm	Finish		pcs
STL-C600AGRS	600	AGRS - Brushed graphite		1
STL-C700AGRS	700	AGRS - Brushed graphite		1
STL-C800AGRS	800	AGRS - Brushed graphite		1
STL-C900AGRS	900	AGRS - Brushed graphite		1
STL-C1000AGRS	1000	AGRS - Brushed graphite		1
STL-C1200AGRS	1200	AGRS - Brushed graphite		1
STL-C600AMSB	600	AMSB - Brus. an. ant. bronze		1
STL-C700AMSB	700	AMSB - Brus. an. ant. bronze		1
STL-C800AMSB	800	AMSB - Brus. an. ant. bronze		1
STL-C900AMSB	900	AMSB - Brus. an. ant. bronze		1
STL-C1000AMSB	1000	AMSB - Brus. an. ant. bronze		1
STL-C1200AMSB	1200	AMSB - Brus. an. ant. bronze		1

showertec linear >> COVER - Cover in Aluminum ALU+ Powder Coated				
Item	L mm	Finish		pcs
STL-C600AM11	600	AM11 - Matt White		1
STL-C700AM11	700	AM11 - Matt White		1
STL-C800AM11	800	AM11 - Matt White		1
STL-C900AM11	900	AM11 - Matt White		1
STL-C1000AM11	1000	AM11 - Matt White		1
STL-C1200AM11	1200	AM11 - Matt White		1

showertec linear >> COVER - Cover in Aluminum ALU+ Powder Coated Modern Line				
Item	L mm	Finish		pcs
STL-C600A65	600	A65 - Embossed matt Black		1
STL-C700A65	700	A65 - Embossed matt Black		1
STL-C800A65	800	A65 - Embossed matt Black		1
STL-C900A65	900	A65 - Embossed matt Black		1
STL-C1000A65	1000	A65 - Embossed matt Black		1
STL-C1200A65	1200	A65 - Embossed matt Black		1




STL-C AGRS



STL-C AR



STL-C AOSB



STL-C A65




STL-C ASSB



STL-C AORB



STL-C AM11




STL-C AT

showertec linear STL-F

The channel with cover can also be combined with different types of finishing frames (STL-F) that allow you to protect the tile edge around the drainage perimeter line by combining multiple aesthetic solutions thanks to the extensive color range of the covers. COVER (STL-CT, STL-CTF, STL-C) The frames, made up of strips of the same finish as the covers, adapt to a very wide range of tile heights, from 6 to 20 mm, thanks to the ingenious supports.



STL-F1000AO



STL-FW

B = 72 mm
H1 = 20 mm

Floor thickness from 6 to 20 mm
Frame support pedestals included in the package



STL-F

B = 72 mm

Stainless Steel



ILM


showertec linear >> FRAME - Frame in Stainless Steel AISI 316 - DIN 1.4404 - Polished				
Item	Lmm	Finish		pcs
STL-F600	600	IL - Polished		1
STL-F700	700	IL - Polished		1
STL-F800	800	IL - Polished		1
STL-F900	900	IL - Polished		1
STL-F1000	1000	IL - Polished		1
STL-F1200	1200	IL - Polished		1

showertec linear >> WALL FRAME - Flush wall fram in Stainless Steel AISI 316 - DIN 1.4404 - Polished				
Item	Lmm	Finish		pcs
STL-FW600ILM	600	IL - Polished		1
STL-FW700ILM	700	IL - Polished		1
STL-FW800ILM	800	IL - Polished		1
STL-FW900ILM	900	IL - Polished		1
STL-FW1000ILM	1000	IL - Polished		1
STL-FW1200ILM	1200	IL - Polished		1



STL-FW

Aluminum




showertec linear >> FRAME - Frame in Anodized Aluminum				
Item	L mm	Finish		pcs
STL-F600AT	600	AT - Titan		1
STL-F700AT	700	AT - Titan		1
STL-F800AT	800	AT - Titan		1
STL-F900AT	900	AT - Titan		1
STL-F1000AT	1000	AT - Titan		1
STL-F1200AT	1200	AT - Titan		1
STL-F600AR	600	AR - Copper		1
STL-F700AR	700	AR - Copper		1
STL-F800AR	800	AR - Copper		1
STL-F900AR	900	AR - Copper		1
STL-F1000AR	1000	AR - Copper		1
STL-F1200AR	1200	AR - Copper		1
STL-F600AO	600	AO - Gold		1
STL-F700AO	700	AO - Gold		1
STL-F800AO	800	AO - Gold		1
STL-F900AO	900	AO - Gold		1
STL-F1000AO	1000	AO - Gold		1
STL-F1200AO	1200	AO - Gold		1

showertec linear >> FRAME - Frame in Brushed Anodized Aluminum				
Item	L mm	Finish		pcs
STL-F600AGRS	600	AGRS - Brushed graphite		1
STL-F700AGRS	700	AGRS - Brushed graphite		1
STL-F800AGRS	800	AGRS - Brushed graphite		1
STL-F900AGRS	900	AGRS - Brushed graphite		1
STL-F1000AGRS	1000	AGRS - Brushed graphite		1
STL-F1200AGRS	1200	AGRS - Brushed graphite		1
STL-F600AMSB	600	AMSB - Brus. an. ant. bronze		1
STL-F700AMSB	700	AMSB - Brus. an. ant. bronze		1
STL-F800AMSB	800	AMSB - Brus. an. ant. bronze		1
STL-F900AMSB	900	AMSB - Brus. an. ant. bronze		1
STL-F1000AMSB	1000	AMSB - Brus. an. ant. bronze		1
STL-F1200AMSB	1200	AMSB - Brus. an. ant. bronze		1

showertec linear >> FRAME - Frame in Bright Polished Brushed Anodized Aluminum				
Item	L mm	Finish		pcs
STL-F600ASSB	600	ASSB - Brus. br. pol. silver		1
STL-F700ASSB	700	ASSB - Brus. br. pol. silver		1
STL-F800ASSB	800	ASSB - Brus. br. pol. silver		1
STL-F900ASSB	900	ASSB - Brus. br. pol. silver		1
STL-F1000ASSB	1000	ASSB - Brus. br. pol. silver		1
STL-F1200ASSB	1200	ASSB - Brus. br. pol. silver		1
STL-F600ATSB	600	ATSB - Brig. pol. brus. titanium		1
STL-F700ATSB	700	ATSB - Brig. pol. brus. titanium		1
STL-F800ATSB	800	ATSB - Brig. pol. brus. titanium		1
STL-F900ATSB	900	ATSB - Brig. pol. brus. titanium		1
STL-F1000ATSB	1000	ATSB - Brig. pol. brus. titanium		1
STL-F1200ATSB	1200	ATSB - Brig. pol. brus. titanium		1
STL-F600ARSB	600	ARSB - Bright brus. copper		1
STL-F700ARSB	700	ARSB - Bright brus. copper		1
STL-F800ARSB	800	ARSB - Bright brus. copper		1
STL-F900ARSB	900	ARSB - Bright brus. copper		1
STL-F1000ARSB	1000	ARSB - Bright brus. copper		1
STL-F1200ARSB	1200	ARSB - Bright brus. copper		1
STL-F600AOSB	600	AOSB - Bright brushed gold		1
STL-F700AOSB	700	AOSB - Bright brushed gold		1
STL-F800AOSB	800	AOSB - Bright brushed gold		1
STL-F900AOSB	900	AOSB - Bright brushed gold		1
STL-F1000AOSB	1000	AOSB - Bright brushed gold		1
STL-F1200AOSB	1200	AOSB - Bright brushed gold		1


showertec linear >> FRAME - Frame in Aluminum Alu+ Pink Gold Bright Brushed Anodized				
Item	L mm	Finish		pcs
STL-F600AORB	600	AORB - Bright pink gold		1
STL-F700AORB	700	AORB - Bright pink gold		1
STL-F800AORB	800	AORB - Bright pink gold		1
STL-F900AORB	900	AORB - Bright pink gold		1
STL-F1000AORB	1000	AORB - Bright pink gold		1
STL-F1200AORB	1200	AORB - Bright pink gold		1

Aluminum



showertec linear >> FRAME - Frame in Powder Coated Aluminum				
Item	L mm	Finish		pcs
STL-F600AM11	600	AM11 - Matt White		1
STL-F700AM11	700	AM11 - Matt White		1
STL-F800AM11	800	AM11 - Matt White		1
STL-F900AM11	900	AM11 - Matt White		1
STL-F1000AM11	1000	AM11 - Matt White		1
STL-F1200AM11	1200	AM11 - Matt White		1


showertec linear >> FRAME - Frame in Powder Coated Aluminum				
Item	L mm	Finish		pcs
STL-F600A65	600	A65 - Embossed matt Black		1
STL-F700A65	700	A65 - Embossed matt Black		1
STL-F800A65	800	A65 - Embossed matt Black		1
STL-F900A65	900	A65 - Embossed matt Black		1
STL-F1000A65	1000	A65 - Embossed matt Black		1
STL-F1200A65	1200	A65 - Embossed matt Black		1



STL-CAT + STL-FAT



STL-CILM + STL-F ARSB




STL-CATSB + STL-F ATSB



STL-CAO + STL-F AO





STL-C ARSB + STL-F ARSB




STL-C AMSB + STL-F AMSB

showertec linear STL-TRAY


Showertec STL-TRAY are a family of pre-sloped shower trays compatible with the Showertec linear STL-BS, STL-BV, STL-BC and STL-BO. They are made with waterproof material and thanks to the surface covered with a reinforcing grid and the honeycomb surface finish they are very resistant and allow a solid grip between the cement glue and the tile. They can be combined with sloping extensions and also in combination with the XPS (RAISER) panel with a thickness of 53 mm to avoid the raised casting to reach the final thickness of the installation.




STL-TRAY
H = 15 mm
H1 = 37 mm
2% sloped tray for substrate installation




STL-EXTENSION
H = 37 mm
H1 = 48 mm
Extension for 2% sloped tray for substrate installation



STL-RAMP
H = 6 mm
H1 = 37 mm
Pre-sloped Ramp



STL-TRAY-R
H = 68 mm
H1 = 90 mm



STL-EXTENSION-R
H = 90 mm
H1 = 101 mm

STL-TRAY132/112 + STL-EXT132/56

showertec linear >> TRAY - Waterproof pre-sloped Tray - 91,4 x 112 cm					
Item	BxL mm		pc / pck	pck / pallet	
STL-TRAY91/112	1120x910		1	x	


Only for 600 - 700 - 800 measures.

showertec linear >> TRAY - Waterproof pre-sloped Tray - 132 x 112 cm					
Item	BxL mm		pc / pck	pck / pallet	
STL-TRAY132/112	1120x1320		1	x	


showertec linear >> EXTENSION - Extension for waterproof pre-sloped tray - 91,4 x 56 cm					
Item	BxL mm		pc / pck	pck / pallet	
STL-EXT91/56	560x910		1	x	

showertec linear >> EXTENSION - Waterproof Extension for pre-sloped tray - 132 x 56 cm					
Item	BxL mm		pc / pck	pck / pallet	
STL-EXT132/56	560x1320		1	x	

showertec linear >> RAMP - Waterproof ramp - 132 x 30 cm					
Item	BxL mm		pc / pck	pck / pallet	
STL-RAMP132/30	300x1320		1	x	



TRAY



TRAY + EXTENSION




TRAY + RAMP

showertec linear >> TRAY - Waterproof pre-sloped Tray - 91,4 x 112 cm - with riser panel					
Item	BxL mm	Finish		pcs	
STL-TRAY91/112R	1120x910	-		1	


showertec linear >> TRAY - Waterproof pre-sloped Tray - 132 x 112 cm - with riser panel					
Item	BxL mm	Finish		pcs	
STL-TRAY132/112R	1120x1320	-		1	

showertec linear >> EXTENSION - Waterproof pre-sloped Tray - 91,4 x 56 cm - with riser panel					
Item	BxL mm	Finish		pcs	
STL-EXT91/56R	560x910	-		1	

showertec linear >> EXTENSION - Waterproof pre-sloped Tray - 132 x 56 cm - with riser panel					
Item	BxL mm	Finish		pcs	
STL-EXT132/56R	560x1320	-		1	




TRAY + RAISER




TRAY with RISER + EXTENSION with RISER

showertec STN


Showertec STN niches complete the Profiltec Showertec range. Constructed using a single-cell structure of XPS, covered with a rigid, waterproof fiber-reinforced cementitious grid. Showertec STN niches are water-resistant and incorporate a tileable honeycomb surface. Available in various dimensions to satisfy all customer needs. A perfectly waterproofed bathroom environment can be achieved by using showertec STN in combination with FOILTEC waterproofing membrane.



STN33X33



STN*
H1 = 12,7 mm
H = 89 mm
B1 = 38 mm



STN33X71W/S (shelf included)
H = 50 mm
B1 = 38 mm

Fiber-reinforced cement

showertec STN >> Waterproof niches					
Item		/ pck	pc / pck	pck / pallet	
STN33X25		77,75	1	20	
STN33X33		86,39	1	16	
STN33X51		114,24	1	16	
STN33X71W/S		133,93	1	21	

showertec STN >> Washer set				
Item	H mm	Finish		pcs / set
STN/WSET10		-		1




FOILTEC

Waterproofing and steam-tight membrane made of bi-component polyethylene. Used for high moisture and steam environments. Suitable for tile shower assemblies, preventing the transfer of water and steam to wall cavities and adjacent rooms. Applied during tiling using appropriate thin-set adhesive. Foiltec membrane includes all necessary components and accessories to address all waterproofing needs.



foiltec



1. Tiles
2. Glue
3. **WATER-STOP FOILTEC**
4. Glue
5. Glue Screed

Polyethylene (PE HD)

foiltec water-stop >> Insulating membrane thickness 0.5mm in Polyethylene suitable for tile adhesive

Item	LxB mm	roll	rol / pallet	
FOILTEC/05/G	30 mx1 m	1	30	
FOILTEC/05/5/G	5 mx1 m	1	105	
FOILTEC/05/10/G	10 mx1 m	1	105	

Foiltec/05/G

Roll length L = 30 m
Roll width B = 1 m
Total: 30 m²

Foiltec/05/5/G

Roll length L = 5 m
Roll width B = 1 m
Total: 5 m²

Foiltec/05/10/G

Roll length L = 10 m
Roll width B = 1 m
Total: 10 m²

foiltec >> Internal corner water-stop in Polyethylene

Item	Finish	pcs / set
FOILTEC/I/G/SET2	- Internal corner	2

foiltec >> External corner water-stop in Polyethylene

Item	Finish	pcs / set
FOILTEC/E/G/SET2	- External corner	2

foiltec >> Pipe collar water-stop in Polyethylene

Item	Finish	pck
FOILTEC/T20/G	- Pipe collar ø 15-20 mm	1

foiltec water-stop >> 135° angle set

Item	Finish	pcs / set
FOILTEC/BENCHSET	- 2x 135° corner pieces + Right top corner piece + Left top corner piece	4

fixxtec >> Multipurpose waterproof adhesive sealant

Item	Description	pc/pck
FIXXTEC	MULTIPURPOSE WATERPROOF ADHESIVE SEALANT 290ML	12

pck = indivisible packaging
For further information see page 368.

foiltec water-stop >> Sealing strip for butt joints and perimeter edges


Item	BxL mm	Finish	roll
FOILTEC/15	0,15 mx30 m	- Sealing strip	1
FOILTEC/15/10	0,15 mx10 m	- Sealing strip	1

Foiltec/15


Roll length L = 30 m
Roll width B = 0,15 m

Foiltec/15/10


Roll length L = 10 m
Roll width B = 0,15 m




Foiltec




FOILTEC ROLL



FOILTEC T20/G



FOILTEC /E/ G




FOILTEC /I/ G




SEALING STRIP FOR BUTT JOINTS




KOLLTEC and FIXXTEC




FOILTEC/BENCHSET



Left corner top



Right corner top



2x 135° Angles




FOILTEC Water-Stop membrane consists of a 0.5mm polyethylene film laminated with a synthetic fabric on both sides that makes it compatible with the ceramic adhesives. FOILTEC Water-Stop can be used on both floors and walls and acts not only as a waterproofing membrane but also as a vapor barrier.

square drain SD


SQUARE DRAIN is a squared drain for drainage with a height of only 5.6 cm and a steel block. SQUARE DRAIN offers a range of three different grids, from the minimal of the PLANO, to the STAR or the TILE.




SDS150IL + SDG150IL




SDS 150 IL / N
Outlet of 40 mm diameter



SDG 150 IL / S




SDG 150 IL / PT



SDG 150 IL / T

Stainless Steel



IL IS

Square Drain >> SDS 150 IL/N drain in Stainless Steel AISI 316 - DIN 1.4404				
Item	HxB mm	Finish		pcs
SDS150IL/N	54x228	IL - Polished		1

Square Drain >> SDS 150 IL/S drain in Stainless Steel AISI 316 - DIN 1.4404 with grip				
Item	HxB mm	Finish		pcs
SDS150IL/S	54x228	IL - Polished		1

Square Drain >> SDS 150 IL/M drain in Stainless Steel AISI 316 - DIN 1.4404 with Membrane				
Item	HxB mm	Finish		pcs
SDS150IL/M	54x170	IL - Polished		1

STAR grid >> SDG 150 IL/S grid made of Stainless Steel AISI 316 - DIN 1.4404 - Brushed finish				
Item	HxB mm	Finish		pcs
SDG150IL/S	6-20x150	IS - Brushed		1



PLANO grid >> SDG 150 IL/PT tileable grid in Stainless Steel AISI 316 - DIN 1.4404 - Brushed finish				
Item	HxB mm	Finish		pcs
SDG150IL/PT	6-20x150	IS - Brushed with internal frame		1

grid TILE >> SDG 150 IL/T To Be Tiled grating in Stainless Steel AISI 316 - DIN 1.4404				
Item	HxB mm	Finish		pcs
SDG150IL/T	6-20x150	- Natural		1

showertec

STKV

The SHOWERTEC STK range includes a series of profiles dedicated to the shower area. They are products designed to simplify the installation phase. The STKV profiles can be mounted on the floor and on the wall to achieve a safe assembly of the glass wall of the shower and to obtain a homogeneous and optimal finish thanks to the clean line of the installation. The Showertec STK profiles create bathroom environments with a minimalist and modern design, obtaining floor-level showers without obstacles and without architectural barriers.



Aluminum



AS A54

showertec >> STKV shower profile in anodized aluminum - Silver				
Item	H1 mm	Finish		pcs
STKV100AS270	12	AS - Silver		30*

showertec >> STKV shower profile in Powder Coated Aluminum				
Item	H1 mm	Finish		pcs
STKV100A54270	12	A54 - Matt black		30*

showertec


STKPV

The SHOWERTEC STK range includes a series of profiles dedicated to the shower area. They are products designed to simplify the installation phase. STKPV profiles act as a transition between the sloping tiled shower tray and the floor when you want to install the glass wall as well. The latter can be combined with its STKF front profile and with the STKV glass holder profile mounted on the cladding to achieve safe assembly of the glass shower wall and to obtain a homogeneous and optimal finish thanks to the clean line of the installation. The Showertec STK profiles create bathroom environments with a minimalist and modern design, obtaining floor-level showers without obstacles and without architectural barriers.





STKPV35IS

Length: 1.35 meters - 2.00 meters




Stainless Steel
H = 10 mm



It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 368.

Stainless Steel



showertec >> STKPV shower profile in Stainless Steel AISI 304 - DIN 1.4301 - Brushed					
Item	H1xB mm	Finish		pcs	pcs
STKPV35IS135DX	13x35	IS - Brushed		1	1
STKPV35IS135SX	13x35	IS - Brushed		1	1
STKPV48IS200DX	13x48	IS - Brushed		1	1
STKPV48IS200SX	13x48	IS - Brushed		1	1

showertec >> STKPV shower profile in AISI 304 stainless steel - DIN 1.4301 - Black					
Item	H1xB mm	Finish		pcs	pcs
STKPV35IB135DX	13x35	IB - Black		1	1
STKPV35IB135SX	13x35	IB - Black		1	1
STKPV48IB200DX	13x48	IB - Black		1	1
STKPV48IB200SX	13x48	IB - Black		1	1

showertec


STKP

The SHOWERTEC STK range includes a series of profiles dedicated to the shower area. They are products designed to simplify the installation phase. STKP profiles act as a transition between the sloping shower tray and the floor. The latter can be combined with its STKF front profile to obtain a homogeneous and optimal finish thanks to the clean line of the installation. The Showertec STK profiles create bathroom environments with a minimalist and modern design, obtaining floor-level showers without obstacles and without architectural barriers.





STKP35/100IS

Length: 1.35 meters - 2.00 meters



Stainless Steel
B min = 8 mm



Stainless Steel



showertec >> STKP shower profile in Stainless Steel AISI 304 - DIN 1.4301 - Brushed				
Item	HxB mm	Finish		pcs
STKP35/100IS135DX	10x35	IS - Brushed		1
STKP35/100IS135SX	10x35	IS - Brushed		1
STKP35/125IS135DX	12,5x35	IS - Brushed		1
STKP35/125IS135SX	12,5x35	IS - Brushed		1
STKP48/100IS200DX	10x48	IS - Brushed		1
STKP48/100IS200SX	10x48	IS - Brushed		1
STKP48/125IS200DX	12,5x48	IS - Brushed		1
STKP48/125IS200SX	12,5x48	IS - Brushed		1

showertec >> STKP shower profile in AISI 304 stainless steel - DIN 1.4301 - Black				
Item	HxB mm	Finish		pcs
STKP35/100IB135DX	10x35	IB - Black		1
STKP35/100IB135SX	10x35	IB - Black		1
STKP35/125IB135DX	12,5x35	IB - Black		1
STKP35/125IB135SX	12,5x35	IB - Black		1
STKP48/100IB200DX	10x48	IB - Black		1
STKP48/100IB200SX	10x48	IB - Black		1
STKP48/125IB200DX	12,5x48	IB - Black		1
STKP48/125IB200SX	12,5x48	IB - Black		1

showertec

STKR

The SHOWERTEC STK range includes a series of profiles dedicated to the shower area. They are products designed to simplify the installation phase. STKR profiles act as a transition between the sloping tiled shower tray and the cladding. The latter can be combined with its STKF front profile to obtain a homogeneous and optimal finish thanks to the clean line of the installation. The Showertec STK profiles create bathroom environments with a minimalist and modern design, obtaining floor-level showers without obstacles and without architectural barriers.





STKR35/100IS


Length: 1.35 meters - 2.00 meters



Stainless Steel
B min = 8 mm



Stainless Steel



showertec >> STKR conical profile in Stainless Steel AISI 304 - DIN 1.4301 - Brushed				
Item	HxB mm	Finish		pcs
STKR35/80IS135DX	8x35	IS - Brushed		1
STKR35/80IS135SX	8x35	IS - Brushed		1
STKR35/100IS135DX	10x35	IS - Brushed		1
STKR35/100IS135SX	10x35	IS - Brushed		1
STKR35/125IS135DX	12,5x35	IS - Brushed		1
STKR35/125IS135SX	12,5x35	IS - Brushed		1
STKR48/80IS200DX	8x48	IS - Brushed		1
STKR48/80IS200SX	8x48	IS - Brushed		1
STKR48/100IS200DX	10x48	IS - Brushed		1
STKR48/100IS200SX	10x48	IS - Brushed		1
STKR48/125IS200DX	12,5x48	IS - Brushed		1
STKR48/125IS200SX	12,5x48	IS - Brushed		1

showertec >> STKR shower profile for wall coverings in AISI 304 stainless steel - DIN 1.4301 - Black				
Item	HxB mm	Finish		pcs
STKR35/80IB135DX	8x35	IB - Black		1
STKR35/80IB135SX	8x35	IB - Black		1
STKR35/100IB135DX	10x35	IB - Black		1
STKR35/100IB135SX	10x35	IB - Black		1
STKR35/125IB135DX	12,5x35	IB - Black		1
STKR35/125IB135SX	12,5x35	IB - Black		1
STKR48/80IB200DX	8x48	IB - Black		1
STKR48/80IB200SX	8x48	IB - Black		1
STKR48/100IB200DX	10x48	IB - Black		1
STKR48/100IB200SX	10x48	IB - Black		1
STKR48/125IB200DX	12,5x48	IB - Black		1
STKR48/125IB200SX	12,5x48	IB - Black		1

showertec

STKF

The SHOWERTEC STK range includes a series of profiles dedicated to the shower area. They are products designed to simplify the installation phase. The STKF profiles act as a transition between the sloping tiled shower tray and the cladding. The latter can be integrated with its STKP front profile to obtain a homogeneous and optimal finish thanks to the clean line of the installation. The Showertec STK profiles create bathroom environments with a minimalist and modern design, obtaining floor-level showers without obstacles and without architectural barriers.




STKF35/100IS




Stainless Steel

Length: 1,35 m



Stainless Steel



showertec >> STKF conical frontal profile in Stainless Steel AISI 304 - DIN 1.4301 - Brushed				
Item	HxB mm	Finish		pcs
STKF35/80IS135	8x35	IS - Brushed		1
STKF35/100IS135	10x35	IS - Brushed		1
STKF35/125IS135	12,5x35	IS - Brushed		1
STKF48/80IS135	8x48	IS - Brushed		1
STKF48/100IS135	10x48	IS - Brushed		1
STKF48/125IS135	12,5x48	IS - Brushed		1


showertec >> STKF frontal shower profile in AISI 304 stainless steel - DIN 1.4301 - Black				
Item	HxB mm	Finish		pcs
STKF35/80IB135	8x35	IB - Black		1
STKF35/100IB135	10x35	IB - Black		1
STKF35/125IB135	12,5x35	IB - Black		1
STKF48/80IB135	8x48	IB - Black		1
STKF48/100IB135	10x48	IB - Black		1
STKF48/125IB135	12,5x48	IB - Black		1

drain cover PD

Drainage cover system which is fitting during the tile installation. Designed specifically for tiled installations the cover is available in two thicknesses (8 mm and 10 mm) and is supplied in a brushed stainless steel finish (AISI 304). The system provides a neat finish that is totally integrated with the surrounding tiles. Ideally installed when tiling on to an existing drainage system with waterproofing systems. Recommended only for pedestrian transit.



PD150/10IS



PD-IS

Stainless Steel




IS


Coprodrain >> PD Drain well in St. Steel AISI 304 with frame for thin-set adhesive installation				
Item	H mm	Finish		pcs
PD100/8IS	8	IS - Brushed		1
PD100/10IS	10	IS - Brushed		1
PD150/8IS	8	IS - Brushed		1
PD150/10IS	10	IS - Brushed		1
PD200/8IS	8	IS - Brushed		1
PD200/10IS	10	IS - Brushed		1

showertec balconies STC-DC


SHOWERTEC BALCONIES STC-DC is a balcony and terrace drain with a vertical outlet equipped with a height-adjustable support and a sturdy stainless steel grid. It can be used in private homes, hotel and public facilities due to the presence of grating fixing screws and 150 mm long installation pipe. The grid support allows a perfect connection with siding heights up to 20 mm.



STC-DC50ABS
B1 = 300 mm
H = 150 mm
H1 = 163,5 mm




STC-DC70ABS
B1 = 300 mm
H = 150 mm
H1 = 163,5 mm



STC-DC100ABS
B1 = 300 mm
H = 150 mm
H1 = 163,5 mm

Stainless Steel




showertec balconies >> STC-DC ABS drain - 10 cm grid made of AISI 304 Stainless Steel - DIN 1.4301 - Polished				
Item	B mm	Finish		pcs
STC-DC50ABS98IL	50	IL - Polished		1
STC-DC70ABS98IL	75	IL - Polished		1
STC-DC100ABS98IL	110	IL - Polished		1


showertec balconies >> STC-DC ABS drain - 10 cm grid made of Stainless Steel AISI 304 - DIN 1.4301 - Brushed				
Item	B mm	Finish		pcs
STC-DC50ABS98IS	50	IS - Brushed		1
STC-DC70ABS98IS	75	IS - Brushed		1
STC-DC100ABS98IS	110	IS - Brushed		1

showertec balconies STC-DP


SHOWERTEC BALCONIES STC-DP is a horizontal sloping perimeter drain system with rectangular cross-section made of thermoplastic TPE material and resistant to impacts and chemicals. It is used for perimeter drains of balconies and terraces. The system features a square-section drain pipe and a rectangular flange covered with TNT to fit the parapet and to provide an adequate bonding surface to the FOILTEC waterproofing membrane. It is ready to be installed with the included FOILTEC gusset, which is suitable to connect it perfectly to the BALCOTEC system.



H1 = 43 mm



L = 460 mm
L1 = 340 mm
H = 130 mm



L2 = 120 mm
B1 = 265 mm

Synthetic resin

showertec balconies >> STC-DP Horizontal TPE drain with rectangular flange				
Item	B mm	Finish		pcs / set
STC-DP50PSET2	50	-		2