



Tile leveling system

Leveltec is a patented laying system representing a revolutionary advance over any of the proposals seen on the market to date, being the first leveling system that requires no tools for neither assembly nor disassembly.

Leveltec consists of a reusable cap and a series of tie-bases (linear, "T", cross) that allow for 2, 3 or 5 mm joints (in accordance with UNI 11493) or 1 mm joints. The cap can be used with all the tie-bases chosen, according to the type of tiling and laying to be carried out.



Leveltec advantages



Quick positioning



Wide range of tie-bases made of high performance propylene



Patented system that does not require pliers or unscrew-drivers




Automatic ejection of the tie-base



Large base cap for a homogeneous pressure distribution



The arrowhead indicates the joint direction



Reusable cap

Problem




Solution



Phases of usage




Place the tie-base under the floor or wall covering.




Insert the cap vertically until it touches the tile without screwing. Just one click to automatically fix it to the tie base thread.



Level the tiles by rotating the cap a few degrees.



Pointed head = Joint direction




Remove the cap when the glue is completely dry. Be careful to follow the same direction of the joint.



Put pressure on the protruding tie-base to uncouple the cap without unscrewing.




Linear tie-base



leveltec laying system >> Linear tie-base						
Item	Description		pc / pck		pcs / pallet	
LEV/10	LEVELTEC LINEAR TIE-BASE TH1MM SET/250		250		80'000	
LEV/20	LEVELTEC LINEAR TIE-BASE TH2MM SET/250		250		80'000	
LEV/30	LEVELTEC LINEAR TIE-BASE TH3MM SET/250		250		50'000	
LEV/50	LEVELTEC LINEAR TIE-BASE TH5MM SET/250		250		50'000	

Suitable for medium/big format tiles


"T" tie-base leveling



leveltec laying system >> "T" tie-base						
Item	Description		pc / pck		pcs / pallet	
LEV/10T	LEVELTEC "T" TIE-BASE TH1MM SET/250		250		50'000	
LEV/20T	LEVELTEC "T" TIE-BASE TH2MM SET/250		250		50'000	
LEV/30T	LEVELTEC "T" TIE-BASE TH3MM SET/250		250		50'000	
LEV/50T	LEVELTEC "T" TIE-BASE TH5MM SET/250		250		50'000	

Suitable for straight course laying

Cross tie-base leveling




leveltec laying system >> cross tie-base						
Item	Description		pc / pck		pcs / pallet	
LEV/10C	LEVELTEC CROSS TIE-BASE TH1MM SET/250		250		50'000	
LEV/20C	LEVELTEC CROSS TIE-BASE TH2MM SET/250		250		50'000	
LEV/30C	LEVELTEC CROSS TIE-BASE TH3MM SET/250		250		50'000	
LEV/50C	LEVELTEC CROSS TIE-BASE TH5MM SET/250		250		50'000	

Suitable for small format tiles

For quantities below 10 packages 10% price increase applied

Cap



To be used only with Profiltec tie-bases

leveltec leveling system >> Screw leveling system just with a click						
Item	Description		pc / pck		pcs / pallet	
LEV/M	LEVELTEC AUTOMATIC CAP ASSEMBLED SET/50		50		3'600	

For quantities below 6 packages 10% price increase applied

Quantity of tie-bases for m²

A \ B	20	25	30	33	40	45	50	60	80	90	100	120
20	50	40	50	45	37	33	30	25	25	22	25	21
25	40	32	40	36	30	27	24	20	20	18	20	17
30	50	40	44	40	33	30	27	22	21	19	20	17
33	45	36	40	37	30	27	24	20	19	7	18	15
40	47	30	33	30	25	22	20	17	16	14	15	13
45	33	27	30	27	22	20	18	15	14	12	13	11
50	30	24	27	24	20	18	16	13	12	11	12	10
60	25	20	22	20	17	15	13	11	10	9	10	8
80	25	20	21	19	7	14	12	10	9	8	9	7
90	22	18	19	7	14	12	11	9	8	7	8	6
100	25	20	20	18	15	13	12	10	9	8	8	7
120	21	17	17	15	13	11	10	8	7	6	7	6

Tie bases suitable for tiles from 3 to 20 mm (LEV/20, LEV/30, LEV/50 full range) or from 3 to 12,5mm (LEV/10 full range)

