


showertec STKV

The SHOWERTEC STK range includes a series of profiles dedicated to the shower area. They are products designed to simplify the installation phase. The STKV profiles can be mounted on the floor and on the wall to achieve a safe assembly of the glass wall of the shower and to obtain a homogeneous and optimal finish thanks to the clean line of the installation. The Showertec STK profiles create bathroom environments with a minimalist and modern design, obtaining floor-level showers without obstacles and without architectural barriers.




STKV100IS + STKV100AS

Length: 2,00 metres - 2,40 metres stainless steel



Stainless Steel
H = 10 mm

Aluminum
H = 10 mm



It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 368.

Stainless Steel



showertec >> STKV shower profile in Stainless Steel AISI 304 - DIN 1.4301 - Brushed					
Item	H1 mm	Finish		pcs	pcs
STKV100IS200	13	IS - Brushed		1	1
STKV100IS240	13	IS - Brushed		1	1
STKV10/10IS200	10	IS - Brushed		1	1
STKV10/10IS240	10	IS - Brushed		1	1

showertec >> STKV shower profile in AISI 304 stainless steel - DIN 1.4301 - Black					
Item	H1 mm	Finish		pcs	pcs
STKV100IB200	13	IB - Black		1	1
STKV100IB240	13	IB - Black		1	1
STKV10/10IB200	10	IB - Black		1	1
STKV10/10IB240	10	IB - Black		1	1

Aluminum



showertec >> STKV shower profile in anodized aluminum - Silver					
Item	H1 mm	Finish			pcs
STKV100AS270	12	AS - Silver			30*

showertec >> STKV shower profile in Powder Coated Aluminum					
Item	H1 mm	Finish			pcs
STKV100A54270	12	A54 - Matt black			30*

showertec


STKPV

The SHOWERTEC STK range includes a series of profiles dedicated to the shower area. They are products designed to simplify the installation phase. STKPV profiles act as a transition between the sloping tiled shower tray and the floor when you want to install the glass wall as well. The latter can be combined with its STKF front profile and with the STKV glass holder profile mounted on the cladding to achieve safe assembly of the glass shower wall and to obtain a homogeneous and optimal finish thanks to the clean line of the installation. The Showertec STK profiles create bathroom environments with a minimalist and modern design, obtaining floor-level showers without obstacles and without architectural barriers.





STKPV35IS

Length: 1.35 meters - 2.00 meters




Stainless Steel
H = 10 mm



It is recommended to use FIXXTEC multipurpose adhesive to bond the product. For further information, see page 368.

Stainless Steel



showertec >> STKPV shower profile in Stainless Steel AISI 304 - DIN 1.4301 - Brushed					
Item	H1xB mm	Finish		pcs	pcs
STKPV35IS135DX	13x35	IS - Brushed		1	1
STKPV35IS135SX	13x35	IS - Brushed		1	1
STKPV48IS200DX	13x48	IS - Brushed		1	1
STKPV48IS200SX	13x48	IS - Brushed		1	1

showertec >> STKPV shower profile in AISI 304 stainless steel - DIN 1.4301 - Black					
Item	H1xB mm	Finish		pcs	pcs
STKPV35IB135DX	13x35	IB - Black		1	1
STKPV35IB135SX	13x35	IB - Black		1	1
STKPV48IB200DX	13x48	IB - Black		1	1
STKPV48IB200SX	13x48	IB - Black		1	1


showertec STKP

The SHOWERTEC STK range includes a series of profiles dedicated to the shower area. They are products designed to simplify the installation phase. STKP profiles act as a transition between the sloping shower tray and the floor. The latter can be combined with its STKF front profile to obtain a homogeneous and optimal finish thanks to the clean line of the installation. The Showertec STK profiles create bathroom environments with a minimalist and modern design, obtaining floor-level showers without obstacles and without architectural barriers.





STKP35/100IS

Length: 1.35 meters - 2.00 meters



Stainless Steel
B min = 8 mm



Stainless Steel



showertec >> STKP shower profile in Stainless Steel AISI 304 - DIN 1.4301 - Brushed				
Item	HxB mm	Finish		pcs
STKP35/100IS135DX	10x35	IS - Brushed		1
STKP35/100IS135SX	10x35	IS - Brushed		1
STKP35/125IS135DX	12,5x35	IS - Brushed		1
STKP35/125IS135SX	12,5x35	IS - Brushed		1
STKP48/100IS200DX	10x48	IS - Brushed		1
STKP48/100IS200SX	10x48	IS - Brushed		1
STKP48/125IS200DX	12,5x48	IS - Brushed		1
STKP48/125IS200SX	12,5x48	IS - Brushed		1

showertec >> STKP shower profile in AISI 304 stainless steel - DIN 1.4301 - Black				
Item	HxB mm	Finish		pcs
STKP35/100IB135DX	10x35	IB - Black		1
STKP35/100IB135SX	10x35	IB - Black		1
STKP35/125IB135DX	12,5x35	IB - Black		1
STKP35/125IB135SX	12,5x35	IB - Black		1
STKP48/100IB200DX	10x48	IB - Black		1
STKP48/100IB200SX	10x48	IB - Black		1
STKP48/125IB200DX	12,5x48	IB - Black		1
STKP48/125IB200SX	12,5x48	IB - Black		1

showertec

STKR

The SHOWERTEC STK range includes a series of profiles dedicated to the shower area. They are products designed to simplify the installation phase. STKR profiles act as a transition between the sloping tiled shower tray and the cladding. The latter can be combined with its STKF front profile to obtain a homogeneous and optimal finish thanks to the clean line of the installation. The Showertec STK profiles create bathroom environments with a minimalist and modern design, obtaining floor-level showers without obstacles and without architectural barriers.





STKR35/100IS


Length: 1.35 meters - 2.00 meters



Stainless Steel
B min = 8 mm



Stainless Steel



showertec >> STKR conical profile in Stainless Steel AISI 304 - DIN 1.4301 - Brushed				
Item	HxB mm	Finish		pcs
STKR35/80IS135DX	8x35	IS - Brushed		1
STKR35/80IS135SX	8x35	IS - Brushed		1
STKR35/100IS135DX	10x35	IS - Brushed		1
STKR35/100IS135SX	10x35	IS - Brushed		1
STKR35/125IS135DX	12,5x35	IS - Brushed		1
STKR35/125IS135SX	12,5x35	IS - Brushed		1
STKR48/80IS200DX	8x48	IS - Brushed		1
STKR48/80IS200SX	8x48	IS - Brushed		1
STKR48/100IS200DX	10x48	IS - Brushed		1
STKR48/100IS200SX	10x48	IS - Brushed		1
STKR48/125IS200DX	12,5x48	IS - Brushed		1
STKR48/125IS200SX	12,5x48	IS - Brushed		1

showertec >> STKR shower profile for wall coverings in AISI 304 stainless steel - DIN 1.4301 - Black				
Item	HxB mm	Finish		pcs
STKR35/80IB135DX	8x35	IB - Black		1
STKR35/80IB135SX	8x35	IB - Black		1
STKR35/100IB135DX	10x35	IB - Black		1
STKR35/100IB135SX	10x35	IB - Black		1
STKR35/125IB135DX	12,5x35	IB - Black		1
STKR35/125IB135SX	12,5x35	IB - Black		1
STKR48/80IB200DX	8x48	IB - Black		1
STKR48/80IB200SX	8x48	IB - Black		1
STKR48/100IB200DX	10x48	IB - Black		1
STKR48/100IB200SX	10x48	IB - Black		1
STKR48/125IB200DX	12,5x48	IB - Black		1
STKR48/125IB200SX	12,5x48	IB - Black		1

showertec

STKF

The SHOWERTEC STK range includes a series of profiles dedicated to the shower area. They are products designed to simplify the installation phase. The STKF profiles act as a transition between the sloping tiled shower tray and the cladding. The latter can be integrated with its STKP front profile to obtain a homogeneous and optimal finish thanks to the clean line of the installation. The Showertec STK profiles create bathroom environments with a minimalist and modern design, obtaining floor-level showers without obstacles and without architectural barriers.




STKF35/100IS



Stainless Steel

Length: 1,35 m



Stainless Steel



showertec >> STKF conical frontal profile in Stainless Steel AISI 304 - DIN 1.4301 - Brushed				
Item	HxB mm	Finish		pcs
STKF35/80IS135	8x35	IS - Brushed		1
STKF35/100IS135	10x35	IS - Brushed		1
STKF35/125IS135	12,5x35	IS - Brushed		1
STKF48/80IS135	8x48	IS - Brushed		1
STKF48/100IS135	10x48	IS - Brushed		1
STKF48/125IS135	12,5x48	IS - Brushed		1

showertec >> STKF frontal shower profile in AISI 304 stainless steel - DIN 1.4301 - Black				
Item	HxB mm	Finish		pcs
STKF35/80IB135	8x35	IB - Black		1
STKF35/100IB135	10x35	IB - Black		1
STKF35/125IB135	12,5x35	IB - Black		1
STKF48/80IB135	8x48	IB - Black		1
STKF48/100IB135	10x48	IB - Black		1
STKF48/125IB135	12,5x48	IB - Black		1